INDEX TO VOLUMES, 31, 32 AND 33

(1947, 1948 and 1949)*

SYMPOSIA

1947

January (Chicago)	ADVANCES IN CLINICAL MEDICINE
March (Nationwide)	DIABETES
May (New York)	PEDIATRICS
July (Mayo Clinic)	BLOOD TRANSFUSIONS AND RH FACTOR
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	DISEASES OF THE RESPIRATORY TRACT

1948

January (Chicago)	ENDOCRINOLOGY
March (Nationwide)	DISEASES OF DIGESTIVE SYSTEM
May (New York)	NEUROLOGY AND PSYCHIATRY
July (Mayo Clinic)	ANOMALIES OF THE HEART
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	RECENT ADVANCES IN GYNECOLOGY AND OBSTETRICS

1949

January (Chicago)	DISEASES OF THE SKIN
March (Nationwide)	TREATMENT OF LONG-TERM ILLNESS
May (New York)	CARDIOVASCULAR DISEASE ESPECIALLY HYPERTENSION
July (Mayo Clinic)	GASTROINTESTINAL CONDITIONS
September (Massachusetts General Hospital)	RECENT ADVANCES IN MEDICINE
November (Philadelphia)	1. MEDICAL EMERGENCIES 2. NUTRITIONAL DISEASES

A377 in rickettsial diseases, *1948:* Sept , 1337
Abdominal operations, air travel after, *1948:* July, 1091
  differential diagnosis *1948:* March, 389–397
    x-ray in, 1948: March, 395
  in upper respiratory infections *1947:* Nov., 1334
Abortion, habitual, *1949:* July, 1115
  treatment, *1949:* July, 1118
  infertility and its relation to, *1949:* July, 1111–1120
Abscess of brain, complicating atrial septal defect, *1948:* July, 905
  complicating pulmonary stenosis, *1948:* July, 870
  diagnosis, *1948:* May, 800
of kidney, cortical, *1949:* Sept., 1465
of liver, acute, *1948:* March, 481
of lung, *1949:* March, 395
  amebic, *1948:* March, 479
  antibiotic aerosols in, *1948:* July, 1082; *1949:* March, 404
  penicillin in, *1948:* Sept., 1221

*NOTE: The volume year is given in *italic* type.

Abscess of lung, treatment, *1949:* March, 400
perinephritic, *1949:* Sept., 1465
peritonsillar, *1947:* Nov., 1362
retropharngeal, *1947:* Nov., 1361
Acacia in Bright's disease, *1947:* Sept., 1089
Acarophobia, *1948:* May, 673; *1949:* Jan., 18
Acetarsone in congenital syphilis, cases refractory to penicillin, *1947:* May, 643
in pemphigus, *1949:* Jan., 175
Acetyl-beta-methylcholine in congenital megacolon, *1948:* July, 983
Achondroplasia, *1947:* May, 713
Acid-base balance, disturbances of, *1948:* Jan., 268
treatment, *1948:* Jan., 270
regulation of, *1948:* Jan., 264
mechanism, changes in, tests for determining, *1948:* Jan., 267
Acidosis, diabetic, *1947:* March, 445–455
and acute coronary artery occlusion with recovery, *1947:* May, 764–773
repair solutions in, *1948:* Sept., 1296
treatment, *1949:* March, 491
metabolic, repair solutions in, *1948:* Sept., 1293–1307
renal, repair solutions in, *1948:* Sept., 1301
treatment, recent developments, *1948:* Jan., 264–271
Acne vulgaris, emotional factors, *1948:* May, 678
excoriations associated with, *1948:* May, 674
prevention, *1947:* Sept., 1138
therapy, *1947:* Sept., 1136
Acrosclerosis, *1949:* Jan., 57
ACTH in rheumatic disorders, *1949:* Nov., 1620
Actinomycosis, *1949:* Jan., 244
of lungs, *1949:* Nov., 1490
penicillin in, *1948:* July, 1109
Adams-Stokes syndrome, treatment, *1949:* Nov., 1520
Addisonian pernicious anemia, *1949:* March, 548
Addison's disease, diffuse scleroderma and, differentiation, *1949:* Jan., 265
Adenitis, cervical, in upper respiratory infections, *1947:* Nov., 1331
Adenoid infections, *1947:* Nov., 1356, 1358
Adenoma of adrenal, benign, *1949:* Nov., 1748
parathyroid, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
Adiposogenital dystrophy, personality disturbances in, *1947:* May, 674
Adolescence, endocrine problems during, *1948:* Jan., 140–150
Adrenal, adenoma, benign, *1949:* Nov., 1748
cortex, functions, evaluation of, *1948:* Jan., 89–96
disorders in adolescence, *1948:* Jan., 147
Adrenalin. See *Epinephrine.*
Adrenolytic drugs, *1949:* Nov., 1745
Aerosol administration of antibiotic preparations, critical evaluation, *1948:* July, 1077–1085
Age, increased, of population, medicine and, *1949:* March, 295–308
pertinent characteristics of, *1949:* March, 303
Agenesis, ovarian, *1948:* Jan., 156
Agglutination test for Rh sensitization, *1947:* July, 793
in brucellosis, *1947:* Jan., 191
Aging and aged, clinical problems, *1948:* Jan., 223–229
nutritional aspects, *1949:* Nov., 1681–1684
Agranulocytosis, bone marrow in, *1947:* May, 532
Air, disinfection, in prevention of influenza, *1947:* Nov., 1408
transportation of patients by, *1948:* July, 1084–1093
Albright's syndrome, *1947:* May, 720
Albumin, concentrated human serum, in Bright's disease, *1947:* Sept., 1087
Alcohol, in coronary thrombosis, *1947:* Jan., 157
Alcoholic coma, *1948:* May, 802
Alcoholism, nature and treatment, *1948:* May, 687–693
nutritional polyneuropathy in, *1948:* May, 731
portal cirrhosis and, *1948:* March, 503, 509
Alkalosis, metabolic, *1948:* Jan., 270, 271
repair solutions in, *1948:* Sept., 1293–1307
Alkylamines in treatment of neoplastic and allied diseases of hemopoietic system, *1947:* Jan., 3–18
Allergens, complete avoidance, *1947:* Nov., 1384
partial avoidance, *1947:* Nov., 1386
Allergic diseases, antihistaminic substances in, *1947:* Jan., 43–51; July, 948–953
treatment, *1948:* Sept., 1369–1376
reactions, criteria for defining, *1949:* Jan., 179
in blood transfusion, *1947:* July, 804

Allergic rhinitis, perennial, *1947:* Nov., 1375–1392
shock from pollen injections, prevention, *1949:* March, 412
stomatitis, *1948:* March, 361
Allergy, dermatologic, *1947:* Nov., 1518–1537, *1949:* Jan., 177–204
drug, in asthma, *1947:* July, 955
food, *1948:* Jan., 245–263
skin tests in, *1947:* Nov., 1383, 1522, 1523
interpretation, *1946:* Sept., 1132
urticaria and, *1947:* Nov., 1534
Alloxan diabetes, clinical implications, *1947:* March, 427–433
pathology, *1947:* March, 429
Alopecia areata, prevention, *1947:* Sept., 1139
therapy, *1947:* Sept., 1138
Aluminum chloride in dermatologic therapy, *1949:* Jan., 278
Amebiasis, *1947:* Jan., 116
analysis of 100 consecutive cases at Cleveland Clinic, *1948:* March, 413
and indeterminate ulcerative colitis, *1948:* March, 408–418
diagnosis, *1948:* March, 411; *1949:* May, 900
concentration technic, *1949:* May, 901
treatment, *1948:* March, 414
Amebic hepatitis with suppuration, *1948:* March, 479
without suppuration, *1948:* March, 481
Amenorrhea, *1948:* Jan., 65
functional, management, *1948:* Nov., 1509
psychosomatic approach, *1948:* Nov., 1585
treatment, *1948:* Jan., 69
with psychosomatic disturbances, treatment, *1948:* Jan., 71
American Diabetes Association, *1947:* March, 483
Amethone in gastrointestinal disorders, *1948:* Sept., 1232, 1237
Amino acids, *1949:* Nov., 1714: 1728
in Bright's disease, *1947:* Sept., 1084
Amino-an-fal, *1949:* Nov., 1722
Aminophylline in acute heart failure, *1949:* Nov., 1527
in asthma, *1948:* Jan., 238, Sept., 1373; *1949:* March, 418
in children, *1947:* May, 540
in status asthmaticus, *1949:* Nov., 1598
Aminopterin, *1949:* Nov., 1722
hypoprothrombinemia induced by, *1949:* Nov., 1703
Aminopyrine in measles, *1947:* Jan., 64
in rheumatic fever, *1947:* May, 563
Amphetamine in gastrointestinal disorders, *1948:* Sept., 1233, 1235
in hypertension, *1949:* Sept., 1271
Amphojel regimen, diet for use with, *1948:* Sept., 1328
Ampulla of Vater, carcinoma, *1948:* March, 498
Amylase test in pancreatic disease, *1948:* March, 522
Analgesia, caudal, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
Anaphylactic type of sensitivity, *1949:* Jan., 186
Anatomic warts, *1949:* Jan., 244
Androgen therapy. See *Testosterone.*
Androgenic function of adrenal, 17-ketosteroids and androgens, *1948:* Jan., 89
Anemia(s), air travel in, *1948:* July, 1092
bone marrow in, *1947:* May, 530
classification, *1948:* Sept., 1262
diagnosis, *1948:* Sept., 1259
due to deficiency of essential maturation materials, *1949:* March, 547
due to excessive peripheral demand, *1949:* March, 551
due to toxic agents, *1949:* March, 545
hemolytic, *1949:* March, 552
acute, due to sulfanilamide, *1947:* Jan., 33
bone marrow in, *1947:* May, 528
splenectomy for, relapses after, *1949:* March, 557
treatment, *1948:* Sept., 1269
hypochromic, *1949:* March, 551
hypoplastic, bone marrow in, *1947:* May, 529
in diseases of intestinal tract, *1948:* March, 382–388
iron deficiency, *1949:* March, 551
treatment, *1948:* Sept., 1264
macrocytic, *1949:* March, 548
of infancy, bone marrow in, *1947:* May, 529
treatment, *1948:* Sept., 1265
Mediterranean, *1949:* March, 543
myelophthisic, *1949:* March, 543
nutritional, treatment, *1948:* Sept., 1268
of central bone marrow origin, *1949:* March, 543
pernicious, Addisonian, *1949:* March, 548
carcinoma of stomach, prevention, *1949:* Sept., 1397
combined system disease, treatment, *1949:* Sept., 1392
desiccated stomach in, *1948:* July, 1116
etiology and therapy, recent theories, *1948:* July, 1131
folic acid in, *1948:* July, 1125, 1133; *1949:* March, 549, 550, Sept., 1394
neurologic complications, *1948:* July, 1134

Anemia(s), pernicious, hydrochloric acid in, *1949:* Sept., 1392
iron in, *1949:* Sept., 1391
liver therapy, *1948:* July, 1118, Sept., 1266; *1949:* Sept., 1386
reactions to, *1948:* July, 1121, *1949:* Sept., 1389
pathologic physiology, *1948:* July, 1113
transfusions in, *1949:* Sept., 1386
treatment, *1948:* July, 1113–1142; *1949:* Sept., 1385–1400
vitamin B_{12} in, *1949:* March, 551, Sept., 1394
sickle cell, *1949:* March, 543
treatment, *1948:* Sept., 1259–1271
Anemic states, causes and treatment, *1949:* March, 541–560
Anesthesia for elderly patients, *1949:* March, 584
for major urologic operations, *1949:* March, 476
local, in bursitis, *1949:* Nov., 1622
spinal, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
Anesthetic agents in dermatologic therapy, *1949:* Jan., 271
Aneurysm, intracranial, headache due to, *1949:* July, 989
Angina pectoris, neuralgic features, *1949:* May, 635–649
occurrence, in hypertension, *1949:* May, 653, 654
tetraethylammonium in, *1949:* May, 827
treatment, *1949:* May, 644
Angina, Vincent's, *1947:* Nov., 1360
Angioma, senile, *1949:* Jan., 227
simplex, *1949:* Jan., 222
Angioneurotic edema, mouth lesions in, *1948:* March, 361
Anhidrotic agents in dermatology, *1949:* Jan., 278
Animal protein factor, *1949:* Nov., 1723
Anomalies of heart, symposium on, *1948:* July, 855
Anorexia nervosa in adolescence, *1948:* Jan., 142
Anoxia, anoxic, in air travel, *1948:* July, 1087
myocardial, in causation of angina, *1949:* May, 636
Antacids in massive hemorrhage from peptic ulcer, *1947:* Sept., 1127
Anthracosilicosis, *1947:* Nov., 1480
Anthrax, skin lesions, *1949:* Jan., 243
Antibiotics. See also *Penicillin, Streptomycin*, etc.
in bronchiectasis, *1947:* Nov., 1428
in dermatology, *1949:* Jan., 273
in intestinal obstruction, *1949:* Sept., 1460
in leukemia, *1949:* March, 540
Antibiotics in rickettsial diseases, *1948:* Sept., 1337
in tuberculosis, *1947:* Nov., 1457
in upper respiratory infections, *1947:* Nov., 1337
in urinary tract infections, *1949:* Sept., 1475, 1476
reactions to, *1947:* Jan., 31–42
use by aerosol method, critical evalution, *1948:* July, 1077–1085
recent developments, *1947:* Jan., 19–30
Anticoagulants, administration, *1949:* March, 342
in chronic cardiovascular diseases *1949:* March, 335–345
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509
Antihistaminic drugs in asthma, *1948:* Jan., 244; *1949:* March, 419
in contact dermatitis, *1949:* Jan., 185
substances in allergy, *1947:* Jan., 43–51; 948–953
Antiphlogistic agents in dermatology, *1949:* Jan., 271
Antipruritics in dermatologic therapy, *1949:* Jan., 271
in eczema, *1949:* Jan., 209
Antiseborrheic agents in dermatology *1949:* Jan., 276
Antiseptic agents in dermatology, *1949:* Jan., 273
Antiseptics, urinary. See under *Urinary tract infections.*
Antispasmodics in gastrointestinal disorders, *1948:* Sept., 1227–1240
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1129
in peptic ulcer, *1948:* March, 322
Antivitamins, *1949:* Nov., 1715, 1724
Anuria, conservative management *1949:* July, 1007
Anus, pruritus, *1949:* Jan., 16
Anxiety as reaction to disease, *1949:* March, 440
recognition and management, *1948:* May, 597–608; *1949:* March, 441 442
neurosis, *1949:* Sept., 1343–1364
Aorta and pulmonary artery, complete transposition, with patent ductus arteriosus and defect in membranous portion of ventricular septum, *1948:* July, 890
coarctation, electrocardiogram in, *1949:* July, 1159
hypertension in, *1949:* Nov., 1848
descending, left-sided, and left-sided ductus arteriosus, *1948:* July, 929
upper portion on right side, right-sided ductus arteriosus with, *1948:* July, 938

Aorta and pulmonary artery, effect of syphilis on, clinicopathologic study, *1948:* Sept., 1439–1466
Aortic arch, atresia, partial, *1948:* July, 933
double, functioning, *1948:* July, 929, 938
with atresia of one of arches, *1948:* July, 942
left-sided, and left-sided descending aorta, *1948:* July, 936
with retro-esophageal segment and upper portion of descending aorta on right side, *1948:* July, 942
right-sided, and upper portion of descending aorta on right side, *1948:* July, 945
with retro-esophageal segment and left-sided descending aorta, *1948:* July, 933
system, derivatives, anomalies of, *1948:* July, 925–949
atresia with intact ventricular septum, patent foramen ovale and patent ductus arteriosus, *1948:* July, 883
stenosis, congenital, with associated anomalies of aorta, *1947:* May, 543–556
Aortitis, syphilitic, *1948:* Sept., 1439
diagnosis and course, *1948:* Sept., 1458
Aphasia complicating hemiplegia, treatment, *1948:* May, 741
Apoplexy, after-treatment, *1948:* May, 739
prevention, *1948:* May, 735
treatment, *1948:* May, 736
Appendicitis, acute, air travel in, *1948:* July, 1092
pain in, *1948:* March, 394
Arrhythmias, congenital, electrocardiogram in, *1949:* July, 1168
Arsenic in leukemia, *1949:* March, 537
Arsenical keratoses, *1949:* Jan., 110
Arsenicals in urinary infections, *1949:* Sept., 1479
Arsphenamine, dermatitis exfoliativa due to, *1949:* Jan., 136
Artane in parkinsonism, *1949:* July, 1135
Arterial disease, hypertension with, *1949:* March, 313
occlusive, chronic, anticoagulants in, *1949:* March, 335
Arteries, cranial, dilatation, headache due to *1948:* Mary, 558
Arteriosclerosis, cerebral, misdiagnosed, *1948:* July, 927
diabetes and, *1949:* May, 784, 795–804
diet in, *1949:* Nov., 1684
metabolic aspects, *1949:* May, 783
obliterans, anticoagulants in, *1949:* March, 335
Arteriosclerosis obliterans, physical medicine in, *1949:* March, 348
of coronary arteries, *1949:* May, 652
prevention and treatment, *1949:* May, 773–781
Arteriovenous fistula, hypertension in, *1949:* Nov., 1751
Arteritis, temporal, headache and, *1949:* July, 996
Arthritis, exercises for patients with, *1947:* Sept., 1231
hypertrophic, physical medicine in, *1949:* Sept., 1313–1319
rheumatoid, gold therapy, *1948:* Sept., 1365; *1949:* Sept., 1382
orthopedic treatment, *1949:* Sept., 1379
physical therapy, *1949:* Sept., 1378
roentgen treatment, *1949:* Sept., 1383
treatment, *1948:* Sept., 1357–1367; *1949:* Sept., 1375–1384
senescent, physical medicine in, *1949:* Sept., 1313–1319
Ascorbic acid, interrelationships, *1949:* Nov., 1712
Aspiration of testis to obtain sperm *1948:* Jan., 77
of trachea in pulmonary atelectasis *1949:* Nov., 1614
pneumonia, *1947:* Jan., 58
Asthenia, neurocirculatory, *1949:* Sept. 1343–1364
Asthma, *1948:* Jan., 230–244
acute attack, treatment, *1948:* Jan. 243
air travel in, *1948:* July, 1090
aminophylline in, *1948:* Jan., 238, Sept., 1373; *1949:* March, 418
antibiotic aerosols in, *1948:* July, 1082
antihistaminic drugs in *1948:* Jan., 244; *1949:* March, 419
benadryl in, *1947:* Jan., 46, 49, July, 951
bronchoscopic aspiration in, *1948:* Jan., 242; *1949:* March, 418
complications and their treatment, *1949:* March, 423
demerol in, *1948:* Sept., 1374
drug allergy, *1947:* July, 955
intolerance in, *1947:* July, 954, 957–961
emotional factors, *1947:* Jan., 219
ephedrine in, *1948:* Jan., 243, Sept. 1373
epinephrine in, *1948:* Jan., 238, 243, Sept., 1373; *1949:* March, 418
etiologic diagnosis and treatment, *1948:* Jan., 235
hyposensitization, short interval, *1949:* March, 415
in children, management of attack, *1947:* May, 537–542
intractable, severe, management *1949:* Nov., 1597–1603

Asthma, ipecac in, *1949:* March, 417
penicillin in, *1948:* Sept., 1220; *1949:* March, 417
pyribenzamine in, *1947:* Jan., 48, 49, July, 951
rehabilitation in, *1949:* March, 420
sedatives in, *1949:* March, 419
treatment, *1948:* Sept., 1372
new trends, *1949:* March, 411–425
Asthma-eczema-hay fever complex, *1947:* Nov., 1528
Atelectasis in poliomyelitis, *1947:* May, 609–625
pulmonary, *1949:* Nov., 1613
Atherosclerosis, coronary, *1947:* Jan., 153
metabolic aspects, *1949:* May, 783–794
prevention and treatment, *1949:* May, 773–781
Arthritis, psoriatic, postpartum plasma in, *1949:* May, 907–911
Athyreosis congenital, *1948:* Jan., 122, 125
Atomic energy in medical practice, *1947:* July, 972–981
Atopic dermatitis, *1949:* Jan., 7, 186
treatment, *1949:* Jan., 190, 205–218
with seborrheic features, *1949:* Jan., 215
eczema, Kaposi's varicelliform eruption complicating, *1949:* Jan., 214
Atresia, tricuspid, congenital, anatomical classification, *1949:* July, 1177–1196
Atrial septal defects, *1948:* July, 895–910
electrocardiogram in, *1949:* July, 1159
Atropine in allergic rhinitis, *1947:* Nov., 1390
in gastrointestinal disorders, *1948:* Sept., 1229, 1230
in parkinsonism, *1949:* July, 1136
in upper respiratory infections, *1947:* Nov., 1338
Aureomycin in urinary infections, *1949:* Sept., 1477
Auricular fibrillation, anticoagulants in, *1949:* March, 341
treatment, *1949:* Nov., 1530
flutter, diagnosis, *1949:* Sept., 1258
management, *1949:* Sept., 1255–1267
paroxysmal, *1949:* Nov., 1529
Azosulfamide. See *Neoprontosil.*

BACK pain, low, treatment, *1949:* Nov., 1625
Backache, functional, *1947:* Jan., 216
Bacterial type of sensitization, *1949:* Jan., 195
Bakers' dermatitis, *1949:* Jan., 246
BAL in gold salt toxicity, *1948:* Sept., 1366
Banti's syndrome, bone marrow in, *1947:* May., 534
Basal body temperatures in functional uterine bleeding, *1947:* Jan., 230; *1948:* Jan., 60
in study of sterility, *1948:* Jan., 51, Nov., 1549
cell epithelioma, *1949:* Jan., 111
Base coats, nail changes following use, *1949:* Jan., 95–107
Bath(s), carbon dioxide, in peripheral vascular disease, *1949:* March, 352
in dermatologic therapy, *1949:* Jan., 271
tub, continuous, in psychoses, *1949:* July, 1124
Bed exercises for paralyzed patients *1948:* Sept., 1284, 1286
in rheumatoid arthritis, *1948:* Sept., 1361
Bedside care of newborn by parturient mother, *1948:* Nov., 1699–1709
Behavior disorders in children, somatopsychic aspects, *1947:* May, 668–679
in intellectual inadequacy, *1948:* May, 659
postencephalitic, *1948:* May, 660
post-traumatic, *1948:* May, 661
problems of children, *1948:* May, 655–667
Bell's palsy, physical medicine in, *1948:* May, 783
Bellabulgara in parkinsonism, *1949:* July, 1137
Belladonna in gastrointestinal disorders, *1948:* Sept., 1229
in parkinsonism, *1949:* July, 1136
in peptic ulcer, *1948:* March, 322
Bellafoline in gastrointestinal disorders, *1948:* Sept., 1229, 1230
Benadryl in allergic diseases, *1947:* Jan., 43–51;
in children, *1947:* July, 948–953
in allergic rhinitis, *1947:* Nov., 1390
in asthma of children, *1947:* May 540, July, 951
in hay fever, *1948:* Sept., 1372
in parkinsonism, *1949:* July, 1138
side-effects, *1947:* Nov., 1390
Benzedrine in allergic rhinitis, *1947:* Nov., 1390
in gastrointestinal disorders, *1948:* Sept., 1233, 1235
Benzol in leukemia, *1949:* March, 537
Benzyl benzoate in dermatologic therapy, *1949:* Jan., 274
Beriberi, cardiovascular manifestations, *1949:* Nov., 1643–1655
Besnier's lupus pernio, *1949:* Jan., 31, 37
prurigo, *1949:* Jan., 186
Beta radiation for corneal and lid lesions, *1947:* Nov., 1545

Bial test, *1947:* March, 316
Bile ducts, carcinoma, *1948:* March, 498
common, stone in, *1948:* March, 495
obstruction, jaundice due to, *1948:* March, 450
stricture, benign, *1948:* March, 496
pigment metabolism, normal and abnormal, *1948:* March, 443, 444
Biliary calculi. See also *Gallbladder disease.*
jaundice due to, *1948:* March, 450
cirrhosis, *1948:* March, 512
serum protein fractions in, *1948:* March, 463
colic, *1948:* March, 487
drainage in diagnosis of gallstones, *1948:* March, 489
dyskinesia, *1948:* March, 390, 497
obstruction or fistula, hypoprothrombinemia of, *1949:* Nov., 1695, 1706
tract, diseases, *1948:* March, 486–499
Biopsy, endometrial, *1948:* Jan., 49, 61, Sept., 1181, Nov., 1551
liver, value of, *1947:* Sept., 1060
testicular, *1948:* Jan., 81, 98, Sept., 1175 Nov., 1538
Bismuth in congenital syphilis, cases refractory to penicillin, *1947:* May, 643
in lupus erythematodes, *1947:* Jan., 211
Bladder, carcinoma, *1949:* March, 482
decompression, in prostatism, *1949:* March, 474
training, in paralyzed patients, *1948:* Sept., 1285
B.L.B. mask in status asthmaticus, *1948:* Jan., 238, 241
Blepharitis, irradiation therapy, *1947:* Nov., 1545
Blood, composition, in uremia, changes in, *1947:* July, 870
conservation, in severe hemorrhage, *1949:* Nov., 1556
cross-matching, *1947:* July, 795
disorders of children, bone marrow examination in, *1947:* May, 525–536
dyscrasias, cutaneous lesions in, *1949:* Jan., 281
radiophosphorus in treatment, *1947:* Jan., 3–18, July, 810–840
grouping, laboratory aspects, *1947:* July, 787–798
groups, *1947:* July, 789
pressure, basic, determination, *1949:* May, 688
control, role of carotid sinus in, *1949:* May, 619–633
sugar curves, *1947:* March, 290, 291
diabetic, *1947:* March, 290, 307
pseudodiabetic, *1947:* March, 290, 293
transfusion. See *Transfusion.*
Blood urea nitrogen in gastrointestinal hemorrhage, *1949:* Nov., 1569
Boeck's sarcoid, *1949:* Jan., 32, 35, 36, 257, 258
Bone marrow, anemias originating in, *1949:* March, 543
examination in blood disorders of children, *1947:* May, 525–536
neoplasms, *1947:* May, 535
normal, nucleated cell count, *1947:* May, 527
Bones, cysts, *1947:* May, 508
sarcoidosis of, *1949:* Jan., 42
tumors, in childhood, *1947:* May, 505
Bowel training of paralyzed patients, *1948:* Sept., 1285
Bowen's disease, *1949:* Jan., 125–134
precancerous dermatosis, *1949:* Jan., 125–134
Brain, abscess, complicating atrial septal defect, *1948:* July, 905
complicating pulmonary stenosis, *1948:* July, 870
diagnosis, *1948:* May, 800
areas, localization, clinical aspects, *1948:* May, 721–726
injuries, coma in, *1948:* May, 798
lesions, hemiplegia due to, treatment, *1948:* May, 735–742
tumors, coma in, *1948:* May, 800
psychotic symptoms masking, *1948:* May, 759–767
Bronchial cysts, *1947:* May, 499
Branham's sign, *1949:* Nov., 1752
Breast, carcinoma, testosterone in, *1948:* Jan., 18–36
feeding in acute hemolytic disease, *1948:* Nov., 1643
Bright's disease. See *Nephritis.*
Bronchial asthma. See *Asthma.*
infections, antibiotics in, aerosol method, *1948:* July, 1079
Brine flotation technic for amebae, *1949:* May, 901
Bromsulfalein test in gastrointestinal hemorrhage, *1949:* Nov., 1568
Bronchial asthma, treatment, new trends, *1949:* March, 411–425
Bronchiectasis, *1947:* Nov., 1418–1431
diagnosis, *1949:* July, 1054
penicillin in, *1948:* Sept., 1218
aerosol method, *1948:* July, 1081
pneumonitis in, *1947:* July, 855
roentgenologic diagnosis before bronchography, *1947:* July 850–859
reliability of, *1947:* July, 858
manifestations, , *1947:* July, 850
secretions, common pathogenic bacteria found in, *1948:* July, 1084
streptomycin in, aerosol method, *1948:* July, 1081

Bronchiectasis, suppurative, *1949:* March, 393
penicillin in, *1949:* March, 404
aerosol method, *1949:* March, 404
treatment, *1949:* March, 400
surgical, *1949:* March, 406
surgical indications and treatment, *1947:* Nov., 1429
treatment, *1947:* Nov., 1427
Bronchitis, chronic, antibiotic aerosols in, *1948:* July, 1082
Bronchogenic carcinoma, *1947:* Nov., 1475
Bronchography in bronchiectasis, *1947:* Nov., 1426
value, *1949:* July, 1054
Bronchopneumonia, *1947:* Jan., 57
penicillin in, *1948:* Sept., 1212
Bronchopulmonary suppurations, nontuberculous, management, *1949:* March, 391–410
Bronchoscopic aspiration in asthma, *9948:* Jan., 242; *1949:* March, 418
Bronchoscopy in bronchiectasis, *1947:* Nov., 1426
value, *1949:* July, 1054
Bronchus, diseases, relation of upper respiratory infections to, *1947:* Nov., 1325
Brucella agglutination test, *1947:* Jan., 191
dermatitis, *1949:* 243
Brucellosis, chronic, diagnostic problems, *1947:* Jan., 182–198
streptomycin and sulfadiazine in, *1949:* July, 1079–1088
treatment, advances in, *1948:* July, 1108
Buerger's disease. See *Thromboangiitis obliterans.*
exercises, *1949:* March, 353
Bullous diseases, *1949:* Jan., 165
drug eruptions, *1949:* Jan., 173, 174
impetigo, *1949:* Jan., 173, 174
Bursitis, subacromial, *1949:* Nov., 1621
subdeltoid, *1949:* Nov., 1621
Butcher's pemphigus, *1949:* Jan., 243

CAFERGONE in migraine, *1949:* Nov., 1586, 1588
Caffey's syndrome, streptomycin in, *1948:* May, 834
Calciferol in sarcoidosis, *1949:* Jan., 50
Calcinosis in diffuse scleroderma, *1949:* Jan., 61
Calcium oxalate stones, medical management, *1948:* Sept., 1319
phosphate stones, medical management, *1948:* Sept., 1321
Calculi, biliary. See also *Gallbladder disease.*
jaundice due to *1948:* March, 450
common duct, *1948:* March, 495
urethral, *1948:* Sept., 1415, 1416
Calculi, urinary, medical management, *1948:* Sept., 1315–1332
Camps, summer, for diabetic children, *1947:* March, 435–444
Cancerophobia, *1948:* May, 674
Canker sores, *1948:* March, 361
Capillary fragility in hypertension, *1949:* May, 675–686
nevus, *1949:* Jan., 220, 222
Carbaminoylcholine in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Carbarsone in amebic dysentery, *1947:* Jan., 119
Carbohydrate metabolism, vascular degeneration and, *1949:* May, 785
Carbon dioxide baths in peripheral vascular disease, *1949:* March, 352
paper, epidermal sensitivity to, *1947:* Nov., 1519
Carcinoma, bronchogenic, *1947:* Nov., 1475
metastasizing, association with dermatomyositis, *1947:* Sept., 1148–1162
of ampulla of Vater, *1948:* March, 498
of bile ducts, *1948:* March, 498
of bladder, *1949:* March, 482
of breast, testosterone in, *1948:* Jan., 18–36
of colon, anemia in, *1948:* March, 386
of esophagus, *1948:* March, 370
of gallbladder, *1948:* March, 497
of liver with portal cirrhosis, clinicopathologic conference, *1948:* March, 537–544
of lung, inoperable, nitrogen mustards in, *1949:* Sept., 1309
of pancreas, *1948:* March, 533
head, jaundice in, *1948:* March, 451
of prostate gland, *1949:* March, 479
estrogen therapy, *1948:* Jan., 111
orchiectomy in, results, *1948:* Jan., 117
phosphatase determinations, *1948:* Jan., 112
of skin, *1949:* Jan., 109–117
treatment, *1949:* Jan., 119–123
of stomach in pernicious anemia, prevention, *1949:* Sept., 1397
perforated, pain in, *1949:* July, 965–972
simulating gastric diverticulum, *1948:* March, 348
of thyroid, radioiodine in, *1948:* July, 962
of uterus, diagnosis, vaginal smear for, *1948:* Nov., 1563–1572
early detection, value of periodic examination of well women in, *1948:* Nov., 1557
pelvic, diagnosis, delay period in, *1948:* Nov., 1573–1581
squamous cell, *1949:* Jan., 115

Cardiac. See also *Heart*.
cirrhosis, *1948:* March, 514
neurosis, *1949:* Sept., 1343–1364
Cardiospasm, *1948:* March, 366
Cardiovascular conditions, acute, treatment, *1949:* Nov., 1519–1535
diseases, symposium on, *1949:* May, 607
effects of tetraethylammonium, *1949:* May, 805–831
failure in blood transfusion, *1947:* July, 805
manifestations of heart disease, *1949:* Nov., 1643–1655
syphilis, *1948:* Sept., 1439–1466
Caries, dental, *1949:* Nov., 1713
Caronamide, *1948:* July, 1106
Carotid sinus pressure in auricular flutter, *1949:* Sept., 1258
reflex, hyperactive, syndrome of *1947:* July, 841–844
role, in blood pressure control, *1949:* May, 611–617
syncope, treatment, *1949:* Nov., 1520
Casts in rheumatoid arthritis, *1949:* Sept., 1380
Cataract, congenital, *1947:* May, 758
in alloxan diabetes, *1947:* March, 429
Catarrh, vernal, *1947:* May, 761
Catheterization of bladder in prostatism, *1949:* March, 474
Cauda equina injuries, care of patients paralyzed by, *1948:* Sept., 1273–1291
Caudal analgesia, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
Cavernous hemangioma, *1949:* Jan., 225
Cecum, carcinoma, anemia in, *1948:* March, 386, 387
Cell count, spinal fluid, in neurosyphilis, *1948:* May, 708
Cellular nevi, *1949:* Jan., 229
Cellulitis and lymphangitis, recurrent, of extremities, *1949:* July, 1089–1098
orbital, complicating sinusitis, *1947:* Nov., 1352
Cephalgia, histaminic, *1949:* July, 977, 1002, Sept., 1447
Cerebral. See also *Brain*.
arteriosclerosis, misdiagnosed, *1949:* July, 927
embolism, *1948:* May, 739
hemorrhage, *1948:* May, 735, 736
differentiated from thrombosis and embolism, *1948:* May, 799
localization, clinical aspects, *1948:* May, 721–726
palsy, therapeutic exercises in, *1947:* May, 632
treatment, *1948:* May, 789–793
sinuses and veins, thrombosis of, *1948:* May, 739
Cerebral thrombosis, *1948:* May, 738
anticoagulants in, *1949:* March, 339
Cervix uteri, carcinoma, diagnosis, vaginal smear for, *1948:* Nov., 1563–1572
early detection, value of periodic examination of well women in, *1948:* Nov., 1557
diagnostic tests, in infertility, *1948:* Sept., 1179
hypersecretion, simple, *1948:* Nov., 1603
Cesarean section under caudal analgesia, *1948:* Nov., 1688
under spinal anesthesia, *1948:* Nov., 1691
Charcot's triad in multiple sclerosis, *1948:* May, 746
Chemotherapy. See *Sulfonamides*, *Penicillin*, *Streptomycin*, etc.
Chest conditions, abdominal pain in *1948:* March, 389
Chickenpox, gamma globulin in, *1947:* May, 606
Childbirth. See *Labor*.
Children, allergic disease in, histamine antagonists, *1947:* July, 948
behavior problems, *1948:* May, 655–667
convulsive disorders in *1947:* July, 934–947
diabetic, summer camps for, *1947:* March, 435–444
diseases, symposium on, *1947:* May, 497
feeding difficulties in, *1947:* May, 688
problems of, *1948:* Jan., 272–282
Chiniofon in amebic dysentery, *1947:* Jan., 119
Chlorides, excretion, urinary, test, *1949:* Sept., 1273
Chloromycetin in rickettsial diseases, *1948:* Sept., 1337
in urinary infections, *1949:* Sept., 1478
Cholangitis complicating common duct stone, *1948:* March, 496
Cholecystectomy, biliary dyskinesia following, *1948:* March, 390
Cholecystitis acute, *1948:* March, 490
differential diagnosis, *1948:* March, 492
treatment, *1948:* March, 493
chronic, *1948:* March, 494
pain in, *1948:* March, 394, 395
Cholesterol restruction in atherosclerosis, *1949:* May, 775
Cholesterosis of gallbladder, *1948:* March, 494
Chondroma, *1947:* May, 508
Chondrosarcoma, *1947:* May, 510
Chorea, treatment, *1947:* May, 564
Chromaffinoma, *1947:* May, 505

Chronic disease, adjustment to, *1949:* March, 439
anxiety as reaction, *1949:* March, 440, 442
certain characteristics of *1949:* March, 300
dietary needs in, *1948;* Sept., 1159–1169; *1949:* March, 561–572
in the constitutionally inadequate, *1949:* March, 427–434
mastery of, *1949:* March, 435–446
patient as surgical risk, *1949:* March, 573–585
planning for, *1949:* March, 587–597
prevalence of, *1949:* March, 435
social and cultural aspects, *1949:* March, 437
treatment, symposium on, *1949:* March, 293
Chrysarobin in dermatology, *1949:* Jan., 276
Circulation, effect of physical agents on, *1947:* Sept., 1229
Cirrhosis, *1948:* March, 500–517
biliary, *1948:* March, 512
primary, *1948:* March, 512
secondary, *1948:* March, 513
serum protein fractions in, *1948:* March, 463
cardiac, *1948:* March, 514
congestive, *1948:* March, 514
Laennec's, serum protein fractions in, *1948:* March, 460
of liver, diet in, *1949:* March, 570, Nov., 1661
hemorrhage in, massive, *1948:* March, 328
pigmentary, *1948:* March, 511
portal, *1948:* March, 501
acute hepatitis and, *1948:* March, 505
alcoholism and, *1948:* March, 503, 509
dietary deficiencies and, *1948:* March, 503
lipotropic factors in, *1948:* March, 503, 509
treatment, *1948:* March, 508
with primary carcinoma, clinicopathologic conference, *1948:* March, 537–544
postnecrotic, *1948:* March, 511
syphilitic nodular, *1948:* March, 514
toxic, *1948:* March, 511
Climacteric. See *Menopause.*
Clinical medicine, advances in, symposium on, *1947:* Jan., 1
Clinicopathologic conference, *1948:* Jan., 161–175, March, 537–544
Clutton's joints, penicillin in, *1947:* May, 641
Coal tar in eczematous dermatoses, *1949:* Jan., 209
Coarctation of aorta, electrocardiogram in, *1949:* July, 1159
hypertension in, *1949:* Nov., 1748
Cocaine in allergic rhinitis, *1947:* Nov., 1390
Coccidioidomycosis, *1947:* Nov., 1486
Coffee in coronary thrombosis, *1947:* Jan., 157
Cold agglutination test in atypical pneumonia, *1947:* Nov., 1448
Cold, common, preventive measures, *1947:* Nov., 1340
Colectomy in congenital megacolon *1948:* July, 985
Colic, abdominal, *1948:* March, 392
biliary, *1948:* March, 487
Colitis, Shigella, *1947:* Jan., 113
thrombo-ulcerative (streptococcal) present-day therapy, *1948:* July 967–979
ulcerative, chronic, anemia in, *1948:* March, 384
indeterminate, and amebiasis *1948:* March, 408–418
treatment, *1948:* March, 414
malignant degeneration in, report of 7 cases, *1949:* Sept., 1421–1437
nonspecific, psychogenic factors *1947:* Jan., 219
present-day therapy, *1948:* July, 967–979
salicylazosulfapyridine in, *1949:* July, 935–942
streptococcal, medical management, *1948:* July, 967
surgical management, *1948:* July, 975
with ileostomy, abdominal pain in, *1948:* March, 392
Collodion in dermatologic therapy, *1949:* Jan., 270
Colon, carcinoma, anemia in, *1948:* March, 386
dilatation, idiopathic, congenital, treatment, recent advances, *1948:* July, 981–987
irritable, diagnosis and treatment, *1948:* March, 398–407
physiology, *1948:* March, 400
psychosomatic factors, *1948:* March, 400
lavage, in renal failure, *1948:* July, 995
obstruction, *1949:* Sept., 1461
Coma, diabetic, *1947:* March, 445–455, 457–475; *1949:* Nov., 1537–1553
treatment, *1949:* March, 493, Nov. 1550
differential diagnosis, *1948:* May 795–803
laboratory examination in, *1948:* May, 798
symptoms and signs, *1948:* May, 795
Common duct stones, *1948:* March, 495

Communicable diseases, acute, *1947:* Jan., 61
common, immunization in, *1947:* May, 590
Complement fixation test in influenza, *1947:* Nov., 1408
of spinal fluid in neurosyphilis, *1948:* May, 708
Compound E in rheumatic disorders, *1949:* Nov., 1620
Compression, arterial, to control hemorrhage, *1949:* Nov., 1558
dressings in severe hemorrhage, *1949:* Nov., 1557
Compulsive movements, skin lesions due to, *1948:* May, 674
Conception, physiology of, *1948:* Jan., 40
Conduct disorders in children, *1948:* May, 664
Congenital heart disease, electrocardiogram in, *1949:* July, 1157–1175
symposium on, *1948:* July, 855
tricuspid atresia, classification, *1949:* July, 1177–1196
Conglutination test for Rh sensitization, *1947:* July, 795
Conjunctivitis, vernal, irradiation treatment, *1947:* Nov., 1545
Connective tissue nevi, *1949:* Jan., 237
Constipation, *1949:* July, 957–963
management, *1949:* July, 959
Constitutional diseases, abdominal pain in, *1948:* March, 391
Constitutionally inadequates, chronic illness and, *1949:* March, 427–434
Contact dermatitis, *1947:* Nov., 1519; *1949:* Jan., 181
desensitization in, *1949:* Jan., 185
due to foods, *1949:* Jan., 239–247
therapy and general management, *1949:* Jan., 184
Contraception, methods, *1948:* Nov., 1630
role, in preventive medicine, *1948:* Nov., 1629–1634
Convulsions, coma following, *1948:* May, 801
in infants and children, *1947:* July, 934–947
Cor pulmonale, acute, precordial leads in, *1948:* Jan., 205
Cornea, erosion, unilateral, nocturnal, recurrent, *1949:* July, 998
lesions, irradiation treatment, *1947:* Nov., 1545
Coronary arteries, anomalies, electrocardiogram in, *1949:* July, 1167
arteriosclerosis, *1949:* May, 652
Coronary artery disease, *1947:* Jan., 153–160
diet in, *1949:* Nov., 1631
treatment, *1947:* Jan., 156
Coronary artery disease, occlusion, acute, and diabetic acidosis with recovery, *1947:* May, 764–773
atherosclerosis, *1947:* Jan., 153
thrombosis, abdominal pain in, *1948:* March, 389
in aged, *1948:* Jan., 227
treatment, *1947:* Jan., 156
Cosmetic dermatitis, *1949:* Jan., 183
Cough as a symptom, *1947:* Nov., 1393–1399
control of, in upper respiratory infections, *1947:* Nov., 1339
habit, *1949:* July, 1055
in thoracic disease, diagnostic significance, *1949:* July, 1054
treatment, *1947:* Nov., 1399
Cranial arteries, dilatation, headache due to, *1948:* May, 558
Craniopharyngioma, *1947:* May, 502
Cretinism, *1947:* May, 714; *1948:* Jan. 122–139
endemic, *1948:* Jan., 122, 125
sporadic, *1948:* Jan., 122, 125
Cross-matching of blood, *1947:* July 795
Culdoscopy, *1948:* Sept., 1187
Culture filtrates in tuberculosis, *1947:* Nov., 1462
Curare in poliomyelitis, *1948:* Sept., 1392
Curettage, endometrial, *1948:* Nov., 1515
uterine, in uterine hemorrhage, *1948:* Jan., 67
Cushing's syndrome, hypertension in, *1949:* Nov., 1746
Cutaneous. See *Skin.*
Cyanosis, heart anomalies associated with, *1948:* July, 855, 879
Cystic disease in childhood, *1947:* May, 501
enlargement of ovary, significance with respect to treatment, *1948:* Nov., 1611–1628
Cystine stones, medical management, *1948:* Sept., 1316
Cystitis, *1949:* Sept., 1465
Cystoscopy in infants and children, *1947:* May, 664
in prostatism, *1949:* March, 475
Cystosis, follicular, *1948:* Nov., 1611
Cysts, bone, *1947:* May, 508
bronchial, *1947:* May, 499
dermoid, *1947:* May, 501
pancreatic, *1948:* March, 532
thyroglossal duct, *1947:* May, 499
Cytology test for uterine cancer, evaluation of, *1948:* Nov., 1563–1572

DACRYOSTENOSIS, congenital, *1947:* May, 1757
Darier-Roussy sarcoid, *1949:* Jan., 31 32, 36. 37

DDT as dog powder for ticks, *1947:* May, 655
Deafness in childhood, irradiation for, *1947:* Nov., 1359, 1546
Deficiency diseases, stomatitis due to, *1948:* March, 360
Dehydration as surgical risk, *1949:* March, 578
in infantile diarrhea, *1949:* May, 851–870
routine treatment, *1949:* May, 867
rationale for, *1949:* May, 860
Delirious reactions, diagnosis and treatment, *1948:* May, 647–654
Delivery. See *Labor*.
Delusions of parasitosis, *1949:* Jan., 18
Dema in neoplastic diseases of hemopoietic system, *1947:* Jan., 10
Dementia praecox, *1948:* May, 623–629
Demerol in asthma, *1948:* Sept., 1374
Dengue fever, *1947:* Sept., 1267–1272
Dental caries, *1949:* Nov., 1713
Deodorants, antiperspirant, dermatitis due to, *1949:* Jan., 184
Depression, electroshock therapy, report of 200 cases, *1949:* March, 515–526
Dermal leishmaniasis, diagnosis, *1949:* May, 904
Dermatitis, atopic, *1949:* Jan., 186
emotional factors, *1948:* May, 675
Kaposi's varicelliform eruption complicating, *1949:* Jan., 214
of cubitals, forearms, dorsa of hands and wrist, *1949:* Jan., 217
treatment, *1949:* Jan., 190, 205–218
with seborrheic features, *1949:* Jan., 215
bakers', *1949:* Jan., 246
brucella, *1949:* Jan., 243
contact, *1947:* Nov., 1519; *1949:* Jan., 181
desensitization in, *1949:* Jan., 185
due to foods, *1949:* Jan., 239–247
patch test in, *1947:* Nov., 1522
therapy and general management, *1949:* Jan., 185
cosmetic, *1949:* Jan. 183
exfoliative, *1947:* July, 962–971; *1949:* Jan., 135–144
from penicillin, *1947:* Jan., 38
factitia, *1948:* May, 674
from circulating allergens, *1947:* Nov., 1525
functional, *1949:* Jan., 3–19
herpetiformis, *1949:* Jan., 170
in fishermen, and fish handlers, *1949:* Jan., 245
medicamentosa, *1949:* Jan., 198
exfoliative types, *1949:* Jan., 136
occupational, *1949:* Jan., 183
plant, *1949:* Jan., 184
Dermatitis, seborrheic, exfoliative dermatitis and, *1949:* Jan., 136, 142
prevention, *1947:* Sept., 1146
therapy, *1947:* Sept., 1145
toxic, from penicillin, *1947:* Jan., 37
venenata, *1949:* Jan., 181
therapy and general management, *1949:* Jan., 184
Dermatologic allergy, some problems in, *1947:* Nov., 1518–1537
disorders, psychogenic factors in, *1948:* May, 669–685
therapy, pharmacodynamics of vehicles and drugs used in *1949:* Jan., 263–279
Dermatology, symposium on, *1949:* Jan., 1
Dermatomyositis, *1949:* Jan., 21–29
associated with metastasizing bronchogenic carcinoma, clinicopathological conference, *1947:* Sept., 1148–1162
differential diagnosis, *1949:* Jan., 26
diffuse scleroderma and, differentiation, *1949:* Jan., 26, 65
disseminated lupus erythematodes and, *1947:* Jan., 206
treatment, *1949:* Jan., 28
Dermatopathology as window to internal disease, *1949:* Jan., 281–287
Dermatophytids, *1949:* Jan., 197
Dermatophytosis, emotional factors, *1948:* May, 680
prevention, *1947:* Sept., 1140
treatment, *1947:* Sept., 1139
trichophyton in diagnosis and treatment, *1949:* Jan., 197
Dermatoses, common, dermatitis exfoliativa in, *1949:* Jan., 136
precancerous, *1949:* Jan., 109
Bowen's, *1949:* Jan., 125–134
psychogenic, *1948:* May, 673
Dermoid cysts in childhood, *1947:* May, 501
Desensitization in allergic rhinitis, *1947:* Nov., 1387
in contact dermatitis, *1949:* Jan., 185
Dextrocardia, isolated, electrocardiogram in, *1949:* July, 1164
DFP in gastrointestinal disorders, *1948:* Sept., 1239, 1242
DHO 180 in hypertension, *1948:* Sept., 1253
Diabetes, alloxan, clinical implications, *1947:* March, 427–433
pathology, *1947:* March, 429
Diabetes mellitus, annual number of new cases, *1947:* March, 370
arteriosclerosis and, *1949:* May, 784, 795–804
blood sugar curves in *1947:* March, 290, 291
complications, acute, *1947:* March, 407–425

Diabetes mellitus, diagnosis, *1947:* March, 313
early treatment, *1947:* March, 387
vascular degeneration in, *1949:* May, 784
treatment and, *1949:* May, 791
febrile illnesses complicating, *1947:* March, 408, 410
glucose tolerance tests, *1947:* March, 289, 299
hyperglycemia in, effect on patient, *1947:* March, 267
in childhood, prognosis, *1949:* March, 495
insulin in, *1947:* March, 327–368
adjustment of patient to single-injection mixture, *1947:* March, 354
effective timing, *1947:* March, 327–341
mixtures and modifications, *1947:* March, 335, 343–357
therapeutic approach, *1947:* March, 336
types and their actions and uses, *1947:* March, 327
unusual requirements, *1947:* March, 359–368
juvenile, *1947:* March, 388
late, vascular degeneration in, treatment and, *1949:* May, 791
lipemia in, *1947:* March, 465
longevity in, *1947:* March, 384
management, during acute complications and surgery, *1949:* Sept., 1413–1419
when mouth feeding is contraindicated, *1947:* March, 412
mortality rates, *1947:* March, 372
effect of insulin on, *1947:* March, 374
geographical and racial variations, *1947:* March, 376
trends, *1947:* March, 378
by sex and age, *1947:* March, 382
urban-rural differences, *1947:* March, 378
multiple complications, *1947:* March, 415
nature of, *1949:* March, 485
obesity and, *1947:* March, 389
pancreas in, role, *1947:* March, 267
pregnancy complicating, after 20 years' duration, *1947:* March, 395–405
prevalence in United States, *1947:* March, 369
public health and, *1947:* March, 481–482
pyelonephritis complicating, *1947:* March. 418
recent statistics, *1947:* March, 369–386
Diabetes mellitus, surgery in, preoperative and postoperative management, *1947:* March, 420
preparation for, *1949:* March, 580
surgical complications, *1947:* March, 411
symposium on, *1947:* March, 259
treatment, and incidence of complications, *1947:* March, 391
in children, *1947:* March, 279–288
incentives to, *1947:* March, 387–393
optimism in *1949:* March, 485–496
tuberculosis complicating, *1947:* March, 413
pancreatic, frequency in chronic pancreatitis, *1949:* May, 883–897
Diabetic acidosis, *1947:* March, 445–455
and acute coronary artery occlusion with recovery, *1947:* May, 764–773
repair solutions in, *1948:* Sept., 1296
treatment, *1949:* March, 491
children, summer camps for, *1947:* March, 435–444
coma, *1947:* March, 445–455; *1948:* May 801; *1949:* Nov., 1537–1553
etiology and prevention, *1947:* March, 445
pathologic physiology, *1947:* March, 447, 464
prognosis, *1947:* March, 454, 473
symptoms and course, *1947:* March, 462
treatment, *1947:* March, 451, 457–475; *1949:* March, 493, Nov., 1550
pre-coma, *1947:* March, 457
Dialysis in renal failure, basic principles, *1948:* July, 990
external, *1948:* July, 991
internal, gastrointestinal tract, *1948:* July, 992
peritoneum, *1948:* July, 995
Diamond and Abelson test for Rh factor, *1947:* July, 792
Diaphragmatic hernia, air travel in, *1948:* July, 1092
Diarrhea, epidemic, with nausea and vomiting, *1947:* Jan., 123
infantile, dehydration in, *1949:* May, 851–870
routine treatment, *1949:* May, 867
rationale for, *1949:* May, 860
streptomycin in, *1948:* May, 805
Diasone in tuberculosis, *1947:* Nov., 1467
Dibenamine in hypertension, *1948:* Sept., 1252
Dibutoline in gastrointestinal disorders, *1948:* Sept., 1232, 1237
Dicumarol, administration, *1949:* March, 343

Dicumarol, hemorrhage in, control, *1949:* Nov., 1514
laboratory control, *1949:* Nov., 1513
and heparin, combined use, *1949:* March, 344
hypoprothrombinemia induced by, *1949:* Nov., 1700, 1706
in chronic cardiovascular diseases, *1949:* March, 335–345
in coronary thrombosis, *1947:* Jan., 160
in multiple sclerosis, *1948:* May, 753
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in rheumatic heart disease with periodic arterial embolism, *1948:* Sept., 1309–1313
in treatment of thrombosis and embolism, *1949:* Nov., 1509, 1511
Diet, acid ash, *1948:* Sept., 1324
high vitamin, *1948:* Sept., 1327
in Bright's disease, *1947:* Sept., 1079
defective, portal cirrhosis and, *1948:* March, 503
for use with Amphojel regimen, *1948:* Sept., 1328
in acute renal failure, *1949:* July, 1016
in arteriosclerosis, *1949:* Nov., 1684
in cirrhosis of liver, *1949:* March, 570
in congestive heart failure, *1949:* Nov., 1631–1641
in constipation, *1949:* July, 960
in convulsive disorders, *1947:* July, 943
in coronary artery disease, *1949:* Nov., 1631
in diastolic hypertension, *1947:* Sept., 1108
in epilepsy, *1947:* Sept., 1284
in gastrointestinal hemorrhage, *1949:* Nov., 1576
in heart disease, *1949:* March, 564, Nov., 1631–1641
in heart failure, *1949:* March, 365
in hypertension, *1948:* Sept., 1256; *1949:* March, 566, May, 662, 691, Sept., 1271, Nov., 1639
in intestinal obstruction, *1948:* March, 378
in kidney disease, *1949:* March, 565
in long-term illness, *1949:* March, 561–572
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1126; *1948:* March, 330
in myasthenia gravis, *1947:* July, 918
in nephritis, *1947:* Nov., 1510; *1949:* March, 565
protein content of, *1947:* Sept., 1083
sodium content of, *1947:* Sept., 1077
in nephrosclerosis, *1949:* March, 566
in peptic ulcer, *1948:* March, 321
in portal cirrhosis, *1948:* March, 508
Diet, in pregnancy, effect on intrauterine fetus, *1947:* May, 696–699
in protracted disease, *1948:* Sept., 1159–1169
in psychosomatic disorders, *1949:* March, 571
in rheumatoid arthritis, *1948:* Sept., 1363; *1949:* Sept., 1382
in richettsial diseases, *1948:* Sept., 1334
in Rocky Mountain spotted fever, *1947:* May, 650
in senility, *1949:* March, 563, Nov. 1682
in spinal cord injuries, *1948:* Sept. 1280
in subacute and chronic hepatitis *1947:* Sept., 1060
in tuberculosis, *1949:* March, 563
in ulcerative colitis, *1948:* July, 968
in viral hepatitis, *1949:* March, 455
Karell, *1949:* March, 365, 366, 564 Nov., 1636
low cholesterol, in atherosclerosis *1949:* May, 775
low purine, *1948:* Sept., 1318
low sodium, in heart failure, *1949:* March, 328, 329, 366, Nov. 1938
in hypertensive vascular disease, *1949:* May, 713–725, Sept. 1274
reduction, in hypertension, *1949:* March, 569
rice, in hypertension, *March*, 323, 325, 568; *1949:* May, 662, Sept. 1271, Nov., 1639
Schemm, *1949:* Nov., 1636
sodium-free, foods to avoid, *1949:* March, 567
Dietary factors in liver injury, *1949:* Nov., 1657–1669
needs in long-term illness, *1949:* March, 561–572
Diethylstilbestrol in carcinoma of prostate, *1948:* Jan., 115
in cystic enlargement of ovary, *1948:* Nov., 1620
in prostatic hypertrophy, *1948:* Jan., 119
Digestive system, diseases, symposium on, *1948:* March, 301
Digitalis in auricular fibrillation, *1949:* Nov., 1531
in auricular flutter, *1949:* Nov., 1529
in coronary thrombosis, *1947:* Jan., 158
in heart failure, *1949:* March, 367, Nov., 1526
in nephritis, *1947:* Sept., 1080
in rheumatic heart disease, *1947:* May, 574
Digoxin in auricular flutter, *1949:* Sept., 1261

Dihydroergotamine in migraine, *1948:* May, 562, Sept., 1352; *1949:* Nov., 1587, 1588
Dihydrostreptomycin in brucellosis, *1949:* July, 1087
Dihydrotachysterol in sarcoidosis, *1949:* Jan., 50
Diodoquin in amebic dysentery, *1947:* Jan., 119
Diphtheria, *1947:* Jan., 61, Nov., 1364
  immunization, *1947:* May, 590
  paralytic phenomena, *1947:* Nov., 1365
  treatment, *1947:* Nov., 1366
Diphtherial stomatitis, *1948:* March, 358
Discogenetic diseases of cervical spine, *1949:* Nov., 1623
Diseases, dissemination of, factors in, *1947:* July, 983
  of international importance, *1947:* July, 983–994
  transmission of vectors, *1947:* July, 987
Diuresis in heart failure, *1949:* March, 369
Diuretics in acute renal failure, *1949:* July, 1015
  mercurial, in Bright's disease, *1947:* Sept., 1081
    in rheumatic heart disease, *1947:* May, 576
Diverticulitis, of colon, pain in, *1948:* March, 395
Diverticulum, esophageal, *1948:* March, 364
  gastric, *1948:* March, 336
    diagnosis, *1948:* March, 340
    malignant disease of stomach simulating, *1948:* March, 336–354
    symptoms and signs, *1948:* March, 339
    treatment, *1948:* March, 342
Dizziness in aged, *1948:* Jan., 225
Doryl in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Drainage headache, *1949:* Sept., 1449, Nov., 1594
Drug(s), allergy in asthma, *1947:* July, 955
  common, intolerance in asthma, *1947:* July, 954, 957
  dermatitis exfoliativa due to, *1949:* Jan., 136
  eruptions, *1949:* Jan., 198
    bullous, *1949:* Jan., 173, 174
    drugs causing, *1949:* Jan., 200
    treatment, *1949:* Jan., 201
  evaluation of efficacy, *1947:* Sept., 1242
  in dermatologic therapy, pharmacodynamics of, *1949:* Jan., 263–279
  intolerance in asthma, *1947:* July, 954, 957
Ductus arteriosus, left-sided, and left-sided descending aorta, *1948:* July, 929
  patent, *1948:* July, 911–923
    electrocardiogram in, *1949:* July, 1159
    right-sided, with upper portion of descending aorta on right side, *1948:* July, 938
Dumping syndrome, *1949:* Sept., 1321–1341
Duodenal drainage in renal failure, *1948:* July, 993
  fistula, complicating chronic duodenal ulcer, *1947:* July, 1033
  ulcer, acute, *1947:* July, 996
    chronic, *1947:* July, 997
      complications, *1947:* July, 1001
      duodenal fistula complicating, *1947:* July, 1033
      hemorrhage complicating, *1947:* July, 1010
      pain of, *1947:* July, 998
      perforating, *1947:* July, 1016, 1026
      pyloric obstruction complicating, *1947:* July, 1001
      symptoms, periodicity, *1947:* July, 998
    differential diagnosis, *1947*, July, 1034
    incidence, *1947:* July, 995
    perforating, differential diagnosis, *1947:* July, 1020
    subacute perforating, *1947:* July, 1024
    symptoms and diagnosis, *1947:* July, 995–1048
  vagotomy for, indications, *1948:* March, 305
Duomycin in urinary tract infections, *1949:* July, 1077, 1078
Dusting powders in dermatologic therapy, *1949:* Jan., 266
Dusts, allergic eczema due to, *1947:* Nov., 1528
  avoidance, in allergy, *1947:* Nov., 1385, 1387
Dwarfism, *1948:* Jan., 151
  endocrinologic aspects, *1947:* May, 712–730
  hypopituitary, *1947:* May, 715
  pituitary, *1948:* Jan., 141, 154
Dye method for estimating plasma volume, *1949:* Nov., 1569
Dysentery, amebic, *1947:* Jan., 116
  bacillary, *1947:* Jan., 113
    sulfonamides in, *1946:* July, 928; *1947:* Jan., 115
Dyshidrosis, *1949:* Jan., 10
Dyskinesia, biliary, *1948:* March, 497
Dysmenorrhea, psychosomatic approach, *1948:* Nov., 1585
Dyspareunia in infertility, *1948:* Sept. 1172

Dyspnea, diagnostic significance, *1949:* July, 1056
paroxysmal, treatment, *1949:* Nov., 1521

ECLAMPSIA, hypertension in, *1949:* May, 671
management, *1949:* May, 839
physiological treatment, *1948:* Nov., 1678
veratrum viride in, *1948:* Nov., 1676
Ectasias, senile, *1949:* Jan., 227
Eczema, atopic, management, *1949:* Jan., 205–218
exudative, *1949:* Jan., 212
flexural, *1949:* Jan., 186
histamine antagonists in, *1947:* July, 953
infantile, *1949:* Jan., 187
treatment, *1949:* Jan., 205–218
nummular, *1949:* Jan., 10
treatment, *1948:* Sept., 1375
vesicular and encrusted, *1949:* Jan., 211
Eczema-asthma-hay fever complex, *1947:* Nov., 1528
Eczematous sensitization, *1949:* Jan., 181
Edema in Bright's disease, management of, *1947:* Sept., 1077–1091
in subacute and chronic hepatitis, management of, *1947:* Sept., 1062
pulmonary, *1949:* Nov., 1615
Effort syndrome, *1949:* Sept., 1343–1364
Ejaculations, premature, diethylstilbestrol in, *1948:* Jan., 120
Electrocardiogram in auricular flutter, *1949:* Sept., 1259
in axis shift and heart strain, *1947:* Jan., 172–181
in congenital heart disease, *1949:* July, 1157–1175
in hypertension, *1949:* May, 656
in venous thrombosis and pulmonary embolism, *1949:* Nov., 1505
QRS diphasic high potential, *1949:* July, 1171
Electrocardiography, clinical, precordial leads in, *1948:* Jan., 197–212
Electrodiagnosis in peripheral nerve injuries, *1948:* May, 780
Electrophoresis in peripheral vascular disease, *1949:* March, 351
Electroshock therapy, ambulatory, instructions to family of patient receiving, *1948:* May, 639
in manic-depressive psychosis, *1948:* May, 645
report of 200 cases, *1949:* March, 515–526
in outpatient setting, *1948:* May, 585–595
in schizophrenia, *1948:* May, 628
Electrotherapy in hemiplegia, *1948:* May, 786
in peripheral nerve injuries, *1948:* May, 781
in poliomyelitis, *1948:* May, 785
Elephantiasis due to recurrent lymphangitis and cellulitis, *1949:* July, 1089
nostras streptogenes, *1949:* July, 1089, 1093
Emancipation in psychotherapy, *1948:* Sept., 1200, 1205
Embolism, arterial, periodic, in rheumatic heart disease, dicumarol in, *1948:* Sept., 1309–1313
cerebral, *1948:* May, 739
pulmonary, *1949:* Nov., 1503, 1617
emergency treatment, *1949:* Nov., 1531
prevention, *1949:* Nov., 1506
Emergencies, medical, acute, symposium on, *1949:* Nov., 1499
Emetine in amebic dysentery, *1947:* Jan., 118
Emotional disturbances in poliomyelitis, *1948:* Sept., 1398
in skin diseases, *1948:* May, 669–685
participation in psychotherapy, *1948:* Sept., 1203
Emphysema, antibiotic aerosols in, *1948:* July, 1082
mediastinal, *1949:* Nov., 1617
Empyema of gallbladder, *1948:* March, 491
penicillin in, *1948:* Sept., 1212
putrid, *1947:* Nov., 1502
thoracis, *1947:* Nov., 1499
Encephalitis, *1947:* Jan., 83–93
acute, coma in, *1948:* May, 800
behavior disorders following, *1948:* May, 660
measles, *1947:* Jan., 65
parkinsonism following, *1949:* July, 1131
personality disturbances following, *1947:* May, 671
Encephalography, air travel after *1948:* July, 1092
Encephalopathy, pertussis, *1947:* May, 671
Enchondroma, *1947:* May, 508
Endamoeba histolytica, concentration technic, *1949:* May, 901
Endocardial fibrosis, generalized, electrocardiogram in, *1949:* July, 1162
Endocarditis, bacterial, subacute, etiologic considerations and prophylaxis, *1948:* Jan., 176–186
penicillin in, *1947:* Jan., 19
Endocervicitis, treatment, *1948:* Sept., 1179
Endocrine aspects of retarded growth and dwarfism, *1947:* May, 712–730

Endocrine disorders in children, behavior disorders and personality changes resulting from, *1947:* May, 674
factors in menstrual cycle, *1948:* Jan., 42
function, clinical tests, *1949:* Sept., 1401–1412
problems during adolescence, *1948:* Jan., 140–150
therapy in amenorrhea, *1948:* Jan., 69
in cystic enlargement of ovary, *1948:* Nov., 1620
in functional menstrual disorders, *1948:* Nov., 1517
in functional uterine bleeding, *1947:* Jan., 231; *1948:* Jan., 67
in menopause, *1948:* Jan., 69
in prostate disease, *1948:* Jan. 111–121
in sterility in men, *1948:* Jan., 86
Endocrinology, symposium on, *1948:* Jan., 3
Endometrial biopsy, *1948:* Jan., 49, 61, Sept., 1181, Nov., 1551
curettage, *1948:* Nov., 1515
dysfunction, tests, *1948:* Sept., 1180
Endometrium, anatomy, *1948:* Nov., 1491
cyclical changes, *1948:* Jan., 42, Nov., 1494
Endothelioma, *1947:* May, 510
Enteric infections, acute, *1947:* Jan., 113–124
Enteritis, regional, diagnosis and treatment, study of 55 cases over nine years, *1948:* March, 419–427
Ephedrine in allergic rhinitis, *1947:* Nov., 1390
in asthma, *1948:* Jan., 243, Sept., 1373
Epididymovasostomy, *1948:* Sept., 1175
Epidural hemorrhage, *1948:* May, 798
Epilepsy, air travel in, *1948:* July, 1092
behavior problems in, *1948:* May, 662
dietotherapy in, *1947:* Sept., 1284
practical aspects, *1947:* Sept., 1273–1288
psychotherapy in, *1947:* Sept., 1285
treatment, *1947:* Sept., 1278
surgical, *1947:* Sept., 1284
types of seizures, *1947:* Sept., 1275
Epinephrine in allergic rhinitis, *1947:* Nov., 1390
in asthma, *1948:* Jan., 238, 243, Sept., 1373; *1949:* March, 418
of children, *1947:* May, 537
dangers of inhalation, *1947:* May, 538
in gastrointestinal disorders, *1948:* Sept., 1235
in status asthmaticus, *1949:* Nov., 1597
in urticaria, *1948:* Sept., 1375
Epithelial nevi, *1949:* Jan., 234
Epithelioma, basal cell, *1949:* Jan., 111
squamous cell, basal, *1949:* Jan., 112
treatment, *1949:* Jan., 120
Ergometry in peripheral vascular disease, *1949:* March, 348
Ergotamine tartrate in gastrointestinal disorders, *1948:* Sept., 1239, 1242
in headache, *1948:* May, 561, Sept., 1351
Erysipeloid, *1949:* Jan., 244
Erythema multiforme, *1949:* Jan., 172
prevention, *1947:* Sept., 1141
therapy, *1947:* Sept., 1140
nodosum tuberculosum, *1949:* Jan., 257
Erythematoid benign pemphigus, *1949:* Jan., 169
Erythroblastosis fetalis, Rh factor and, *1947:* Jan, 240, May, 705, July, 799, Sept., 1168; *1948:* Nov., 1638
Erythrocytes, buffering action of, *1948:* Jan., 265
maturation factor, *1949:* March, 548
volume in gastrointestinal hemorrhage, *1949:* Nov., 1569
Erythrophagocytosis, normal, *1949:* March, 543
Erythropoiesis, normal, *1949:* March, 541
Esophageal hiatus hernia, recurrent, *1948:* Jan., 213–222
Esophagus, carcinoma, *1948:* March, 370
diverticulum, *1948:* March, 364
involvement, in scleroderma, *1949:* Jan., 61, 62
lesions, *1948:* March, 363–372
Estrogen therapy in amenorrhea with psychosomatic disturbances, *1948:* Jan., 71
in carcinoma of prostate, *1948:* Jan., 111
in dwarfism, *1947:* May, 729
in functional menstrual disorders, *1948:* Nov., 1518
in functional uterine bleeding, *1947:* Jan., 231
in menopause, *1948:* Jan., 71
dangers in, *1948:* Nov., 1525
in prostatic hypertrophy, *1948:* Jan., 119
in uterine hemorrhage, *1948:* Jan., 68
withdrawal as cause of menstrual bleeding, *1948:* Nov., 1488
Etamon in gastrointestinal disorders, *1948:* Sept., 1233, 1237
in hypertension, *1948:* Sept., 1252
Eunuchoidism, secondary, *1948:* Jan. 142
Euphoria in multiple sclerosis, *1948:* May, 746
Ewing's tumor, *1947:* May, 510

Examination, pelvic, failure to make, as factor in cancer, *1948:* Nov., 1576
periodic, of supposedly well women, value, *1948:* Nov., 1557–1561
Excoriations, neurotic, *1949:* Jan., 18
Exercise(s), bed, for paralyzed patients, *1948:* Sept., 1284, 1286
in rheumatoid arthritis, *1948:* Sept., 1361
Buerger's, *1949:* March, 353
in cerebral palsy, *1948:* May, 791
in chronic arthritis, *1947:* Sept., 1231
in peripheral nerve injuries, *1948:* May, 782
in poliomyelitis, *1948:* May, 785
in rheumatoid arthritis, *1949:* Sept., 1379
progressive resistance, in arthritis of knee, *1949:* Sept., 1316
test in auricular flutter, *1949:* Sept., 1259
therapeutic, in degenerative joint disease, *1949:* Sept., 1314
in pediatrics, *1947:* May, 626–635
Exophthalmic goiter, radioactive iodine in, *1948:* Jan., 3–17
Exophthalmos, relationship of thyrotropic hormone to, *1948:* July, 952
Expectorants in asthma, *1948:* Jan., 243
Expectoration in thoracic disease, diagnostic significance, *1949:* July, 1054
Exploration in psychotherapy, *1948:* Sept., 1201
Extremities, lymphangitis and cellulitis of, recurrent, *1949:* July, 1089–1098
Exton-Rose glucose tolerance test, *1947:* March, 295
Extralin in pernicious anemia, *1948:* July, 1117
Extrarenal excretion clinical considerations, *1948:* July, 989–1076
methods, *1948:* July, 989
Extrasystoles, therapeutic problem in, *1948:* Sept., 1427–1438
Eyes, diseases, headache with, *1948:* May, 567
in children, *1947:* May, 750
foreign bodies in, *1947:* May, 762
fundus, changes in hypertension, *1949:* May, 665–773
injuries, in children, *1947:* May, 762
involvement in multiple sclerosis, *1948:* May, 745
lesions, irradiation treatment, *1947:* Nov., 1545
tumors, in childhood, *1947:* May, 505
Eyelids, heliotrope, of dermatomyositis, *1949:* Jan., 23

FACIAL neuralgia, *1949:* Nov., 1591
Fainting, *1948:* May, 803
Fallopian tubes, diagnostic tests, in fertility, *1948:* Jan., 46, Sept., 1184, Nov., 1544
ligation, for sterilization, *1948:* Nov., 1632
Fallot's tetralogy, *1948:* July, 855–877
Family-doctor cooperation in mental illness, *1948:* May, 631–640
Fat metabolism, vascular degeneration and, *1949:* May, 786
Fatigue in aged, *1948:* Jan., 223
Fauces, common infections, *1947:* Nov., 1356–1367
Feeding difficulties in early childhood, *1947:* May, 688–695
Female sex hormone. See *Estrogen*.
Femoral vein ligation in prevention of, thrombosis and embolism, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509
Fertility in men, *1948:* Jan., 73–88
in women, *1948:* Jan., 37–56
impaired, treatment, *1948:* Jan., 69
studies, newer approaches, *1948:* Nov., 1533
Fetus, intra-uterine, effect of maternal diet on, *1947:* May, 696
Fibrinogenopenia, *1947:* Sept., 1176
Fibrocystic disease of pancreas, congenital, *1948:* March, 531
Fibroids of uterus, harmlessness of many, *1949:* March, 432
Fibrositis of lower back, *1949:* Nov., 1626
Filariasis, diagnosis, *1949:* May, 903
Fingernails, changes, following use of "base coats," *1949:* Jan., 95–107
Fingers, lesions, in scleroderma, *1949:* Jan., 57, 58, 60
Fish handlers, dermatitis in, *1949:* Jan., 245
Fistula, arteriovenous, hypertension in, *1949:* Nov., 1751
biliary, hypoprothrombinemia of, *1949:* Nov., 1695, 1706
duodenal. See *Duodenal fistula*.
pancreatic, *1948:* March, 532
renal-visceral, *1948:* Sept., 1418
Fits. See *Convulsive disorders*.
Flexural eczema, *1949:* Jan., 186
Fluids, administration, in acute renal failure, *1949:* July, 1017
in intestinal obstruction, *1948:* March, 374
in spinal cord injuries, *1948:* Sept., 1281
in ulcerative colitis, streptococcal, *1948:* July, 974
Foci of infection, elimination in viral hepatitis, *1949:* March, 456
Folic acid, conjugates of, *1948:* July, 1128
metabolism of, *1948:* July, 1129
in blood disorders, *1947:* Sept., 1163

Folic acid, in macrocytic anemias, *1948:* Sept., 1264
in pernicious anemia, *1948:* July, 1125, 1133; *1949:* March, 549, 550, Sept., 1394
neurologic complications *1948:* July, 1134
in sprue, *1947:* Jan., 130
physiology of, *1948:* July, 1128
Follicular cystosis, *1948:* Nov., 1611
Food allergy, *1948:* Jan., 245–263
diagnosis, *1948:* Jan., 250
treatment, *1948:* Jan., 257
in nutrition, *1948:* Sept., 1160
poisoning, *1947:* Jan., 121
salmonella, *1947:* Jan., 122
staphylococcus, *1947:* Jan., 121
streptococcus, *1947:* Jan., 123
Foods, skin diseases due to, *1949:* Jan., 239–247
Foot and mouth disease, *1949:* Jan., 244
Foreign bodies in eye, *1947:* May, 762
Formaldehyde in dermatologic therapy, *1949:* Jan., 278
Fourneau compounds, in allergic disorders, *1947:* Jan., 44
Friedländer's bacillus pneumonia, *1947:* Jan., 59
Frigidity, psychosomatic approach, *1948:* Nov., 1587
Frohlich's syndrome, *1948:* Jan., 141
Fructosuria, *1947:* March, 318, 319, 322
Functional diseases of skin, *1949:* Jan., 3
disturbances, *1947:* Jan., 213
uterine bleeding, *1947:* Jan., 223
Fundus changes in hypertension, *1949:* May, 665–673
Fungus infections of lungs, *1947:* Nov., 1486
of mouth, *1948:* March, 360
Furunculosis, emotional factors, *1948:* May, 681
Fusospirochetal pharyngitis, *1947:* Nov., 1360

GALACTOSURIA, *1947:* March, 315
Gallbladder, carcinoma, *1948:* March, 497
cholesterosis, *1948:* March, 494
disease, association with heart disease, *1947:* Jan., 161–171
empyema, *1948:* March, 491
perforation, in acute cholecystitis, *1948:* March, 491
"strawberry," *1948:* March, 494
Gallstones, *1948:* March, 487
biliary colic, *1948:* March, 487
complications, *1948:* March, 490
Gamasoidosis, *1949:* Jan., 244
Gamma globulin in measles prophylaxis, *1947:* Jan., 64, May, 602
in pediatrics, *1947:* May, 602–608
Ganglioneuroma, *1947:* May, 504
Gargling in upper respiratory infections, *1947:* Nov., 1338
Gastrectomy, subtotal, for peptic ulcer, dumping syndrome after, *1949:* Sept., 1321–1341
Gastritis, chronic, as source of gross hemorrhage, *1949:* Sept., 1365–1374
Gastrointestinal diseases, air travel in, *1948:* July, 1091
antispasmodics and spasmodics in, *1948:* Sept., 1227–1245
neostigmine in, *1947:* Sept., 1243
symposium on, *1948:* March, 301; *1949:* July, 923
hemorrhage, laboratory examination, *1949:* Nov., 1567
massive, management, *1949:* Nov., 1565–1579
upper, indications for surgery *1948:* March, 328
medical management, *1948:* March, 328–335
symptoms in upper respiratory infections, *1947:* Nov., 1333
tract, utilization for dialysis, in renal failure, *1948:* July, 992
Gastrojejunal ulcer, vagotomy for, indications, *1948:* March, 305
Gastroscopy in gastric diverticulum, *1948:* March, 342
Gaucher's disease, bone marrow in, *1947:* May, 535
Gelatin in Bright's disease, *1947:* Sept., 1089
in dermatologic therapy, *1949:* Jan., 270
Genitourinary tract, diseases, air travel in, *1948:* July, 1092
tumors, in childhood, *1947:* May, 516
Geriatrics, surgery in, *1949:* March, 583
German measles, gamma globulin in, *1947:* May, 605
Giant cell tumor of bone, *1947:* Jan., 508
Gigantism, *1948:* Jan., 143, 157
Gingivostomatitis, infectious, acute, *1948:* March, 359
Girdle symptom in multiple sclerosis, *1948:* May, 744
Glandular syphilis, *1949:* Jan., 261
Glaucoma, chronic, headache as symptom, *1948:* May, 839–844
Globin in Bright's disease, *1947:* Sept., 1088
insulin with zinc, actions and uses, *1947:* March, 332
management of diabetes with, *1947:* March, 337
Globulin, gamma. See *Gamma globulin.*
Glomerulonephritis, *1947:* Nov., 1504–1517
hypertension in, *1949:* May, 669
Glossodynia, *1948:* May, 674

Glucose tolerance tests, *1947:* March, 289
arterial versus venous blood sugar, *1947:* March, 294, 302
blood sugar curves in, *1947:* March, 290, 291
choice of blood sugar methods, *1947:* March, 294, 301
differentiation of symptomless glycosurias by, *1947:* March, 289–297
doubtful, *1947:* March, 296
Exton-Rose, *1947:* March, 295
interpretation, *1947:* March, 299–312
intravenous, *1947:* March, 296
standards for judging, *1947:* March, 307
technic, *1947:* March, 299
Glycogen storage disease, electrocardiogram in, *1949:* July, 1167
Glycosides, cardiac, in auricular flutter, *1949:* Sept., 1261
Glycosuria, renal, *1947:* March, 291, 314
of pregnancy, *1947:* March, 314
Glycosurias, symptomless, differentiation by sugar tolerance tests, *1947:* March, 289–297
unclassified, *1947:* March, 314
Goiter, endemic, *1948:* Jan., 122, 125
exophthalmic radioactive iodine in, *1948:* Jan., 3–17
simple, in adolescence, *1948:* Jan., 144
toxic, treatment with radoiodine, *1949:* Sept., 1211–1223
Goitrogenic drugs, *1948:* July, 953
Gold salts in rheumatoid arthritis, *1946:* May, 545–553; *1948:* Sept., 1365; *1949:* Sept., 1382
in tuberculosis, *1947:* Nov., 1465
reactions, BAL in, *1948:* Sept., 1366
Gonadotropin therapy, in dwarfism, *1947:* May, 729
in functional menstrual disorders, *1948:* Nov., 1518
in functional uterine bleeding, *1947:* Jan., 231
in impaired fertility, *1948:* Jan., 70
in ovarian failure, *1948:* Jan., 149
in primary hypogonadism, *1948:* Jan., 147
in sterility in men, *1948:* Jan., 87
in undescended testicle, *1948:* Jan., 149
urinary, assay of, in hypogonadism, *1948:* Jan., 98
Gonorrhea, penicillin in, *1949:* Sept., 1476
Grave's disease. See *Exophthalmic goiter.*
Growth hormone in dwarfism, *1947:* May, 728
needs in children, *1948:* Jan., 277
process in children, *1948:* Jan., 272
retarded, endocrinologic aspects, *1947:* May, 712–730
Gynecologic investigation in menstrual irregularities, *1948:* Jan., 57
Gynecology, psychosomatic approach in, *1948:* Nov., 1583–1599
recent advances, symposium on, *1948:* Nov., 1483

HABIT disorders in children, *1948:* May, 662
Hair dyes, dermatitis due to, *1949:* Jan., 183
Halter, Sayre, in discogenetic disease of cervical spine, *1949:* Nov., 1625
Hay fever, benadryl in, *1947:* Jan., 45, 49, July, 951; *1948:* Sept., 1372
injection treatment, *1948:* Sept., 1369
pyribenzamine in, *1947:* Jan., 48, 49, July 951; *1948:* Sept., 1372
Hay fever-asthma-eczema complex, *1947:* Nov., 1528
Head, inflammatory conditions, benign and malignant, irradiation treatment, *1947:* Nov., 1538–1549
injuries, neostigmine in, *1947:* Sept., 1253
Headache, *1948:* May, 557–569; *1949:* July, 973–1005; Sept., 1439–1454; Nov., 1581–1596
as symptom of chronic glaucoma, *1948:* May, 839–844
clinical varieties and therapeutic suggestions, *1949:* July, 973–1005
diagnosis, *1948:* May, 557–569; *1949:* July, 978, Sept., 1439
drug addiction and psychoneurosis as background, *1949:* July, 983
drugs in, physiologic action, *1949:* July, 977
due to cerebrovascular accidents, *1949:* Nov., 1590
extracranial, *1949:* Sept., 1450
histamine, *1949:* July, 977, Sept., 1447, Nov., 1589
hypertensive, *1949:* July, 985, Nov., 1592
tetraethylammonium in, *1949:* May, 826
in sunstroke, *1949:* Nov., 1593
intracranial, *1949:* Sept., 1449
aneurysm as cause, *1949:* July, 989
mechanism and severity, *1949:* Sept., 1441, 1442
menopausal, *1949:* Nov., 1594
migrainous, *1948:* May, 560; *1949:* Sept., 1444, Nov., 1583
history and physical examination in, *1948:* Sept., 1345

Headache, migrainous, treatment, *1948:* Sept., 1343–1355
of attack, *1948:* April, 1348
prophylactic, *1948:* Sept., 1348
surgical, *1948:* Sept., 1353
mixed type, *1949:* July, 999
neostigmine in, *1947:* Sept., 1253
nerve-irritation, *1949:* Sept., 1450, 1451
nervous tension in, *1949:* July, 974
nocturnal, associated with chronic lymphatic leukemia, *1949:* July, 992
of acute infections, *1949:* Nov., 1590
of sinus thrombosis, *1949:* Nov., 1591
posttraumatic, *1949:* July, 988, Sept., 1450, 1451, Nov., 1593
provocative tests, *1949:* July, 976
psychogenic, *1948:* May, 567; *1949:* July, 987, Sept., 1448
spinal puncture, *1949:* Sept., 1449, Nov., 1594
subarachnoid hemorrhage as cause, *1949:* July, 990
summer, *1949:* July, 993
temporal arteritis and, *1949:* July, 996
tension, *1949:* July, 980, 981, Sept., 1447
toxic, *1949:* Sept., 1452
traction, *1949:* Sept., 1449
treatment, *1948:* May, 557–569; *1949:* July, 979, Sept., 1439
vascular, *1949:* Sept., 1444
vasodilator, *1949:* Sept., 1447
generalized, *1949:* July, 986
winter, *1949:* July, 995
Health, concept of, *1949:* March, 436
public, diabetes mellitus and, *1947:* March, 487
Heart, anomalies, atrial septal defects, *1948:* July, 895–910
cyanotic, in infants, less common, *1948:* July, 879–894
of derivatives of aortic arch system, *1948:* July, 925–949
patent ductus arteriosus, *1948:* July, 911–923
pulmonary stenosis: tetralogy of Fallot, *1948:* July, 855–877
symposium on, *1948:* July, 855
axis shift, electrocardiogram in, *1947:* Jan., 172, 173
block, congenital, electrocardiogram in, *1949:* July, 1168
disease, air travel in, *1948:* July, 1090
beriberi, *1949:* Nov., 1643–1655
chronic, anticoagulants in, *1949:* March, 339
diet in, *1949:* March, 564
congenital, electrocardiogram in, *1949:* July, 1157–1175
symposium on, *1948:* July, 855
Heart disease, diet in, *1949:* Nov., 1631–1641
gallbladder disease and, association of, *1947:* Jan., 161–171
hypertensive, *1949:* May, 651–664
clinical picture, *1949:* May, 653
diet in, *1949:* Nov., 1639
pathology, *1949:* May, 651
prognosis, *1949:* May, 659
mistaken diagnosis, invalidism due to, *1947:* Jan., 216
precordial leads in, *1948:* Jan., 197–212
pregnancy and, *1949:* Nov., 1735–1742
rheumatic, *1947:* May, 557–580
with periodic arterial embolism, ambulatory treatment with dicumarol, *1948:* Sept., 1309–1313
effect of syphilis on, clinicopathologic study, *1948:* Sept., 1439–1466
failure, acute, treatment, *1949:* Nov., 1523
causes of, *1949:* March, 362
congestive, *1947:* Sept., 1289
management, *1947:* Sept., 1289–1306
mechanism of, *1947:* Sept., 1289
diet therapy, *1949:* March, 365; Nov., 1631–1641
digitalis in, *1949:* March, 367
diuresis in, *1949:* March, 369
nature of, *1949:* March, 359, Nov., 1632
rest and restriction of activity, *1949:* March, 363
treatment, *1949:* March, 359–373
in hypertension, *1949:* May, 651–664
involvement, in scleroderma, *1949:* Jan., 61
malformations, congenital, in infants, clinicopathologic correlation, *1948:* July, 879–894
sounds, variation, in auricular flutter, *1949:* Sept., 1259
strain, electrocardiogram in, *1947:* Jan., 172, 175
precordial leads in, *1948:* Jan., 205
Heat exhaustion and stroke, diagnosis, *1948:* May, 803
therapy in degenerative joint disease, *1949:* Sept., 1314
in peripheral nerve injuries, *1948:* May, 781
in peripheral vascular disease, *1949:* March, 349
in poliomyelitis, *1948:* May, 784
in rheumatoid arthritis, *1949:* Sept., 1379
Heberden's disease (angina pectoris), neuralgic features, *1949:* May, 635–649
nodes, physical medicine, *1949:* Sept. 1315

Hebra's pityriasis rubra, *1949:* Jan., 137
Heliotrope eyelids of dermatomyositis, *1949:* Jan., 23
Hemachromatosis of liver, *1948:* March, 511
Hemagglutination test in atypical pneumonia, *1947:* Nov., 1448
in influenza, *1947:* Nov., 1401, 1407
Hemangiomas, *1949:* Jan., 219
cavernous, *1949:* Jan., 225
in children, *1947:* May, 518
of head and neck, irradiation treatment, *1947:* Nov., 1539
Hematology, recent advances in, *1947:* Sept., 1163–1184
Hematoma, subdural, *1948:* May, 738, 799
Hematospermia, diethylstilbestrol in, *1948:* Jan., 121
Hemiplegia, aphasia complicating, treatment, *1948:* May, 741
due to cerebral lesions, treatment, *1948:* May, 735–742
physical medicine in, *1948:* May, 786
Hemolytic anemia, *1949:* March, 552
bone marrow in, *1947:* May, 528
splenectomy for, relapses after, *1949:* March, 557
treatment, *1948:* Sept., 1269
disease of newborn, *1947:* May, 706
breast feeding in, *1948:* Nov., 1643
management, *1948:* Nov., 1638
jaundice, *1948:* March, 446
reaction in blood transfusion, *1947:* July, 804
Hemophilia, *1947:* Sept., 1176
Hemophilus influenzae meningitis, *1947:* Jan., 78, Sept., 1093
streptomycin in, *1947:* Jan., 78
Hemopoietic system, diseases, nitrogen mustards in, *1947:* Jan., 3–18
radiophosphorus in, *1947:* Jan., 3–18, July, 810
Hemoptysis in lung disease, *1949:* July, 1056
Hemorrhage, abdominal, pain in, *1948:* March, 393
cerebral, *1948:* May, 735, 736
complicating chronic duodenal ulcer, *1947:* July, 1010
epidural, *1948:* May, 798
laboratory examination, *1949:* Nov., 1567
massive, indications for surgery, *1948:* March, 328
management, *1948:* March, 320–335; *1949:* Nov., 1565–1579
gross, chronic gastritis as source, *1949:* Sept., 1365–1374
intracranial, in newborn, *1948:* May, 737
Hemorrhage, massive, from peptic ulcer, management of, *1947:* Sept., 1121–1134
pulmonary, *1949:* Nov., 1605
severe, conservation and replacement of blood in, practical considerations, *1949:* Nov., 1555–1563
subarachnoid, *1948:* May, 738, 800
headache due to, *1948:* May, 565; *1949:* July, 990
uterine, *1948:* Jan., 67
Hemorrhagic diseases, *1947:* Sept., 1173
of newborn, *1949:* Nov., 1692
Heparin, administration, *1949:* March, 342
hemorrhage in, control, *1949:* Nov., 1514
laboratory control, *1949:* Nov., 1512
and Dicumarol, combined use, *1949:* March, 344
in chronic cardiovascular diseases, *1949:* March, 335–345
in coronary thrombosis, *1947:* Jan., 160
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509, 1510
Hepatic. See also *Liver*
jaundice, *1948:* March, 448
Hepatitis, acute, portal cirrhosis and, *1948:* March, 505
amebic, with suppuration, *1948:* March, 479
without suppuration, *1948:* March, 481
chronic, *1948:* March, 500–517
miscellaneous forms, *1949:* March, 458
serum protein fractions in, *1948:* March, 460
diffuse, acute, *1948:* March, 469
infective, acute, serum protein fractions in, *1948:* March, 457
epidemic, *1948:* March, 469
gamma globulin in, *1947:* May, 604
sporadic, *1948:* March, 474
subacute and chronic, therapeutic considerations in, *1947:* Sept., 1059–1076
suppurative, acute, *1948:* March, 479
viral, chronic, *1949:* March, 448–458
treatment, *1949:* March, 455
Hernia, diaphragmatic, air travel in, *1948:* July, 1092
hiatus, esophageal, recurrent, *1948:* Jan., 213–222
Herpes, *1949:* Jan., 145–164
gestationis, *1949:* Jan., 172
labialis, *1949:* Jan., 147
progenitalis, *1949:* Jan., 147

Herpes simplex, emotional factors, *1948:* May, 679; *1949:* Jan., 145–154
treatment, *1949:* Jan., 152
zoster, *1949:* Jan., 154–163
etiology, *1949:* Jan., 160
treatment, *1949:* Jan., 163
Herpetic stomatitis, *1948:* March, 359
Hiatus hernia, esophageal recurrent, *1948:* Jan., 213–222
Hip, arthritis, physical medicine, *1949:* Sept., 1316
Histaminase, *1947:* Sept., 1265
clinical uses, evaluation of, *1947:* Sept., 1261
in asthma of children, *1947:* May, 540
Histamine and mecholyl iontophoresis in peripheral vascular disease, *1949:* March, 351
antagonists, dosage and administration, *1947:* July, 949
general effects, *1947:* July, 949
in allergic diseases, *1947:* Jan., 43–51
in children, *1947:* July, 948–953
as diagnostic agent, *1947:* Sept., 1262
clinical uses, evaluation of, *1947:* Sept., 1261–1266
desensitization, *1949:* July, 979
headache, *1949:* July, 977, Nov., 1589
in asthma of children, *1947:* May, 540
intravenous administration, *1949:* July, 980
therapeutic uses, *1947:* Sept., 1263
Histaminic cephalgia, *1949:* July, 977, 1002, Sept., 1447
Histoplasmosis, *1947:* Nov., 1488
History taking, careful, need for, *1949:* July, 925
Hives. See *Urticaria.*
Hoarseness, diagnostic significance, *1949:* July, 1056
Hodgkin's disease in childhood, *1947:* May, 515
nitrogen mustards in, *1947:* Jan., 5, 10; *1949:* March, 532, Sept., 1301
therapeutic indications, *1949:* Sept., 1301
radiophosphorus in, *1947:* Jan., 4, July, 836
treatment, *1949:* March, 529
x-ray treatment, *1949:* March, 530, 532
Hog itch, *1949:* Jan., 244
Homosexuality, behavior disturbances in, *1947:* May, 676
Homotropine in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Hookworm, diagnosis, *1949:* May, 905
Hormonal levels in functional uterine bleeding, *1948:* Jan., 62
Hormone therapy. See *Endocrine therapy.*
Hormones, nutrients and, *1949:* Nov., 1715
Horton's syndrome, *1949:* July, 1002
Hospital, future, character of, *1949:* March, 596
Huhner test, *1948:* Jan., 76
Hycodan bitartrate in asthma, *1948:* Jan., 238
Hydrillin in asthma, *1948:* Jan., 244
Hydriodic acid, syrup, in asthma, *1948:* Jan., 243
Hydrochloric acid in pernicious anemia. *1949:* Sept., 1392
Hydronephrosis, infected, *1949:* Sept., 1465
Hydrops folliculi, *1948:* Nov., 1613
Hydrotherapy for psychiatric patients, *1949:* July, 1121–1130
sedative, *1949:* July, 1124
stimulative, *1949:* July, 1123
Hykinone, *1949:* Nov., 1705
Hyoscyamine in gastrointestinal disorders, *1948:* Sept., 1230, 1234
Hyperglycemia in diabetes, harm to patient from, *1947:* March, 267–277
injurious effects on pancreas, *1947:* March, 270
Hyperidrosis, *1948:* May, 675
Hyperinsulinism among malingerers, *1947:* March, 477–480
diagnosis, *1948:* May, 802
Hypermenorrhea, *1948:* Jan., 67
Hyperpituitarism in adolescence, *1948:* Jan., 143
selective, with secondary hypogonadism, *1947:* May, 716
Hypersplenism, *1949:* March, 552
Hypertension, benign aspects, *1949:* May, 611–617, 667
blood pressure, basic, determination, *1949:* May, 688
capillary fragility in, *1949:* May, 675–686
classification, *1949:* May, 667
diastolic, treatment, *1947:* Sept., 1106–1120
diet therapy, *1948:* Sept., 1256; *1949:* March, 323, 325, 328, 566, May, 662, 691, 713, Sept., 1271
drug therapy, *1947:* Jan., 149, Sept., 1109; *1948:* Sept., 1247–1258; *1949:* May, 662, Sept., 1270
due to pheochromocytoma, *1949:* Nov., 1743
electrocardiogram in, *1949:* May, 656
essential, *1947:* Jan., 142
in children, sympathectomy for, *1949:* Sept., 1295
prognostic signs, *1948:* Sept., 1247
psychosomatic factors, *1949:* May, 691, 703–712

Hypertension, psychotherapy, *1946:* Sept., 1084; *1947:* Sept., 1107
sympathectomy for, *1946:* Sept., 1087; *1947:* Sept., 1111, 1115
symptoms, *1949:* March, 310
theories of causation, *1947:* Jan., 148
treatment, *1949;* May, 687; Sept., 1269–1282
recent advances, with particular reference to drugs, *1948:* Sept., 1247–1258
fundus changes, *1949:* May, 665–673
grading of, *1949:* Sept., 1270
headache in, *1949:* July, 985
heart in, *1949:* May, 651–664
hopeful aspects in clinical story, *1947:* Jan., 142–152
hygienic measures in, *1949:* May, 691
in aged, *1948:* Jan., 226
in kidney disease, *1949:* May, 669
in children, sympathectomy for, *1949:* Sept., 1283
in preeclampsia and eclampsia of pregnancy, *1949:* May, 671
Kempner regimen in, *1949:* March, 323, 568, May, 662, Nov., 1639
malignant, *1949:* May, 668
nephrectomy for, *1949:* March, 330, May, 761–771
of pregnancy, management, *1949:* May, 833–842
psychotherapy, *1949:* May, 661, 691, 708, Sept., 1276
rutin in, effect on capillary fragility, *1949:* May, 681
salt restriction in, *1949:* May, 713–725, Sept., 1274
secondary, *1947:* Jan., 146; *1949:* March, 313
sympathectomy for, *1948:* Jan., 187–196, *1949:* March, 326, May, 663, 751–761, Sept., 1275
analysis of results in 300 cases, *1949:* May, 735–749
of 66 patients obtaining excellent results, *1949:* May, 727–733
evaluation of effects, *1949:* May, 740, 753
in children, *1949:* Sept., 1283–1299
postoperative complications, *1949:* May, 738
response to tetraethylammonium after, *1949:* May, 823
selection of cases, *1949:* May, 727, 735
tetraethylammonium test to predict outcome, *1949:* May, 824
sympatholytic agents in, *1948:* Sept., 1251
symposium on, *1949:* May, 609
tetraethylammonium in, *1949:* May, 805–831
test procedure, *1949:* May, 815
Hypertension, tetraethylammonium in, therapeutic uses, *1949:* May, 826
thiocyanates in, *1946:* July, 869–877; *1948:* Sept., 1249; *1949:* May, 695; Sept., 1271
effect on capillary fragility, *1949:* May, 681
treatment, *1949:* March, 661, Sept., 1269–1282
medical, *1949:* May, 687–701, Sept., 1270
surgical, *1949:* March, 326, May, 663, 751–761, Sept., 1275
types demanding surgery, *1949:* Nov., 1743–1753
veratrum viride in, *1948:* Sept., 1253
without significant cardiac enlargement, clinicopathologic study, *1949:* May, 843
Hypertensive headache, *1949:* Nov., 1592
heart disease, *1949:* May, 651–664, Nov., 1639
vascular disease, *1949:* March, 309–333
sodium chloride restriction in, *1949:* May, 713–725
surgical treatment, *1949:* May, 727–733, 735–749, 751–771
treatment, *1949:* March, 322
Hyperthyroidism. See *Thyrotoxicosis.*
Hyperventilation syndrome, *1947:* July, 845–849
Hypnotic psychotherapy, *1948:* May, 571–583
Hypogonadism in female, *1948:* Jan., 55, 56, 149
in male in adolescence, *1948:* Jan., 147
physiological basis, *1948:* Jan., 97–110
Hypoparathyroidism, chronic, unusual clinical manifestations, *1947:* Jan., 243–253
Hypophysis. See *Pituitary gland.*
Hypopituitarism in adolescence, *1948:* Jan., 140
Hypoproteinemia as surgical risk, *1949:* March, 574
Hypoprothrombinemia, clinical causes and their treatment, *1949:* Nov., 1701–1708
Hyposensitization, short interval, in asthma, *1949:* March, 415
Hypothyroidism, *1947:* May, 714
in adolescence, *1948:* Jan., 144
in children, *1948:* Jan., 152
Hysterectomy in functional menstrual disorders, *1948:* Nov., 1522
Hysteria, conversion symptoms, management of, *1947:* July, 927
psychopathology of, *1947:* July, 926
treatment, symptomatic, *1947:* July, 924–933

Hysterical coma, *1948:* May, 803
Hysterosalpingography, *1949:* July, 1113
in sterility, *1948:* Jan., 45

ICHTHAMMOL in dermatologic therapy, *1949:* Jan. 275
Ichthyol in dermatologic therapy, *1949:* Jan., 275
Ichthyosis hystrix, *1949:* Jan., 237
Icterus. See also *Jaundice.*
Icterus gravis neonatorum, *1947:* May, 705
neonatorum, *1947:* Sept., 1185
praecox, *1947:* May, 707
Ileus, paralytic, *1949:* Sept., 1462
Iliac vein ligation in treatment of thrombosis and embolism, *1949:* Nov., 1509
Immune serum in measles prophylaxis and treatment, *1947:* Jan., 64
in Rocky Mountain spotted fever, *1947:* May, 650
in whooping cough prophylaxis, *1947:* Jan., 65
treatment, *1947:* Jan., 66
Immunity, nutrients and, *1949:* Nov., 1713
protein deficiency and, *1949:* Nov., 1730
Immunization, active, in pediatrics, *1947:* May, 590–601
Impetigo, bullous, *1949:* Jan., 173, 174
contagiosa, *1947:* Sept., 1141
Impotence, treatment, *1948:* Sept., 1179
Infant, newborn. See *Newborn*
Infantile diarrhea, dehydration in, *1949:* May, 851–870
eczema, *1949:* Jan., 187
treatment, *1949:* Jan., 205–218
paralysis. See *Poliomyelitis.*
Infectious diseases, acute, *1947:* Jan., 61–71
treatment, recent trends, *1948:* July, 1105
Infertility (sterility), abortion and relationship, *1949:* July, 1111–1120
classification, *1948:* Nov., 1533
diagnosis, minimal survey, *1948:* Nov., 1535
in female, *1948:* Jan., 37–56, Sept., 1171–1193, Nov., 1533–1553, *1949:* July, 1112
organic causes, *1948:* Jan., 38
treatment, *1948:* Jan., 42
in male, *1948:* Jan., 73–88; *1949:* July, 1111
diagnosis, *1948:* Nov., 1537
physiological basis, *1948:* Jan., 97
treatment, *1948:* Jan., 85
Infertility, investigation and treatment, *1948:* Sept., 1171–1193; *1949:* July, 1113
newer approaches, *1948:* Nov., 1533–1553
psychosomatic approach, *1948:* Nov., 1591
Inflammations, abdominal, pain in, *1948:* March, 394
Inflammatory diseases of head and neck, irradiation treatment, *1947:* Nov., 1538–1549
Influenza, epidemic, prevention, *1947:* Nov., 1409
recent advances in knowledge of, *1947:* Nov., 1400–1417
immunization, *1947:* May, 596
viruses, properties of, *1947:* Nov., 1400
Influenzal meningitis, *1947:* Jan., 70; *1949:* May, 874
streptomycin in, *1948:* May, 818; *1949:* May, 875
sulfadiazine in, *1949:* May, 875
pneumonia, *1947:* Nov., 1451
Injuries of eyes in children, *1947:* May, 762
peripheral nerve, physical medicine in, *1948:* May, 779
Insanity, better doctor-family cooperation in, *1948:* May, 631–640
Insect vectors, transmission by airplane, *1947:* July, 987
Insemination, test of, in infertility, *1948:* Sept., 1173, Nov., 1542
Insomnia in aged, *1948:* Jan., 228
in chronic illness, treatment, *1949:* March, 433
Insufflation, tubal, *1948:* Sept., 1184, Nov., 1544, 1545
Insulin, globin, with zinc, *1947:* March, 332, 337
in diabetes, *1947:* March, 327–368
adjustment of patient to single injection mixture, *1947:* March, 354
effect on mortality rates. *1947:* March, 374
effective timing, *1947:* March, 327–341
unusual requirements, *1947:* March, 359–368
with complications, *1947:* March, 407
in diabetic coma, *1947:* March, 452, 469, *1949:* Nov., 1550
insensitivity to, *1947:* March, 359
mixtures and modifications, *1947:* March, 335, 343–357
passive transfer test, *1947:* March, 366
protamine zinc, *1947:* March, 330, 337
NP50, *1947:* March, 335, 338, 345, 346

Insulin, protamine zinc, NPC50, *1947:* March, 350
2:1 mixture, *1947:* March, 335, 338, 345, 346
refractoriness, *1947:* March, 359
resistance, *1947:* March, 359
tolerance test, *1947:* March, 366
types and their actions and uses, *1947:* March, 327
unmodified, *1947:* March, 328
Intellectual inadequacy in children, *1948:* May, 659
Intention tremor in multiple sclerosis, *1948:* May, 746
Internal disease, dermatopathology as window to: *1949:* Jan., 281
Intervertebral disk, protruded, syndrome of, *1948:* Sept., 1403–1413
Interviewing technic for psychoneuroses, *1947:* Sept., 1206
Intestinal disorders, hypoprothrombinemia of, *1949:* Nov., 1692, 1706
infections, acute, *1947:* Jan., 113–124
streptomycin in, *1948:* May, 805
metazoa, diagnosis, *1949:* May, 905
obstruction, abdominal pain in, *1948:* March, 393
air travel, in *1948:* July, 1092
dietary measures, *1948:* March, 378
fluid therapy, *1948:* March, 374
management, *1949:* Sept., 1455–1464
mechanical, *1949:* Sept., 1455, 1457, 14–58
medical aspects, *1948:* March, 373–381
physicochemical changes in, *1948:* Nov., 1717–1723
strangulation, *1949:* Sept., 1456, 1459
tract, diseases, anemia, in, *1948:* March, 382–388
Intestines, irrigation, in renal failure, *1948:* July, 993
large, tumors, x-ray diagnosis, *1948:* March, 428–435
small, impaired absorption from, anemia due to, *1948:* March, 383
tumors, x-ray diagnosis, *1948:* March, 436–442
Intracranial aneurysm, headache due to, *1949:* July, 989
headache, *1949:* Sept., 1449
hemorrhage in newborn, *1948:* May, 737
injuries, air travel in, *1948:* July, 1092
tumors in childhood, *1947:* May, 501
Intraventricular block, precordial leads in, *1948:* Jan., 208
Iodide eruption, bullous, *1949:* Jan., 174
Iodides in arteriosclerosis *1949:* May, 777
Iodine in thyrotoxicosis, *1949:* March, 500
protein-bound in plasma, in diagnosis of hyperthyroidism, *1949:* Sept., 1233
radioactive, excretion, in diagnosis of thyrotoxicosis, *1949:* Sept., 1232
in Grave's disease, *1948:* Jan., 3–17
in hyperthyroidism, *1949:* March, 512, Sept., 1211–1223
Iodochloroxyquinoline in dermatology, *1949:* Jan., 273
Iontophoresis in peripheral vascular disease, *1949:* March, 351
Ipecac in asthma, *1949:* March, 417
syrup, in refractory asthma in children, *1947:* May, 538
Iridocyclitis in sarcoidosis, *1949:* Jan., 41
Iron deficiency anemia, *1949:* March, 551
treatment, *1948:* Sept., 1264
Irradiation. See *Roentgen* and *Radium*.
Irrigations in ulcerative colitis, streptococcal, *1948:* July, 973
intestinal, in renal failure, *1948:* July, 994
Irritable colon, diagnosis and treatment, *1948:* March, 398–407
Isinglass in Bright's disease, *1947:* Sept., 1089

Jaundice, *1948:* March, 443–454
classification, *1948:* March, 446
constitutional, mild, *1948:* March, 446
hemolytic, *1948:* March, 447
hepatic, *1948:* March, 448
homologous serum, *1948:* March, 475
in newborn, *1947:* Sept., 1185–1191
liver function tests, *1948:* March, 452
physiological, *1947:* Sept., 1185
present at birth, *1947:* Sept., 1185–1191
Jejunum, drainage, in renal failure, *1948:* July, 993
obstruction, anemia due to, *1948:* March, 383
Joint, effects of physical agents on, *1947:* Sept., 1229
disease, degenerative, physical medicine in, *1949:* Sept., 1313–1319
psychosomatic approach, *1949:* July, 1061–1069

KAD itch, *1949:* Jan., 244
Kala-azar, diagnosis, *1949:* May, 905
Kaposi's varicelliform eruption, *1949:* Jan., 147
complicating atopic eczema, *1949:* Jan., 214

Karell diet, *1949:* March, 564, Nov., 1636
in heart failure, *1949:* March, 365, 366
Kayquinone, *1949:* Nov., 1705
Keloids of head and neck, irradiation treatment, *1947:* Nov., 1541
Kempner regimen in hypertension, *1949:* March, 323, 568, May 662, Sept., 1271, Nov., 1639
Keratitis, interstitial, *1947:* May, 759
penicillin in, *1947:* May, 641
irradiation therapy, *1947:* Nov., 1545
phlyctenular, *1947:* May, 760
Keratolytic and keratoplastic agents in dermatology, *1949:* Jan., 277
Keratoses, arsenical, *1949:* Jan., 110
seborrheic, *1949:* Jan., 110
senile *1949:* Jan., 109
17-Ketosteroids, androgenic function, *1948:* Jan., 93
excretion, in endocrine disorders, *1948:* Jan., 94
Kidney, abscess, cortical, *1949:* Sept., 1465
calculi, medical management, *1948:* Sept., 1315
disease, chronic, diet in, *1949:* March, 565
hypertension due to, *1949:* May, 669
sympathectomy for *1949:* Sept., 1283
failure, acute, conservative management, *1949:* July, 1007–1025
dialysis in, basic principles, *1948:* July, 990
external, *1948:* July, 991
internal, gastrointestinal tract, *1948:* July, 992
peritoneum, *1948:* July, 995
nature of, *1949:* July, 1007
peritoneal lavage to promote extrarenal excretion in *1948:* July, 989–1076
pyogenic infections, *1947:* Nov., 1511
severely affected, management, *1948:* Sept., 1415–1425
Klotogen, *1949:* Nov., 1705
Knee, arthritis, physical medicine, *1949:* Sept., 1316
Kraurosis vulvae, *1949:* Jan., 110
Kveim test in sarcoidosis, *1949:* Jan., 49

LABOR, continuous caudal and spinal analgesia in, present status, *1948:* Nov., 1683–1697
Lacquer, nail, "base coats," nail changes following, *1949:* Jan., 95–107
Lacrimal gland and duct, tuberculosis of, *1949:* Jan., 261, 262
Lactobacillus casei factor, *1948:* July, 1127
in sprue, *1946:* Sept., 1054; *1947:* Jan., 130
Lactosuria, *1947:* March, 314
Landis-Gibbon test, *1949:* March, 347
Laennec's cirrhosis, serum protein fractions in, *1948:* March, 460
Lag-storage blood sugar curve, *1947:* March, 292
Laryngitis, *1947:* Nov., 1332
Lavage, colonic, in renal failure, *1948:* July, 993
gastric, in renal failure, *1948:* July, 992
intestinal, in renal failure, *1948:* July, 993
peritoneal, in promotion of extrarenal excretion, *1948:* July, 989–1076
Leishmaniasis, dermal, diagnosis, *1949:* May, 904
visceral, diagnosis, *1949:* May, 905
Leukemia, bone marrow in, *1947:* May, 530
chronic, treatment, *1949:* March 527, 536–540
cutaneous lesions in, *1949*: Jan. 282
in childhood, *1947:* May, 512
lymphatic, chronic, headache associated with, *1949:* July, 992
nitrogen mustards in, *1947:* Jan., 5, 10; *1949:* March, 539
radiophosphorus in, *1947:* Jan., 4, July, 827
treatment of, *1947:* Sept., 1178
Leukopenia due to sulfathiazole, *1947:* Jan., 34
Leukoplakia, *1949:* Jan., 110
of mouth, *1948:* March, 361
Leukorrhea, rational management, *1948:* Nov., 1601–1610
Levocardia, electrocardiogram in, *1949:* July, 1164
Levulosuria, *1947:* March, 319
Libman-Sachs syndrome, *1947:* Jan., 206
Lichen nitidus, *1949:* Jan., 259
planus, emotional factors, *1948:* May, 677
sclerosis et atrophicus, *1949:* Jan., 70
scrofulosorum *1949:* Jan., 259
simplex chronicus, *1949:* Jan., 4
Light sensitivity in multiple sclerosis, *1948:* May, 747
Liniments in dermatologic therapy, *1949:* Jan., 267
Lip, carcinoma, squamous cell, *1949:* Jan., 115
treatment, *1949:* Jan., 122
Lipemia in diabetes mellitus, *1947:* March, 465

Lipoid metabolism, diseases of, bone marrow in, *1947:* May, 535
nephrosis, *1947:* Jan., 138
Lipotropic factors in portal cirrhosis, *1948:* March, 502, 509
Lithiasis, pancreatic, *1948:* March, 530; *1949:* May, 883
Liver, abscess, acute, *1948:* March, 481
amebic, *1948:* March, 479
biopsy of, value of, *1947:* Sept., 1060
with portal cirrhosis, clinicopathologic conference, *1948:* March, 544
cirrhosis. See *Cirrhosis.*
disease, hypoprothrombinemia of, *1949:* Nov., 1698, 1706
jaundice in, *1948:* March, 449
serum proteins in, *1948:* March, 455–468
in jaundice, *1948:* March, 452
hemachromatosis, *1948:* March, 511
infections, acute, *1948:* March, 469–485
injury, endocrine and genetic factors, *1949:* Nov., 1663
hypoprothrombinemia of, *1949:* Nov., 1698, 1706
nutritional aspects, *1949:* Nov., 1657–1669
insufficiency, *1949:* March, 447–461
necrosis, acute, dietary factors, *1949:* Nov., 1659
serum protein fractions in, *1948:* March, 460
therapy, in pernicious anemia, *1948:* July, 1118, Sept., 1266
oral, *1949:* Sept., 1390
in sprue, *1947:* Jan., 130
reactions, *1948:* July, 1125; *1949:* Sept., 1389
Lobar pneumonia. See *Pneumonia.*
Localization, cerebral, clinical aspects. *1948:* May, 721–726
Lockjaw. See *Tetanus.*
Long-term illness, treatment, symposium on, *1949:* March, 293. See also *Chronic disease.*
Lorain-Levi syndrome, *1947:* May, 716
Lotions in dermatologic therapy, *1949:* Jan., 266
Lumbago, treatment, *1949:* Nov., 1626
Lumbar puncture, headache following, *1948:* May, 564, 565
Lumbosacral strain, *1949:* Nov., 1627
Lung, abscess, *1949:* March, 395
antibiotic aerosols in, *1948:* July, 1082
penicillin in, *1948:* Sept., 1221; *1949:* March, 404
aerosol method, *1949:* March, 404
sulfadiazine in, *1949:* March, 403
treatment, *1949:* March, 400
surgical, *1949:* March, 406
actinomycosis, *1947:* Nov., 1490
Lung, atelectasis, *1949:* Nov., 1613
carcinoma, *1947:* Nov., 1475
inoperable, nitrogen mustards in, *1949:* Sept., 1309
coccidioidomycosis, *1947:* Nov., 1486
diseases, chronic, clinical investigation, *1949:* July, 1047–1059
epidemic, *1949:* July, 1099–1110
edema, *1949:* Nov., 1615
embolism, *1949:* Nov., 1617
emergencies, diagnosis and treatment, *1949:* Nov., 1605–1618
fungous diseases, *1947:* Nov., 1486
hemorrhage from, *1949:* Nov., 1605
histoplasmosis, *1947:* Nov., 1488
infections, nontuberculous, streptomycin in, *1948:* May, 826
penicillin in, *1948:* Sept., 1207–1225
involvement, in scleroderma, *1949:* Jan., 61, 63
nontuberculous diseases, *1947:* Nov., 1475–1492
roentgenograms, undiagnosed shadows, *1949:* July, 1042
silicosis, *1947:* Nov., 1480
suppurations, nontuberculous, management, *1949:* March, 391–410
tuberculosis. See *Tuberculosis.*
Lupus erythematosus, disseminated, clinical and pathologic study, *1947:* Jan., 198; *1949:* Jan, 79–94
subacute, dermatomyositis and, differentiation, *1949:* Jan. 27
miliaris disseminatus, *1949:* Jan., 255
pernio, *1949:* Jan., 31, 37
psoriasiforme, *1949:* Jan., 255
vulgaris, *1949:* Jan., 249, 252
Lymphadenopathy, cervical, in upper respiratory infections, *1947:* Nov., 1331
giant follicular, *1949:* Jan., 138
Lymphangiectasias, *1949:* Jan., 228
Lymphangiectodes, *1949:* Jan., 228
Lymphangioma, *1949:* Jan., 228
circumscriptum, *1949:* Jan., 228
in children, *1947:* May, 520
simplex *1949:* Jan. 228
Lymphangitis and cellulitis, recurrent, of the extremities, *1949:* July, 1089
Lymphedema of inflammatory origin, progressive, *1949:* July, 1089–1098
Lymphoblastoma, dermatitis exfoliativa due to, *1949:* Jan., 137
of stomach simulating gastric diverticulum, *1948:* March, 345
Lymphocytosis, acute infectious, bone marrow in, *1947:* May, 531
Lymphogranuloma benignum, *1949:* Jan., 31, 260
Lymphoid masses, nasopharyngeal, radium treatment for deafness *1947:* Nov., 1359, 1546

Lymphoma, nitrogen mustards in, therapeutic indications, *1949:* Sept., 1301–1311
Lymphomas, malignant, chronic forms, treatment, *1949:* March, 527–540
Lymphosarcoma in childhood, *1947:* May, 514
nitrogen mustards in, *1947:* Jan., 5, 10
radioactive phosphorus in, *1947:* Jan., 4
treatment, *1949:* March, 534

MALARIA, diagnosis, *1949:* May, 899
Malignant degeneration in ulcerative colitis, *1949:* Sept., 1421–1437
tumors of internal organs, cutaneous lesions in, *1949:* Jan., 284
Malingerers, hyperinsulinism among, *1947:* March, 477–480
Malnutrition as surgical risk, *1949:* March, 573, 575
Malta fever. See *Brucellosis.*
Maltosuria, *1947:* March, 315
Mandelic acid in urinary infections, *1949:* Sept., 1478
Manic-depressive psychosis, *1948:* May, 641–646
electroshock therapy, report of 200 cases, *1949:* March, 515–526
Mannoheptulosuria, *1947:* March, 315
Mantoux tuberculin test, *1948:* July, 1096
Massage in degenerative joint disease, *1949:* Sept., 1314
in peripheral nerve injuries, *1948:* May, 782
in peripheral vascular disease, *1949:* March, 354
Mastery of long-term illness, *1949:* March, 435–446
Maturation in psychotherapy, *1948:* Sept., 1200, 1205
Measles, *1947:* Jan. 64
amidopyrine in, *1947:* Jan., 64
encephalitis, *1947:* Jan., 64
gamma globulin in prophylaxis, *1947:* May, 602
in treatment, *1947:* May, 602
immune serum in prophylaxis, *1947:* Jan., 64
Meat, skin diseases due to handling or eating, *1949:* Jan., 243
Mecholyl and histamine iontophoresis in peripheral vascular disease, *1949:* March, 351
in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Mediastinal emphysema, *1949:* Nov., 1617
Medical care, current trends and influences, *1949:* March, 589
future pattern of, *1949:* March, 594
Medical emergencies, acute, symposium on, *1949:* Nov., 1499
Medicine in an aging population, *1949:* March, 295–308
Mediterranean anemia, *1949:* March, 543
Megaesophagus, *1948:* March, 366
Megacolon, congenital, air travel in, *1948:* July, 1091
treatment, recent advances, *1948:* July, 981–987
Melancholia, involutional, electroshock therapy, *1949:* March, 517
Melano-epithelioma, *1949:* Jan., 115
Melanoma, malignant, *1949:* Jan., 234
Meliturias, less common, diagnosis, *1947:* March, 313–325
Menadione, *1949:* Nov., 1705
Menarche, psychosomatic approach, *1948:* Nov., 1584
Meningism, tularemic, *1948:* May, 769–778
Meningitis, bacterial, clinical features and treatment, *1947:* Jan., 72–82
common forms, treatment, *1949:* May, 871–881
due to gram-negative bacilli, *1947:* Sept., 1099
headache in, *1948:* May, 565
Hemophilus influenzae, *1947:* Jan., 70, 78, Sept., 1093
streptomycin in, *1947:* Jan., 78
incidence of cases suitable for streptomycin, *1947:* Sept., 1092
influenzal, *1949:* May, 874
streptomycin in, *1948:* May, 818; *1949:* May, 875
sulfadiazine in, *1949:* May, 875
meningococcic, *1947:* Jan., 71, 73; 73; *1949:* May, 871
penicillin in, *1947:* Jan., 76; *1949:* May, 871
sulfadiazine in, *1949:* May, 871
sulfonamides in, *1947:* Jan., 68, 75
prophylactic use, *1947:* Jan., 70
supportive therapy, *1947:* Jan., 75
pneumococcal, *1947:* Jan., 71, 77; *1949:* May, 873
penicillin in, *1949:* May, 873
streptomycin in, *1948:* May, 822
sulfadiazine in, *1949:* May, 873
serous, tularemic, *1948:* May, 769–778
staphylococcal, *1947:* Jan., 79
streptomycin in, *1948:* May, 822
streptococcal, *1947:* Jan., 79
streptomycin in, *1947:* Sept., 1092–1105; *1948:* May, 818
tuberculous, *1947:* Jan., 71, 80, Sept., 1101; *1949:* May, 877
para-aminosalicylic acid in, *1949:* May, 879
promizole in, *1949:* May, 878

Meningitis, tuberculous, streptomycin in, *1948:* May, 830; *1949:* May, 877
Meningococcemia, *1947:* Jan., 73
without meningitis in children, *1947:* May, 581–589
Menopausal headache, *1949:* Nov., 1594
Menopause, estrogen therapy, *1948:* Jan., 71
dangers in, *1948:* Nov., 1525
management, dangers in, *1948:* Nov., 1523–1532
psychosomatic approach, *1948:* Nov., 1593
symptoms, *1948:* Nov., 1523
Menorrhagia, *1948:* Jan., 67
Menstrual cycle, physiology of, *1948:* Jan., 42
disorders, functional, etiologic factors, evaluation, *1948:* Nov., 1511
management, *1948:* Nov., 1509–1522
in cystic enlargement of ovary, *1948:* Nov., 1617
Menstruation, anovular, and infertility, *1943:* Nov., 1546
"bleeding factor," *1948:* Nov., 1502
cyclic endometrial changes *1948:* Jan., 42, Nov., 1494
events leading to, *1948:* Nov., 1487
irregularities of, and their treatment, *1948:* Jan., 57–72
ovulatory and anovulatory, differences, *1948:* Nov., 1486
physiology and endocrinology, present concepts, *1948:* Nov., 1485–1507
Mental deficiency in children, *1948:* May, 659
hospital, instructions to family of patient going to, *1948:* May, 639
illness, better doctor-family cooperation in, *1948:* May, 631–640
Menthol in dermatology, *1949:* Jan., 271
Mercurial diuretics in rheumatic heart disease, *1947:* May, 576
Mercury, ammoniated, in dermatology, *1949:* Jan., 273
as diuretic in heart failure, *1949:* March, 369
Metabolic acidosis and alkalosis, repair solutions in, *1948:* Sept., 1293–1307
aspects of vascular degeneration, *1949:* May, 783–794
Metal fume fever, *1947:* Nov., 1480
Metozoa, intestinal, diagnosis, *1949:* May, 905
Metrorrhagia, *1948:* Jan., 67
Microsporon audouini and lanosum infections of scalp differentiation, *1948:* Jan., 286
Middle ear infection complicating upper respiratory infection, *1947:* Nov., 1331
Migraine. See *Headache, migrainous.*
Mikulicz syndrome, *1949:* Jan., 41
Minerals, interrelations, *1949:* Nov., 1713
Miscarriage. See *Abortion.*
Mitral valve, atresia, with rudimentary left ventricle, patent foramen ovale and ventricular septal defect *1948:* July, 880
Moles, *1949:* Jan., 230
Mononucleosis, bone marrow in, *1947:* May, 532
Moronic children, behavior problems in, *1948:* May, 659
Morphia, *1949:* Jan., 67
Morphine in asthma of children, *1947:* May, 540
in coronary thrombosis, *1947:* Jan., 159
poisoning, acute, diagnosis, *1948:* May, 802
potentiated by neostigmine, *1947:* Sept., 1253
Mother, parturient, bedside care of newborn by, *1948:* Nov., 1699–1709
Mouth, inflammations, common forms, diagnosis and treatment *1948:* March, 355
Multiple sclerosis, *1948:* May, 743–754
clinical features, *1948:* May, 745
differential diagnosis, *1948:* May 749
etiology, *1948:* May, 751
precipitating factors, *1948:* May 747
treatment, *1948:* May, 752
Mumps, gamma globulin in, *1947:* May 606
Muscles, contracted, headache due to, *1948:* May, 565
effects of physical agents on, *1947:* Sept., 1229
reeducation in peripheral nerve injuries, *1948:* May, 782
in poliomyelitis, *1948:* May, 785
spasm in rheumatic disorders, alleviation, *1949:* Nov., 1619
Myanesin in parkinsonism, *1949:* July, 1138
Myasthenia gravis, care of patient with, *1947:* July, 907–923
diet in, *1947:* July, 918
ephedrine sulfate in, *1947:* July, 912, 914
hyperthyroidism and, *1947:* July, 920
neostigmine in, *1947:* July, 909, 914, 916, Sept., 1248
roentgen therapy of thymus, *1947:* July, 921
thymectomy in, *1947:* July, 921

Myasthenia gravis, thymectomy in average case, *1947:* July, 909
in exceptional case, *1947:* July, 913
Mycosis fungoides, nitrogen mustards in, *1949:* Sept., 1309
Myeloma, endothelial, *1947:* Jan., 510
multiple, bone marrow in, *1947:* May, 536
nitrogen mustards in, *1947:* Jan., 5, 10
radiophosphorus in, *1 47:* Jan., 4, July, 832
Myocardial anoxia in causation of angina, *1949:* May, 636
infarction, acute, anticoagulants in, *1949:* March, 339
precordial leads in, *1948:* Jan., 200
Myocarditis focal, acute, following sulfadiazine intravenously, *1947:* Jan., 34
Myochrysine in rheumatoid arthritis, *1948:* Sept. 6, 1365
Myoma of uterus, infertility due to, *1948:* Nov., 1540
Myosarcoma of vagina, *1947:* May, 518
Myositis, multiple. See *Dermatomyositis.*
Myxedema, diagnosis and treatment, problems in, *1949:* Sept., 1249–1254
infantile or childhood, *1948:* Jan., 124, 127

NAIL changes following use of "base coats", *1948:* Jan., 95–107
polish, dermatitis due to, *1949:* Jan., 184
Nasopharyngeal lymphoid masses, radium treatment for deafness, *1947:* Nov., 1359, 1546
Nebulizer for aerosol therapy, *1948:* July, 1078
Neck, inflammatory diseases, benign and malignant, irradiation treatment, *1947:* Nov., 1538–1549
Negro, cutaneous tuberculosis in, *1949:* Jan., 249–262
Neoplastic diseases, diagnosis and management, in childhood, *1947:* May, 498–524
Neoprontosil in ulcerative colitis, streptococcal, *1948:* July, 971
Neostigmine as miotic, *1947:* Sept., 1253
as potentiator of morphine, *1947:* Sept., 1253
as pregnancy test, *1947:* Sept., 1252
as vasodilator, *1947:* Sept., 1252
clinical uses, *1947:* Sept., 1238, 1260
effect on normal human subject, *1947:* Sept., 1240
in gastrointestinal disorders, *1947:* Sept., 1243; *1948:* Sept., 1238, 1241
Neostigmine in head injuries, *1947:* Sept., 1253
in headache, *1947:* Sept., 1253
in myasthenia gravis, *1947:* July, 909, 914, 916; Sept., 1248
in neuromuscular disorders, *1947:* Sept., 1250
in otology, *1947:* Sept., 1253
in tachycardia, *1947:* Sept., 1253
in urinary bladder disorders, *1947:* Sept., 1247
pharmacology, *1947:* Sept., 1239
Nephrectomy, unilateral, for hypertension, *1949:* March, 330, May, 761–771
Nephritis, *1947:* Jan., 134–141, Nov., 1504–1517.
diet in, *1949:* March, 565
edema in, management, *1947:* Sept., 1077–1091
interstitial, following sulfadiazine intravenously, *1947:* Jan., 34
Nephrosclerosis, diet in, *1949:* March, 566
Nephrosis, *1947:* Jan., 134–141, Nov., 1504–1517
diet in, *1949:* March, 565
lipoid, *1947:* Jan., 138
rutin therapy, *1947:* Jan., 141
Nerves, peripheral, injuries, physical medicine in, *1948:* May, 779
nutritional polyneuropathy, *1948:* May, 727–733
Nervous system, tumors, in childhood, *1947:* May, 501
tension in headache, *1949:* July, 974
Neuralgia of face and head, *1949:* Nov., 1591
Neuralgic features of angina pectoris, *1949:* May, 635–649
Neurasthenia *1949:* Sept., 1343–1364
Neurectomy, presacral, in functional menstrual disorders *1948:* Nov., 1522
Neuritis, multiple. See *Polyneuritis.*
retrobulbar, in multiple sclerosis, *1948:* May, 745
nutritional, *1948:* May, 730
Neuroblastoma, *1947:* May, 504
bone marrow in, *1947:* May, 535
Neurocirculatory asthenia, *1949:* Sept., 1343–1364
acute, *1949:* Sept., 1356
clinical description, *1949:* Sept., 1346
differential diagnosis, *1949:* Sept., 1351
management, *1949:* Sept., 1357
Neurodermatitis, *1949:* Jan., 1–14
disseminated, *1948:* May, 675 *1949:* Jan., 186
dry, *1949:* Jan., 4
disseminated, *1949:* Jan., 7
exudative, *1949:* Jan., 10

Neurodermite, 1949: Jan., 4
Neurofibromatosis, *1947:* May, 522
Neurological complications in folic acid therapy of pernicious anemia, *1948:* July, 1134
examination, simultaneous stimulation in, advantages of method, *1948:* May, 755–758
Neurology, symposium on, *1948:* May, 1948
Neuromuscular disorders, neostigmine in *1947:* Sept., 1250
physical medicine in, *1948:* May, 779–788
psychosomatic approach, *1949:* July, 1061–1069
Neuropathy, multiple, nutritional, *1948:* May, 727–733
Neurosis, anxiety, *1949:* Sept., 1343–1364
better doctor-family cooperation in, *1948:* May, 631–640
cardiac, *1949:* Sept., 1343–1364
diagnosis, advantage of family physician, *1949:* July, 924
treatment, *1949:* July, 931
Neurosurgery, air travel after, *1948:* July, 1092
Neurosyphilis, *1948:* May, 707–719
congenital, penicillin in, *1947:* May, 641
penicillin in, *1948:* May 711–718
dosages, *1948:* May, 715
results at Bellevue Hospital, *1948:* May, 715
basis of evaluating, *1948:* May, 711
spinal fluid examination in, *1948:* May, 707–719
Neurotic excoriations, *1948:* May, 673; *1949:* Jan., 18
traits in children, *1948:* May, 663
Neutropenia, splenic, *1949:* March, 555
bone marrow in, *1947:* May, 535
Nevus (nevi), *1947:* May, 520
arraneus, *1949:* Jan., 226
bathing trunk, *1949:* Jan., 231
capillary, *1949:* Jan., 220, 222
cellular, *1949:* Jan., 229
common, identification and management, *1949:* Jan., 219
connective tissue, *1949:* Jan., 237
epithelial, *1949:* Jan., 234
flammeus, *1949:* Jan., 220
nonvascular, *1949:* Jan., 229
pigmented *1949:* Jan., 229
methods of removal, *1949:* Jan., 233
treatment from point of view of possible malignant change, *1949:* Jan., 232
spider, *1949:* Jan., 226
unius lateralis, *1949:* Jan., 237
Nevus (nevi), vascular, *1949:* Jan., 219
verrucous, *1949:* Jan., 235, 236
Newborn, bedside care by parturient mother, *1948:* Nov., 1699–1709
hemolytic disease of, *1947:* Jan., 240, May, 705
breast feeding in, *1948:* Nov., 1643
management, *1948:* Nov., 1638
hypoprothrombinemia of, *1949:* Nov., 1692, 1706
intracranial hemorrhage in, *1948:* May, 737
Niacin, interrelationships, *1949:* Nov., 1710
Nicotinic acid deficiency. See *Pellagra.*
Niemann-Pick's disease, bone marrow in, *1947:* May, 535
Nikolsky sign, *1949:* Jan., 168
Nitrites in gastrointestinal disorders, *1948:* Sept., 1233, 1235
Nitroacridine in rickettsial diseases, *1948:* Sept., 1337
Nitrogen mustards, administration and dosage, *1949:* Sept., 1302, 1303
in Hodgkin's disease, *1949:* March, 532, Sept., 1301
in inoperable carcinoma of lung, *1949:* Sept., 1309
in leukemia, *1949:* March, 539
in lymphoma, therapeutic indications, *1949:* Sept., 1301–1311
in treatment of neoplastic and allied diseases of hemopoietic system, *1947:* Jan., 3–18
toxicity, *1949:* Sept., 1303
Nitroglycerin in coronary disease *1947:* Jan., 158
Nodules, thyroid, benign and malignant, function of, *1949:* Sept., 1225–1230
Nose, deflected septum or spur, *1947:* Nov., 1389
polyps, *1947:* Nov., 1388
NU-445 in kidney disease, *1948:* Sept., 1423
Nummular eczema, *1949:* Jan., 10
Nutrient factors, interrelation, clinical relationship, *1949:* Nov., 1709
Nutrients, biological synthesis, *1949:* Nov., 1716
hormones and, *1949:* Nov , 1715
immunity and, *1949:* Nov., 1713
Nutrition in protracted disease, *1948:* Sept., 1159–1169; *1949:* March, 561–572
recent advances, *1949:* Nov., 1721–1733
Nutritional aspects of liver injury, *1949:* Nov., 1657–1669
of senility, *1949:* Nov., 1681–1684
deficiency diseases. See *Deficiency diseases.*

Nutritional disorders, symposium on, *1949:* Nov., 1629
macrocytic anemia, *1949:* March, 548
treatment, *1948:* Sept., 1268
polyneuropathy, *1948:* May, 727–733
supplements, *1948:* Sept., 1162

OBESE thyropituitary deficiency in the male, *1947:* May, 731
Obesity complicating diabetes mellitus, *1947:* March, 389
Obstetrics, continuous caudal and spinal analgesia in, present status, *1948:* Nov., 1683–1697
recent advances, symposium on, *1948:* Nov., 1483
Rh factor in, *1947:* May, 702, July, 799; *1948:* Nov., 1635–1646
Occupational dermatitis, *1949:* 183
therapy in peripheral nerve injuries, *1948:* May, 783
Octin in migraine, *1949:* Nov., 1587
Ocular. See *Eyes.*
Ointments in dermatologic therapy, *1949:* Jan., 268
Old people, surgery, in, *1949:* March, 583
Oliguria, conservative management, *1949:* July, 1007
Oophorectomy for cystic enlargement of ovary, *1948:* Nov., 1622
Ophthalmia neonatorum, *1947:* May, 759
Ophthalmologic problems in pediatrics, *1947:* May, 750–763
Ophthalmology, radiation in *1947:* Nov., 1545
Opsonocytophagic index in brucellosis, *1947:* Jan., 194
Optic nerve disturbances in multiple sclerosis, *1948:* May, 745
Orbital cellulitis complicating sinusitis, *1947:* Nov., 1352
tumors, in childhood, *1947:* May, 505
Orchiectomy for carcinoma of prostate, results, *1948:* Jan., 117
Orthopedic treatment of rheumatoid arthritis, *1949:* Sept., 1379
Oscillating bed in peripheral vascular disease, *1949:* March, 353
Osteitis tuberculosa multiplex cystica, *1949:* Jan., 42
Osteoarthritis, physical medicine in, *1949:* Sept., 1313–1319
Osteochondroma, *1947:* May, 508
Osteogenic sarcoma, *1947:* May, 509
Osteoma, osteoid, *1947:* Jan., 508
Osteomyelitis complicating sinusitis, *1947:* Nov., 1352
in infants, streptomycin in, *1948:* May, 834
OT, *1948:* July, 1095
Otolaryngology, irradiation in, *1947:* Nov., 1546
Otology, neostigmine in *1947:* Sept., 1253
Ovarian dwarfism, *1947:* May, 720
Ovary, agenesis, dwarfism with, *1948:* Jan., 156
cyclical changes, *1948:* Jan., 42
cystic enlargement, significance with respect to treatment, *1948:* Nov., 1611–1628
diagnostic tests, in infertility, *1948:* Sept., 1189
function, study in sterility, *1948.* Jan., 49
insufficiency, treatment, *1948:* Sept., 1192
tumors, in childhood. *1947:* May, 517
infertility due to, *1948:* Nov., 1542
Ovulation, *1948:* Jan., 42
timing of, *1948:* Sept., 1190
Oxygen therapy in coronary thrombosis, *1947:* Jan., 159
in heart failure *1949:* March, 365
in ulcerative colitis, streptococcal *1948:* July, 972
Oxygen-helium therapy in asthma *1948:* Jan., 238–241
Oxyhyperglycemia, *1947:* March, 292
Oxythiamine, *1949:* Nov., 1721
Oxytocics in functional uterine bleeding, *1948:* Nov., 1517

PACKS, wet, in psychoses, *1949:* July 1124
Pain, abdominal, differential diagnosis *1948:* March, 389–397
x-ray in, *1948:* March, 395
in upper respiratory infections *1947:* Nov., 1334
back, low, treatment, *1949:* Nov., 1625
in gastric perforation, *1949:* July, 965–972
thoracic, diagnostic significance, *1949:* July, 1057
visceral, experimental production, by chemical agents, *1949:* May, 637
inconclusiveness of, in prognosis, *1949:* May, 644
Palsy. See *Paralysis.*
Pancreas, anatomical abnormalities, *1948:* March, 533
anatomy and physiology, *1948:* March 518
calculi of, *1948:* March, 530
carcinoma, *1948:* March, 533
cysts, *1948:* March, 532
diseases, *1948:* March, 518–536
fibrocystic disease, congenital, *1948:* March, 531
head, carcinoma, jaundice in, *1948* March, 451

Pancreas, injurious effects of hyperglycemia on, *1947:* March, 270
islet-cell tumors, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings *1949:* July, 1141–1156
role, in diabetes, *1947:* March, 267
Pancreatic diabetes, frequency, in chronic pancreatitis, *1949:* May, 883–897
fistula, *1948:* March, 532
insufficiency, chronic, *1948:* March, 522
lithiasis, *1949:* May, 883
steatorrhea, *1947:* Jan., 126
Pancreatitis, acute, *1948:* March, 523
chronic and recurrent, *1948:* March, 529
pain in, *1948:* March, 394
portal cirrhosis and, *1948:* March, 505
relapsing, *1949:* May, 883–897; July, 943–956
Panhematopenia, splenic, *1949:* March, 555
Papanicolaou method for diagnosis of uterine cancer, *1948:* Nov., 1563–1572
Papaverine in gastrointestinal disorders, *1948:* Sept., 1231, 1235
Para-aminobenzoic acid in rickettsial diseases, *1948:* Sept., 1337
in Rocky Mountain spotted fever, *1948:* July, 1109
in children, *1947:* May, 647
Para-aminosalicylic acid in tuberculous meningitis, *1949:* May, 879
Paralysis agitans, *1949:* July, 1131
Bell's, physical medicine in, *1948:* May, 783
cerebral, therapeutic exercises in, *1947:* May, 632
treatment, *1948:* May, 789–793
infantile. See *Poliomyelitis.*
Paralytic ileus, *1949:* Sept., 1462
Paralyzed patients, care of, in spinal cord and cauda equina injuries, *1948:* Sept., 1273–1291
Paranasal sinuses. See *Sinuses.*
Parasitosis, delusions of, *1949:* Jan., 18
Parathyroid adenomas, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
insufficiency, unusual clinical manifestations, *1947:* Jan., 243
tetany in adolescence, *1948:* Jan., 146
Parenteral feeding, *1948:* Sept., 1164
fluids in metabolic acidosis and alkalosis, *1948:* Sept., 1293–1307
Parkinson's disease, *1947:* Jan., 92
Parkinsonism and related disorders, treatment in general practice, *1949:* July, 1131–1139
Paroxysmal dyspnea, treatment, *1949:* Nov., 1521
tachycardia, treatment, *1949:* Nov., 1528
Parpanit in parkinsonism, *1949:* July, 1136
Parturient mother, bedside care of newborn by, *1948:* Nov., 1699–1709
Pastes in determatologic therapy, *1949:* Jan., 267
Patch tests in allergic rhinitis, *1947:* Nov., 1383
in contact dermatitis, *1947:* Nov., 1522, *1949:* Jan., 182
technic, *1947:* Nov., 1523
Patent ductus arteriosus, *1948:* July, 911–923
electrocardiogram in, *1949:* July, 1159
Patients, transportation by air, *1948:* July, 1087
Pavatrine in gastrointestinal disorders, *1948:* Sept., 1232, 1237
Pavaex boot in peripheral vascular disease, *1949:* March, 353
Pediatrics, symposium on, *1947:* May 497
Pellagra, dermatomyositis and, differentiation, *1949:* Jan., 27
Pels-Macht phytopharmacologic test *1949:* Jan., 168
Pelvic carcinoma, diagnosis, delay period in, *1948:* Nov., 1573–1581
examination, failure to make, as factor in cancer, *1948:* Nov., 1576
periodic, of supposedly well women, value, *1948:* Nov., 1557–1561
inflammatory disease as cause of infertility, *1948:* Nov., 1540
masses, urinary infection due to, *1941:* Sept., 1471
Pelvimetric technics, radiographic evaluation of, *1948:* Nov., 1659–1671
Pemphigus, *1949:* Jan., 165–176
butcher's, *1949:* Jan., 243
differential diagnosis, *1949:* Jan., 170
erythematoid, benign, *1949:* Jan., 168
foliaceous, *1949:* Jan., 168
treatment, *1949:* Jan., 175
vegetans, *1949:* Jan., 168
vulgaris, *1949:* Jan., 165
Penicillin, aerosol administration, *1948:* July, 1079
dermatitis from, *1947:* Jan., 37, 38
fever, urticaria and migratory polyarthritis due to, *1947:* Jan., 38
hypoprothrombinemia induced by *1949:* Nov., 1703
in abscess of lung, *1948:* Sept., 1221
in actinomycosis, *1948:* July, 1109
in asthma, *1949:* March, 417
in atypical pneumonia, *1947:* Jan., 57
in bronchial asthma, *1948:* Sept., 1220

Penicillin, in bronchiectasis, *1948:* Sept., 1218
aerosol therapy, *1947:* Nov., 1429; *1948:* July, 1081
in bronchopneumonia, *1947:* Jan., 57; *1948:* Sept., 1212
in bronchopulmonary suppuration, *1949:* March, 404
aerosol method, *1949:* March, 404
in brucellosis, sulfadiazine with, *1948:* July, 1108
in diphtheria, *1947:* Jan., 62, Nov., 1366
in empyema, *1948:* Sept., 1212
in gonorrhea, *1949:* Sept., 1476
in indeterminate ulcerative colitis, *1948:* March, 417
in lupus erythematodes, *1947:* Jan., 211
in meningitis, *1947:* Jan., 76
in meningococcic meningitis, *1947:* Jan., 76; *1949:* May, 871
in neurosyphilis, *1948:* May, 711–718
congenital, *1947:* May, 641
dosages, *1948:* May, 715
results at Bellevue Hospital, *1948:* May, 715
basis of evaluating, *1948:* May, 711
in pneumococcic meningitis, *1947:* Jan., 71; *1949:* May, 873
in pneumococcic pneumonia, *1948:* Sept., 1207
in pneumonia, *1947:* Jan., 21, 54, Nov., 1434; *1948:* Sept, 1207
aerosol, *1947:* Nov., 1436
oral, *1947:* Nov., 1436
in prevention of postembolic pulmonary infection, *1947:* Jan., 24
in primary atypical pneumonia, *1948:* Sept., 1212
in pulmonary infections, *1948:* Sept., 1207–1225
in respiratory disease, acute, *1947:* Nov., 1373
in rickettsial diseases, *1948:* Sept. 1337
in Rocky Mountain spotted fever, *1947:* May, 650
in scarlet fever, *1947:* Jan., 63
in sinusitis, *1947:* Nov., 1350
in staphylococcic pneumonia, *1948:* Sept., 1211
in streptococcic meningitis, *1947:* Jan., 79
in streptococcic pneumonia, *1948:* Sept., 1210
in subacute bacterial endocarditis, *1947:* Jan., 19
in syphilis, congenital, *1947:* May, 638
in pregnancy, *1948:* Nov., 1647–1658
prophylactic, *1947:* May, 636; *1948:* Nov., 1651
in tonsillitis, *1947:* Nov., 1357
Penicillin, in ulcerative colitis, streptococcal, *1948:* July, 972
in urinary tract infections, *1949:* July, 1076, 1077, Sept., 1475, 1476
in Vincent's angina, *1947:* Nov., 1361
increased concentrations, caronamide for, *1948:* July, 1107
inhalant in pneumonia, *1947:* Nov., 1436
reactions to, adverse, *1947:* Jan., 31
Pentaquine in hypertension, *1948:* Sept., 1252
Pentosuria, *1947:* March, 316, 318, 322
Peptic ulcer, *1947:* Jan., 101–112
acid neutralization, *1947:* Jan., 108
antispasmodics in, *1948:* March, 321
diet in, *1948:* March, 321
gastrectomy for, dumping syndrome after, *1949:* Sept., 1321–1341
hemorrhage in, massive, *1947:* Sept., 1121–1134; *1948:* March, 328
parenteral therapy, *1947:* Jan., 111
perforated, pain in, *1949:* July, 965–972
psychosomatic approach, *1947:* Jan., 111
relation to symptoms and to indications for operation, *1948:* March, 313–327
symptoms and diagnosis, *1947:* July, 985–1048
mechanism of production, *1948:* March, 314
syndrome, components of, *1948:* March, 317
treatment planning, *1948:* March, 320
vagotomy for, *1947:* Jan., 112
clinical conference on, *1948:* March, 301, 312
complications, *1948:* March, 307
indications, *1948:* March, 304
medical management after, *1948:* Nov., 1711–1716
physiologic aspects, *1948:* March, 301
Perforation, acute, in chronic duodenal ulcer, *1947:* July, 1016
of gallbladder in acute cholecystitis, *1948:* March, 491
of stomach, pain in, *1949:* July, 965–972
of viscus, abdominal pain in, *1948:* March, 394
Periarteritis nodosa, clinicopathologic conference, *1948:* Jan., 161
Pericarditis, precordial leads in, *1948:* Jan., 205
Perinephritic abscess, *1949:* Sept., 1465
Peripheral nerve injuries, physical medicine in, *1948:* May, 779
polyneuropathy, nutritional, *1948:* May, 727–733

Peripheral vascular disease, physical diagnosis, *1949:* March, 347
physical medicine in, *1949:* March, 347–358
rehabilitation, *1949:* March, 356
Peritoneal lavage in promotion of extrarenal excretion, *1948:* July, 989–1076
method, *1948:* July, 1014
Peritoneum, physiology, experimental studies, *1948:* July, 996
Peritonitis, streptomycin in, *1948:* May, 835
Peritonsillar abscess, *1947:* Nov., 1362
Pernicious anemia, addisonian, *1949:* March, 548
carcinoma of stomach, prevention, *1949:* Sept., 1397
combined system disease, treatment. *1949:* Sept., 1392
desiccated stomach in, *1948:* July, 1116
etiology and therapy, recent theories, *1948:* July, 1131
folic acid in, *1948:* July, 1125, 1133; *1949:* March, 549, Sept., 1394
neurologic complications, *1948:* July, 1134
hydrochloric acid in, *1949:* Sept., 1392
iron in, *1949:* Sept., 1391
liver therapy, *1948:* July, 1118, Sept., 1266; *1949:* Sept., 1386
reactions, *1948:* July, 1121; *1949:* Sept., 1389
pathologic physiology, *1948:* July, 1113
transfusions in, *1949:* Sept., 386
treatment, *1948:* July, 1113; *1949:* Sept., 1385–1400
vitamin B_{12} in, *1949:* March, 551, Sept., 1394
Personality disturbances in children, *1947:* May, 668
in psychoneuroses, general origin, *1947:* Sept., 1209
vitamins and, *1949:* Nov., 1717
Pertussis. See *Whooping cough.*
Pharmacodynamics of vehicles and drugs in dermatologic therapy, *1949:* Jan., 263–279
Pharyngeal infections, common, *1947:* Nov., 1356–1367
Pharyngitis, fusospirochetal, *1947:* Nov., 1360
Phenobarbital in hypertension, *1947:* Jan., 150; *1949:* May, 662, Sept., 1270
Phenol in dermatology, *1949:* Jan., 271
Pheochromocytoma, hypertension in, *1949:* Nov., 1743
Phlebography in venous thrombosis and pulmonary embolism, *1949:* Nov., 1505
Phlebothrombosis, treatment, *1949:* March, 580
Phosphatase determinations in carcinoma of prostate, *1948:* Jan., 112
Phosphorus, radioactive, in leukemia, *1949:* March, 537, 539
in treatment of neoplastic and allied diseases of hemopoietic system, *1947:* Jan., 3–18, July, 810
Phthalylsulfathiazole. See *Sulfathalidine.*
Physical diagnosis in peripheral vascular disease, *1949:* March, 347
therapy, and the skin, *1947:* Sept., 1227
in cerebral palsy, *1948:* May, 791
in degenerative joint disease, *1949:* Sept., 1313–1319
in hemiplegia, *1948:* May, 786
in multiple sclerosis, *1948:* May, 753
in neuromuscular affections, *1948:* May, 779–788
in peripheral nerve injuries, *1948:* May, 779
in peripheral vascular disease, *1949:* March, 347–358
in poliomyelitis, *1948:* May, 784
in rheumatic disorders, *1949:* Nov., 1621
in rheumatoid arthritis, *1949:* Sept., 1378
Pigmented nevi, *1949:* Jan., 229
methods of removal, *1949:* Jan., 233
treatment from point of view of possible malignant change, *1949:* Jan., 232
Pinworms, diagnosis, *1949:* May, 905
Pituitary disorders in adolescence, *1948:* Jan., 140
dwarfism, *1947:* May, 715; *1948:* Jan., 141, 154
extracts in gastrointestinal disorders, *1948:* Sept., 1238, 1241
in obese thyropituitary deficiency in male, *1947:* May, 734
Pituitary-thyroid relationship, *1948:* Jan., 127
Pityriasis rosea, prevention, *1947:* Sept., 1142
therapy, *1947:* Sept., 1142
rubra of Hebra, *1949:* Jan., 137
Plague, streptomycin in, *1948:* July, 1109
Plant dermatitis, *1949:* Jan., 184
Plasma buffers, *1948:* Jan., 264
postpartum, in psoriatic arthritis, *1949:* May, 907–911
protein-bound iodine in, as test for thyrotoxicosis, *1949:* Sept., 1233

Plasma volume, estimation, dye method, *1949:* Nov., 1569
in gastrointestinal hemorrhage, *1949:* Nov., 1569
Plasmodia, thick film method, *1949:* May, 900
Plaster resting shells in rheumatoid arthritis, *1948:* Sept., 1363
Plasters in dermatologic therapy, *1949:* Jan., 270
Pleural effusion, diagnostic significance, *1949:* July, 1057
fluid, examination, *1947:* Nov., 1497
Pleurisy, *1947:* Nov., 1493–1499
dry or fibrinous, *1947:* Nov., 1493
with effusion, *1947:* Nov., 1495
Pneumococcal meningitis, *1947:* Jan., 71, 77; *1949:* May, 873
penicillin in, *1949:* May, 873
streptomycin in, *1948:* May, 822
sulfadiazine in, *1949:* May, 873
Pneumoencephalography, headache following, *1948:* 564, 565
Pneumonia, *1947:* Nov., 1432–1441
air travel in, *1948:* July, 1090
aspiration *1947:* Jan., 58
atypical, *1947:* Jan., 56, Nov., 1443–1450; *1949:* July, 1099–1110
diagnosis, *1949:* July, 1053
Friedländer's bacillus, *1947:* Jan., 59
influenzal, *1947:* Nov., 1451
penicillin in, *1947:* Jan. 21, 54, Nov., 1434
pneumococcal, penicillin in, *1948:* Sept 1207
primary atypical, penicillin in, *1948:* Sept., 1212
psittacosal *1947:* Nov., 1451
Q fever, *1947:* Nov , 1452
serum therapy, *1947:* Jan., 56
staphylococcal, penicillin in, *1948:* Sept. 1211
streptococcal, penicillin in, *1948:* Sept., 1210
sulfonamides in, *1947:* Jan., 53, Nov., 1437
treatment, *1947:* Jan., 52–60
viral, *1947:* Nov., 1442–1456
Pneumonitis in bronchiectasis, *1947:* July, 855
roentgenologic signs, *1947:* July, 855
Pneumonoconiosis, *1947:* Nov., 1480
Pneumothorax, spontaneous, *1949:* Nov., 1608
sucking wound, *1949:* Nov., 1612
tension or pressure, *1949:* Nov., 1610
Polioencephalitis, *1948:* Sept., 1387, 1399
Poliomyelitis, abortive, *1948:* Sept., 1381, 1389
atelectasis in, *1947:* May, 609–625
bulbar, *1948:* Sept., 1385, 1396
classification, *1948:* Sept., 1381
Poliomyelitis, curare in, *1948:* Sept., 1392
diagnosis and treatment, *1948:* Sept., 1377–1402
emotional disturbances in, *1948:* Sept., 1399
gamma globulin in, *1947:* May, 605
nonparalytic, *1948:* Sept., 1382, 1390
paralytic, spinal type, *1948:* Sept., 1383, 1391
physical medicine in, *1948:* May, 784
respirator in *1948:* Sept., 1393
therapeutic exercises in, *1947:* May, 631
Polish, nail, "base coats," nail changes following, *1949:* Jan., 95–107
dermatitis due to, *1949:* Jan., 184
Pollen injections, allergic shock from, prevention, *1949:* March, 412, 413
Pollens, avoidance, in allergy, *1947:* Nov., 1385, 1387
Polycythemia rubra vera, nitrogen mustards in, *1947:* Jan., 5, 10
radiophosphorus in, *1947:* Jan., 4; July, 815
Polymyositis, *1949:* Jan., 22
Polyneuropathy, nutritional, *1948:* May, 727–733
Polyps, nasal, *1947:* Nov., 1388
Pompholyx, *1949:* Jan., 10
Port-wine mark, *1949:* Jan., 220
irradiation treatment, *1947:* Nov. 1539
Portal cirrhosis. See *Cirrhosis, portal.*
Postcholecystectomy syndrome, *1948:* March, 390
Postcoital examination, *1948:* Sept., 1173
Posterior fossa tumor, *1947:* May, 502
Postpartum plasma in psoriatic arthritis, *1949:* May, 907–911
Postural drainage in bronchiectasis *1947:* Nov., 1428
Posture, poor, therapeutic exercises in *1947:* May, 630
Potassium iodide in asthma, *1948:* Jan. 237, 243
salts in Bright's disease, *1947:* Sept. 1079
thiocyanate in hypertension, *1948:* Sept., 1249; *1949:* May, 662 695, Sept., 1271
effect on capillary fragility, *1949:* May, 681
PPD, *1948:* July, 1095
Precancerous dermatoses, *1949:* Jan., 109
Bowen's, *1949:* Jan., 125–134
Pre-coma, diabetic, *1947:* March, 457
Precordial leads in clinical electrocardiography, *1948:* Jan., 197–212
Preeclampsia as hazard in pregnancy in diabetics, *1947:* March, 395
hypertension in, *1949:* May, 671

Pregnancy complicating diabetes of more than 20 years' duration, *1947:* March, 395-405
diet in, effect on intra-uterine fetus, *1947:* May, 696-699
eclampsia in, management, *1949:* May, 839
ectopic, ruptured, coma in, *1948:* May, 803
heart disease and, *1949:* Nov., 1735-1742
hypertensive disease of, management, *1949:* May, 833-842
Rh factor and, *1947:* May, 702; July, 799
simulated, *1948:* Nov., 1592
symptoms, psychosomatic approach to, *1948:* Nov., 1591
syphilis and, management, *1948:* Nov., 1647-1658
penicillin in, *1948:* Nov., 1647-1658
test, neostigmine *1947:* Sept., 1252
toxemias of, *1947:* Sept., 1192-1204
treatment, *1947:* Sept., 1192
veratrum viride in, *1948:* Nov., 1673-1682
urinary infection complicating, *1949:* Sept., 1470
Pregnant woman, syphilitic, prophylactic treatment with penicillin, *1947:* May 636
Pregneninolone in functional uterine bleeding, *1947:* Jan., 231
Primarin in amenorrhea, *1948:* Jan., 71
in impaired fertility, *1948:* Jan., 70
in uterine hemorrhage, *1948:* Jan., 68
Premature contractions, ventricular, *1948:* Sept., 1427-1438
Prescription of physical medicine in office practice, *1947:* Sept., 1227
writing, examples of, *1947:* Sept., 1231
Pressure, plasma colloid osmotic, increase in Bright's disease, *1947:* Sept., 1085
sores in paralyzed patients, *1948:* Sept., 1280
Procaine in dermatology, *1949:* Jan., 272
Procaine penicillin G, *1948:* July, 1106
Profenil in gastrointestinal disorders, *1948:* Sept., 1231, 1237
Progeria, *1948:* Jan., 157
Progesterone in cystic enlargement of ovary, *1948:* Nov., 1620
in dwarfism, *1947:* May, 729
in functional menstrual disorders, *1948:* Nov., 1519
in functional uterine bleeding, *1947:* Jan., 231
metabolism in sterility, *1948:* Jan., 51
withdrawal as cause of menstrual bleeding, *1948:* Nov., 1488
Progestin oral, in uterine hemorrhage, *1948* Jan., 68
Promin in tuberculosis, *1947:* Nov., 1466
Promizole in tuberculosis, *1947:* Nov., 1467
in tuberculous meningitis, *1949:* May, 878
Prontylin. See *Sulfanilamide.*
Prophylthiouracil in thyrotoxicosis, action, *1949:* March, 499
effectiveness, *1949:* March, 502
medical and surgical treatment, *1949:* March, 506
preoperative preparation, *1948:* July, 956
Prostate gland, carcinoma, *1949:* March, 479
estrogen therapy, *1948:* Jan., 111
orchiectomy in, results, *1948:* Jan., 117
phosphatase determinations, *1948:* Jan., 112
diseases, endocrine therapy, *1948:* Jan., 111-121
hypertrophy, *1949:* March, 467
estrogen therapy, *1948:* Jan., 119
symptoms, *1949:* March, 471
treatment, preoperative, operative and postoperative, *1949:* March, 472
tumors, in childhood, *1947:* May, 517
Prostatitis, acute, urinary infection in, *1949:* Sept., 1467
chronic, urinary infection in, *1949:* Sept., 1469
Prostigmine in gastrointestinal disorders, *1948:* Sept., 1238, 1241
Protamine zinc insulin, action and uses, *1947:* March, 330
management of diabetes with, *1947:* March, 337
mixtures and modifications, *1947:* March, 335, 343
management of diabetes with, *1947:* March, 338
NP50, *1947:* March, 335, 338 345 346
NPC50, *1947:* March, 350
2:1 mixture, *1947:* March, 335, 338, 345, 346
Protein deficiency, immunity and, *1949:* Nov., 1730
estimation, total, of spinal fluid in neurosyphilis, *1948:* May, 709
supplements in nutrition, *1948:* Sept., 1162
therapy in congestive heart failure, *1949:* Nov., 1635
in malnutrition, preoperative, *1949:* March, 576
Prothrombin deficiency, *1947:* Sept., 1173; *1949:* Nov., 1701-1708

Prothrombin time, determinations, *1949:* Nov., 1685
in gastrointestinal hemorrhage, *1949:* Nov., 1568
Quick test, *1949:* March, 343, Nov., 1685
vitamin K and, relationship, *1949:* Nov., 1685
Protracted disease, nutrition in, *1948:* Sept., 1159–1169
Prurigo Besnier, *1949:* Jan., 186
Pruritus, *1949:* Jan., 14–19
ani, *1949:* Jan., 16
generalized, *1949:* Jan., 14
idiopathic, emotional factors, *1948:* May, 676
localized, *1949:* Jan., 16
of scalp, *1949:* Jan., 17
vulvae, *1949:* Jan., 17
Pseudocyesis, *1948:* Nov., 1592
Pseudoglobulin, protective, in toxemia of pregnancy, *1947:* Sept., 1192
Pseudohermaphrodism, *1948:* Jan., 150
Psittacosis, pneumonia in, *1947:* Nov., 1450
Psoriasis, dermatitis exfoliativa and, *1949:* Jan., 136, 143
emotional factors, *1948:* May, 677
prevention, *1947:* Sept., 1144
therapy, *1947:* Sept., 1142
Psoriatic arthritis, postpartum plasma in, *1949:* May, 907–911
Psychiatric patients, hydrotherapy for, *1949:* July, 1121–1130
Psychiatry, child, group psychotherapy, *1947:* Sept., 1223
therapy, direct, *1947:* Sept., 1220
indirect, *1947:* Sept., 1217
treatment in, *1947:* Sept., 1216–1226
symposium on, *1948:* May, 1948
Psychogenic factors in dermatologic disorders, *1948:* May, 669–685
headache, *1948:* May, 567; *1949:* July, 987, Sept., 1448
Psychoneuroses, diagnostic criteria, *1947:* Sept., 1211
interviewing technic, *1947:* Sept., 1206
office approach to, *1947:* Sept., 1205–1215
personality disturbances, general origin of, *1947:* Sept., 1209
psychotherapeutic management, *1947:* Sept., 1211
symptom formation in, *1948:* May, 701
Psychoses, air transportation of patient with, *1948:* July, 1092
better doctor-family cooperation in, *1948:* May, 631–640
electroshock therapy, outpatient, *1948:* May, 585–595
Psychoses, hydrotherapy in, *1949:* July, 1121–1130
in children, *1948:* May, 664
manic-depressive, *1948:* May, 641–646
electroshock therapy, report of 200 cases, *1949:* March, 515–526
Psychosomatic approach in general practice, *1947:* Jan., 213–222
to gynecologic problems, *1948:* Nov., 1583–1599
to neuromuscular and joint diseases, *1949:* July, 1061–1069
disorders, diagnostic criteria, *1947:* Sept., 1211
diet in, *1949:* March, 571
disturbances in menstrual irregularities, treatment, *1948:* Jan., 71
factors in hypertension, *1949:* May, 691, 703–712
in irritable colon, *1948:* March, 401
medicine, definition, *1948:* May, 609–610
some aspects of interest to general practitioner, *1949:* July, 923–933
theory and practice in a general hospital, *1948:* May, 611–616
Psychotherapy, approach to patient, *1948:* May, 696
brief, in medical practice, *1948:* Sept. 1195–1206
doctor-patient relationship, *1948:* May, 704
goals of, *1948:* Sept., 1198
in child psychiatry, *1947:* Sept. 1223
hypnotic, *1948:* May, 571–583
in alcoholism, *1948:* May, 692
in anxiety states, *1948:* May, 603
in behavior disorders in children, *1948:* May, 665
in diastolic hypertension, *1947:* Sept., 1107
in epilepsy, *1947:* Sept., 1285
in functional menstrual disorders, *1948:* Nov., 1515
in gynecologic problems, *1948:* Nov., 1595
in hypertension, *1949:* May, 661, 708, Sept., 1276
in manic-depressive psychosis, *1948:* May, 646
in psychoneuroses, *1947:* Sept., 1211
in rheumatoid arthritis, *1949:* Sept., 1381
orientation for general practitioner, *1948:* May, 695–706
outpatient electroshock therapy and, *1948:* May, 592
symptom formation, *1948:* May, 701
technics, *1948:* Sept., 1201
Psychotic symptoms masking onset of brain tumor, *1948:* May, 759–767

Pteroylglutamic acid. See *Folic acid*.
Pthalylsulfathiazole. See *Sulfathalidine*.
Pulmonary. See also *Lungs*.
artery, and aorta, complete transposition, *1948:* July, 890
embolism, *1949:* Nov., 1503
emergency treatment, *1949:* Nov., 1531
prevention, *1949:* Nov., 1506
stenosis, *1948:* July, 855–877
electrocardiogram in, *1949:* July, 1159
tetralogy of Fallot, *1948:* July, 855, 858, 863, 868
without ventricular septal defect but with patent foramen ovale, *1948:* July, 870
Purpura, thrombocytopenic, bone marrow in, *1947:* May, 533
essential, *1947:* Sept., 1176; *1949:* July, 1027–1046
diagnosis, *1949:* July, 1029
etiologic factors, *1949:* July, 1027
treatment, *1949:* July, 1040
secondary, *1947:* Sept., 1177; *1949:* July, 1032
Pyelitis, *1947:* Nov., 1513; *1949:* Sept., 1465
Pyelography in prostatism, *1949:* March, 475
Pyelonephritis, *1947:* Nov., 1513; *1949:* Sept., 1465
acute, complicating diabetes mellitus, *1947:* March, 418
atrophic, *1947:* Nov., 1515
chronic, streptomycin in, *1948:* May, 831
Pylephlebitis, suppurative acute, *1948:* March, 484
Pyloric obstruction complicating chronic duodenal ulcer, *1947:* July, 1001
Pyonephrosis, *1947:* Nov., 1516; *1948:* Sept., 1417, 1418, 1419; *1949:* Sept., 1465
Pyrethrum dermatitis from insecticide, *1947:* Nov., 1530
Pyribenzamine in allergic diseases, *1947:* Jan., 43–51
in children, *1947:* July, 948–953
in allergic rhinitis, *1947:* Nov., 1390
in asthma of children, *1947:* May, 540, July, 951
in hay fever, *1948:* Sept., 1372
side-effects, *1947:* Nov., 1390
Pyridium in urinary infections, *1949:* Sept., 1479
Pyridoxine, interrelationships, *1949:* Nov., 1712
Pyrogallic acid in dermatology, *1949:* Jan., 276
Pyrotherapy. See *Fever therapy*.
Pyuria, causes, direct and indirect, *1947:* May, 660
in infants and children, *1947:* May, 665
Q FEVER, pneumonia in, *1947:* Nov., 1452
treatment, *1948:* Sept., 1333–1342
Quarantine, international, *1947:* July, 985
Quick test of prothrombin time, *1949:* March, 343, Nov., 1685
Quinacrine. See *Atabrine*.
Quinidine in auricular fibrillation, *1949:* Nov., 1531
in auricular flutter, *1949:* Nov., 1529
in coronary thrombosis, *1947:* Jan., 160
in supraventricular tachycardia, *1949:* Nov., 1528
Quinine, hypoprothrombinemia induced by, *1949:* Nov., 1702
in lupus erythematodes, *1947:* Jan., 211
RABELLON in parkinsonism, *1949:* July, 1137
Radiographic pelvimetric technics, evaluation of, *1948:* Nov., 1659–1671
Radioiodine excretion in diagnosis of thyrotoxicosis, *1949:* Sept., 1232
in carcinoma of thyroid, *1948:* July, 962
in hyperthyroidism, *1948:* Jan., 3–17; *1948:* July, 956; *1949:* March, 512, Sept., 1211–1223
diagnostic value *1948:* July, 959
therapeutic value, *1948:* July, 959
Radiophosphorus in Hodgkin's disease, *1947:* Jan., 4; July, 836
in leukemia, *1947:* Jan., 4; July, 827; *1949:* March, 537, 539
in multiple myeloma, *1947:* Jan., 4; July, 832
in polycythemia rubra vera, *1947:* Jan., 4; July, 815
in treatment of neoplastic and allied diseases of hemopoietic system, *1947:* Jan., 3–18, July, 810–840
physical properties, *1947:* July, 811
physiological data, *1947:* July, 812, 813
Radium treatment of carcinoma of skin, *1949:* Jan., 119–123
of deafness in childhood, *1947:* Nov., 1359, 1546
of functional menstrual disorders, *1948:* Nov., 1521
of functional uterine bleeding, *1947:* Jan., 233, 234
of inflammatory diseases of head and neck, *1947:* Nov., 1538–1549
of ophthalmologic lesions, *1947:* Nov., 1545

Raynaud's disease, diffuse scleroderma and, differentiation, *1949:* Jan., 65
test for, *1949:* March, 348
Recent advances in medicine, symposium on, *1949:* Sept., 1211
Reduction diet in hypertension, *1949:* March, 569
Refrigeration in peripheral vascular disease, *1949:* March, 355
Rehabilitation as final goal of therapy, *1949:* March, 597
Renal. See also *Kidney.*
acidosis, repair solutions, in, *1948:* Sept., 1301
glycosuria, *1947:* March, 291, 314
of pregnancy, *1947:* March, 314
Renal-visceral fistula, *1948:* Sept., 1418
Rendu-Osler-Weber syndrome, *1949:* Jan., 220
Repair solutions in treatment of metabolic acidosis and alkalosis, *1948:* Sept., 1293–1307
Reproductive organs in female, physiology of, *1948:* Jan., 40
Resorcin in dermatologic therapy, *1949:* Jan., 277
Respirator in poliomyelitis, *1948:* Sept., 1393
Respiratory disease, acute, *1947:* Nov., 1368–1374
differential diagnosis, *1947:* Nov., 1371
infections, introductory considerations, *1947:* Nov., 1322–1343
upper, *1947:* Nov., 1327
etiology, *1947:* Nov., 1327
prevention, *1947:* Nov., 1340
relation to diseases of bronchi *1947:* Nov., 1325
spread by direct extension or through lymphatic channels, *1947:* Nov., 1330
systemic involvement by toxins, or bacteremia, *1947:* Nov., 1333
treatment, *1947:* Nov., 1335
problems in paralyzed patients, management, *1948:* Sept., 1277
tract, diseases, symposium on, *1947:* Nov., 1321
infections, air travel in, *1948:* July, 1090
Rest, bed, in subacute and chronic hepatitis, *1947:* Sept., 1063
in coronary thrombosis, *1947:* Jan., 158, 159
in diastolic hypertension, *1947:* Sept., 1108
in heart failure, *1949:* March, 363
in rheumatoid arthritis, *1949:* Sept., 1377
in viral hepatitis, *1949:* March, 455
Retinoblastoma, *1947:* May, 506
Retrobulbar neuritis in multiple sclerosis, *1948:* May, 745
nutritional, *1948:* May, 730
Retropharyngeal abscess, *1947:* Nov., 1361
Rh blood types, scheme of, *1947:* July, 791
factor, *1947:* Jan., 236–242, May, 700–711, July, 790
and erythroblastosis fetalis, *1947:* Jan., 240, May, 705, July, 799, Sept., 1168; *1948:* Nov., 1638
immunization against, *1948:* Nov., 1635
in obstetrics, *1947:* July, 799–802; *1948:* Nov., 1635–1646
in transfusion reactions, *1947:* Jan., 239, May, 700, July, 799
mode of action and clinical results, *1947:* May, 700–711
nomenclature, *1948:* Nov., 1643
pregnancy and, *1947:* May, 702, July, 799
tests for determination, *1947:* July, 792
sensitization, tests for determination, *1947:* July, 793
Rh-negative women, immunized, prevention or attenuation of injury to infants of, *1948:* Nov., 1637
Rhabdomyoma, congenital, electrocardiogram in, *1949:* July, 1167
Rheumatic disorders, acute, treatment, *1949:* Nov., 1617
fever, acute, treatment in children *1947:* May, 557–580
in adults, *1947:* Jan., 94–100
treatment, *1947:* Jan., 99
protracted phase, sanatorium care, *1947:* May, 564
heart disease, *1947:* May, 557–580
with periodic arterial embolism, ambulatory treatment with Dicumarol, *1948:* Sept., 1309–1313
Rheumatoid arthritis, gold salts in, *1948:* Sept., 1365
treatment, *1948:* Sept., 1357–1367; *1949:* Sept., 1375–1384
spondylitis, *1947:* July, 879–906; *1949:* Nov., 1627
Rhinitis, allergic, perennial, *1947:* Nov., 1375–1392
complications, *1947:* Nov., 1389
skin tests, *1947:* Nov., 1383
treatment, *1947:* Nov., 1384
medicamentosa, *1947:* Nov., 1338
vasomotor, benadryl in, *1947:* Jan. 46, 49, July, 952
pyribenzamine in, *1947:* Jan., 49 July, 952
Riboflavin, interrelationships, *1949:* Nov., 1710

Rice diet in hypertension, *1949:* March, 323, 325, 568, May, 662, Sept., 1271, Nov., 1639
Rickettsial diseases, immunization, *1947:* May, 597
treatment, *1948:* Sept., 1333–1342
Rickettsialpox, treatment, *1948:* Sept., 1333–1342
Ringworm of scalp, epidemic, *1948:* Jan., 283–296
topical applications, *1948:* Jan., 294
x-ray depilation in, *1947:* Nov., 1542; *1948:* Jan., 295
Rocky Mountain spotted fever in children, treatment and prevention, *1947:* May, 647–658
para-aminobenzoic acid in, *1948:* July, 1109
treatment, *1948:* Sept., 1333–1342
Roentgen depilation in ringworm of scalp, *1947:* Nov., 1542; *1948:* Jan., 295
diagnosis, bronchiectasis, *1947:* Nov., 1424
before bronchography, *1947:* July, 850–859
chronic pulmonary disease, *1949:* July, 1049
differentiation of abdominal pain, *1948:* March, 395
gallstones, *1948:* March, 489
hypertensive heart disease, *1949:* May, 655
pulmonary embolism, *1949:* Nov., 1505
tumors of large intestine, *1948:* March, 428–435
of small intestine, *1948:* March, 436–442
pelvimetry, evaluation of, *1948:* Nov., 1659–1671
treatment, bursitis, *1949:* Nov., 1622
carcinoma of skin, *1949:* Jan., 119–123
functional menstrual disorders, *1947:* Jan., 233, 234; *1948:* Nov. 1521
Hodgkin's disease, *1949:* March, 530, 532
inflammatory diseases of head and neck, *1947:* Nov., 1538–1549
leukemia, *1949:* March, 536, 537, 539
lymphosarcoma, *1949:* March, 535
ophthalmologic lesions, *1947:* Nov., 1545
rheumatoid arthritis, *1949:* Sept., 1383
thymus, in myasthenia gravis, *1947:* July, 921
thyrotoxicosis, *1949:* March, 513
Rosacea, emotional factors, *1948:* May, 678
Roundworms, diagnosis, *1949:* May, 905
Rubin test for tubal patency, *1948:* Nov., 1544, 1545
Rutin in hypertension, effect on capillary fragility, *1949:* May, 681
in nephrosis, *1947:* Jan., 141

SACROILIAC strain, *1949:* Nov., 1627
Salazopyrin in ulcerative colitis, *1949:* July, 935–942
Salicylates, hypoprothrombinemia induced by, *1949:* Nov., 1702
in rheumatic disorders, *1949:* Nov., 1620
in rheumatic fever, *1947:* Jan., 99, May, 560
in rheumatoid arthritis, *1948:* Sept., 1364; *1949:* Sept., 1378
in ulcerative colitis, streptococcal, *1948:* July, 971
Salicylazosulfapyridine in ulcerative colitis, *1949:* July, 935–942
Salicylic acid in dermatologic therapy, *1949:* Jan., 277
Salmonella food poisoning, *1947:* Jan., 122
infectious, streptomycin in, *1948:* May, 813
Salpingography in sterility, *1948:* Jan., 45, *1948:* Sept., 1186
Salt restriction in heart disease, *1949:* March, 564
in heart failure, *1949:* March, 366, 367, Nov., 1638
in hypertension, *1949:* March, 323, 325, 328, 329, 567, May, 713–725, 662, Sept., 1274
Salts, acidifying, in Bright's disease, *1947:* Sept., 1079
potassium, in Bright's disease, *1947:* Sept., 1079
Sanocrysin in tuberculosis, *1947:* Nov., 1465
Sarcoid, Boeck's, *1949:* Jan., 32, 35, 36, 257–258
Darier-Roussy, *1949:* Jan., 31, 36, 37
Sarcoidosis, *1949:* Jan., 31–54, 257
clinical characteristics, *1949:* Jan., 34
diagnosis, *1949:* Jan., 48
etiology, *1949:* Jan., 32
Kveim test in, *1949:* Jan., 49
laboratory findings, *1949:* Jan., 46
pathology, *1949:* Jan., 45
treatment, *1949:* Jan., 50
Sarcoma botryoides, *1947:* May, 518
Ewing's, *1947:* May, 510
orbital, *1947:* May, 505
osteogenic, *1947:* May, 509
Sauer's vaccine in whooping cough prophylaxis, *1947:* Jan., 65
Sayre halter in discogenetic disease of cervical spine, *1949:* Nov., 1625

Scabies, prevention, *1947:* Sept., 1145
therapy, *1947:* Sept., 1144
Scalp, pruritus, *1949:* Jan., 17
ringworm of, epidemic, *1948:* Jan., 283-296
topical applications, *1948:* Jan., 294
x-ray depilation in, *1947:* Nov., 1542; *1948:* Jan., 295
Scarlet fever, *1947:* Jan., 62
gamma globulin in, *1947:* May, 605
immunization, *1947:* May, 598
penicillin in, *1947:* Jan., 63
serum therapy, *1947:* Jan., 63
Schemm diet, *1949:* Nov., 1636
Schistosomiasis, diagnosis, *1949:* May, 902
concentration technic, *1949:* May, 903
Schizophrenia, *1948:* May, 623–629
better doctor-family cooperation in, *1948:* May, 637
in children, *1948:* May, 665
early recognition, *1947:* May, 680–687
shock therapy, *1948:* May, 628
Scleredema adultorum, dermatomyositis and, differentiation, *1949:* Jan., 26
diffuse scleroderma and, differentiation, *1949:* Jan., 65
Sclerodactylia, *1949:* Jan., 57, 58, 60
Scleroderma, *1949:* Jan., 55–77
circumscribed, *1949:* Jan., 67
differential diagnosis, *1949:* Jan., 70
diffuse, dermatomyositis and, differentiation, *1949:* Jan., 26, 65
progressive, *1949:* Jan., 55
differential diagnosis, *1949:* Jan., 65
symptomatology, *1949:* Jan., 55
en coup de sabre, *1949:* Jan., 69
linear, *1949:* Jan., 67
pathogenesis, *1949:* Jan., 71
treatment, *1949:* Jan., 72
Sclerosis, multiple, *1948:* May, 743–754
Scopolamine in gastrointestinal disorders, *1948:* Sept., 1230, 1235
in parkinsonism, *1949:* July, 1136
Scrub typhus, treatment, *1948:* Sept., 1333–1342
Seborrhea, emotional factors, *1948:* May, 677
Seborrheic features in atopic dermatitis, *1949:* Jan., 215
keratoses, *1949:* Jan., 110
Sedatives in asthma, *1949:* March, 419
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1128
Seliwanoff reaction, *1947:* March, 320
Semen as factor in infertility, *1948:* Sept., 1173
examination, *1948:* Jan., 75, Sept., 1174, Nov., 1537; *1949:* July, 1111
methods of obtaining, *1948:* Jan., 75
Senear-Usher syndrome, *1949:* Jan., 169
Senile angiomas, *1949:* Jan., 227
ectasias, *1949:* Jan., 227
keratoses, *1949:* Jan., 109
vaginitis, leukorrhea in, *1948:* Nov., 1606
Senility, dietary needs, *1949:* March, 563, Nov., 1681–1684
Septal defects, atrial, *1948:* July, 895–910
electrocardiogram in, *1949:* July, 1159
Septicemia, streptomycin in, *1948:* May, 823
Serum, homologous, jaundice due to, *1948:* March, 475
immune, in measles prophylaxis, *1947:* Jan., 64
treatment, *1947:* Jan., 64
in Rocky Mountain spotted fever, *1947:* May, 650
in whooping cough prophylaxis, *1947:* Jan., 65
treatment, *1947:* Jan., 66
proteins in hepatic disease, *1948:* March, 455–468
therapy in Hemophilus influenzae meningitis, *1947:* Jan., 78
in pneumococcic meningitis, *1947:* Jan., 77
in pneumonia, *1947:* Jan., 56
in scarlet fever, *1947:* Jan., 63
Shigellosis, *1947:* Jan., 113
Shock therapy in schizophrenia, *1948:* May, 628
Signal symptom in multiple sclerosis, *1948:* May, 745
Silicosis, *1947:* Nov., 1480
Sims-Huhner's test, *1948:* Nov., 1543
Sinusitis, *1947:* Nov., 1330, 1344–1355
allergic, *1947:* Nov., 1347
bacterial, *1947:* Nov., 1349
complicating allergic rhinitis, *1947:* Nov., 1388
complications, *1947:* Nov., 1351
headache in, *1948:* May, 567
mechanical, *1947:* Nov., 1348
Sinusoidal current, interrupted, in bursitis, *1949:* Nov., 1622
Situs inversus, complete, electrocardiogram in, *1949:* July, 1164
Skeletal diseases, abdominal pain in, *1948:* March, 389
Skin, allergic diseases, *1947:* Nov., 1518–1537; *1949:* Jan., 177–204
and physical medicine, *1947:* Sept., 1227
bullous diseases, *1949:* Jan., 165
carcinoma, *1949:* Jan., 109–117
treatment, *1949:* Jan., 119–123
diseases, as window to internal disease, *1949:* Jan., 281–287
due to foods, *1949:* Jan., 239–247

Skin-diseases due to handling or eating of meat, *1949:* Jan., 243
psychogenic factors in, *1948:* May, 669–685
symposium on, *1949:* Jan., 1
treatment and prevention, *1947:* Sept., 1135–1147
pharmacodynamics of vehicles and drugs in, *1949:* Jan., 263–279
principles of, *1947:* Sept., 1135
functional diseases, *1949:* Jan., 3
irritants, foods which may act as, *1949:* Jan., 241
lupus erythematosus, *1949:* Jan., 79
neurotic excoriations, *1948:* May, 673
sarcoidosis of, *1949:* Jan., 35
scleroderma, *1949:* Jan., 55
tests in allergic rhinitis, *1947:* Nov., 1383
in brucellosis, *1947:* Jan., 194
in contact dermatitis, *1949:* Jan., 182
in dermatologic allergy, *1947:* Nov., 1522, 1523
in urticaria, *1949:* Jan., 193
tuberculosis, in Negro, *1949:* Jan., 249–262
Smallpox, immunization, *1947:* May, 595
Smears, vaginal, in diagnosis of uterine cancer, *1948:* Nov., 1563–1572
Soaps in dermatologic therapy, *1949:* Jan., 270
Sodium content in diet of Bright's disease, *1947:* Sept., 1077
naphuride in peniphigus, *1949:* Jan., 175
restriction in dietary therapy, *1948:* Sept., 1167
Solganol B in rheumatoid arthritis, *1948:* Sept., 1365
Solution "G" in urinary calculi, *1948:* Sept., 1330
Solutions in dermatologic therapy, *1949:* Jan., 265
Somatopsychic aspects of behavior disorders in children, *1947:* May, 668–679
Sontoquin in rickettsial diseases, *1948:* Sept., 1337
Southey's tubes in Bright's disease, *1947:* Sept., 1089
Spasm, muscle, in rheumatic disorders, alleviation, *1949:* Nov., 1619
Spasmodics in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Sperm, counting technic, *1948:* Jan., 79
morphology of, *1948:* Jan., 79, 80
motility of, estimating, *1948:* Jan., 78
Spider nevus, *1949:* Jan., 226
Spinal anesthesia, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
Spinal cord injuries, care of patients paralyzed by, *1948:* Sept., 1273–1291
tumors in childhood, *1947:* May, 504
drainage, headache following, *1948:* May, 564
fluid examination in neurosyphilis, *1948:* May, 707–719
puncture headache, *1949:* Sept., 1449, Nov., 1594
Spine, arthritis, physical medicine in, *1949:* Sept., 1315
cervical, discogenetic diseases, *1949:* Nov., 1623
Spleen, abnormal mechanisms, anemias due to, *1949:* March, 552
Splenectomy in hemolytic anemia, *1948:* Sept., 1269
relapses after, *1949:* March, 557
Splenomegaly, congestive, forms, bone marrow in, *1947:* May, 534
Spondylitis, rheumatoid, *1947:* July, 879–906; *1949:* Nov., 1627
Sprue, *1947:* Jan., 128; *1949:* Nov., 1671–1680
Squamous cell carcinoma, *1949:* Jan., 115
epithelioma, *1949:* Jan., 112
Staphylococcal meningitis, *1947:* Jan., 79
streptomycin in, *1948:* May, 822
pneumonia, penicillin in, *1948:* Sept., 1211
Staphylococcus food poisoning, *1947:* Jan., 121
Statural disturbances in pediatric practice, *1948:* Jan., 151–160
Status asthmaticus, *1948:* Jan., 238, 241
management, *1949:* Nov., 1097–1603
epilepticus, treatment, *1947:* Sept., 1286
Steatorrhea, *1947:* Jan., 125–133
"idiopathic," *1947:* Jan., 128
miscellaneous causes, *1947:* Jan., 131
pancreatic, *1947:* Jan., 126
Stenosis, pulmonary. See *Pulmonary stenosis.*
Sterility. See *Infertility.*
Sterilization, therapeutic role in preventive medicine, *1948:* Nov., 1629–1634
Sternal puncture technic *1947:* May, 526
Stevens-Johnson syndrome, *1948:* March, 359
Stilbestrol. See *Diethylstilbestrol.*
Stimulation, simultaneous, advantages, in neurological examination, *1948:* May, 755–758
Stokes-Adams syndrome, diagnosis, *1948:* May, 802

Stomach, carcinoma, in pernicious anemia, prevention, *1949:* Sept., 1397
desiccated, in pernicious anemia *1948:* July, 1116
diverticulum *1948:* March, 336
diagnosis, *1948:* March, 340
malignant disease simulating *1948:* March, 336–354
symptoms and signs, *1948:* March, 339
treatment, *1948:* March, 344
lavage, in renal failure, *1948:* July, 992
malignant disease, simulating gastric diverticulum, *1948:* March, 336
perforation, pain in, *1949:* July, 965–972
ulcer. See *Peptic ulcer.*
vagotomy for, indications, *1948:* March, 304
Stomatitis, allergic, *1948:* March, 361
common forms, diagnosis and treatment, *1948:* March, 355–362
due to bacterial infections, *1948:* March, 357
to deficiency diseases, *1948:* March, 360
to virus infection, *1948:* March, 359
herpetic, *1948:* March, 359
medicamentosa, *1948:* March, 357
mycotic, *1948:* March, 360
thermal, *1948:* March, 356
traumatic, *1948:* March 356
Strabismus, *1947:* May, 750
tests for, *1947:* May, 752
Strain, sacroiliac or lumbosacral, *1949:* Nov., 1627
Stramonium leaves in parkinsonism, *1949:* July, 1137
Strawberry gallbladder, *1948:* March, 494
mark, *1949:* Jan., 222
irradiation treatment, *1947:* Nov., 1539
Streptococcal meningitis, *1947:* Jan., 79
pneumonia, penicillin in, *1948:* Sept., 1210
stomatitis, *1948:* March, 357
ulcerative colitis, present-day therapy, *1948:* July, 967–979
Streptococcus food poisoning, *1947:* Jan., 123
MG agglutination in atypical pneumonia, *1947:* Nov. 1449
Streptomycin, aerosol administration, *1948:* July, 1079
experiences with, *1948:* May, 805–838
hypoprothrombinemia induced by *1949:* Nov., 1703
in bronchiectasis, *1947:* Nov., 1429
aerosol method, *1948:* July, 1081
in brucellosis, sulfadiazine combined with, *1949:* July, 1079–1088
Streptomycin in diarrhea and enteric infections, *1948:* May, 805
in Hemophilus influenzae meningitis, *1947:* Jan., 70, 78; *1948:* May, 818
in influenzal meningitis, *1949:* May, 875
in intractable postpartum urinary infection, *1947:* Jan., 25, 27
in meningitis, *1947:* Sept., 1092–1105; *1948:* May, 818
in nontuberculous pulmonary infection, *1948:* May, 826
in osteomyelitis in infants, *1948:* May, 834
in peritonitis, *1948:* May, 835
in plague, *1948:* July, 1109
in rickettsial diseases, *1948:* Sept., 1337
in salmonella infections, *1948:* May, 813
in septicemia, *1948:* May, 823
in tracheobronchial tuberculosis, *1948:* July, 1083
in tuberculosis, *1947:* Nov., 1468; *1948:* May, 828; *1949:* March 375–389
dosage and administration, *1949:* March, 377
indications and contraindications, *1949:* March, 383, 385
in tuberculous meningitis, *1949:* May, 877
in tularemia, *1948:* May, 826
in urinary tract infections, *1948:* May, 831; *1949:* Sept., 1477
toxicity, *1947:* Sept., 1102; *1949:* May, 876
Stricture of bile ducts, benign, *1948:* March, 497
Stridor, diagnostic significance, *1949:* July, 1056
Stuttering, nature of, *1948:* May, 617 622
Subacromial bursitis, *1949:* Nov., 1621
Subaortic stenosis, congenital, with associated anomalies of aorta, *1947:* May, 543–556
Subarachnoid hemorrhage, *1948:* May, 738, 800
headache due to, *1948:* May 565; *1949:* July, 990
Subcutaneous tumors of soft supporting structures, *1947:* May, 521
Subdeltoid bursitis, *1949:* Nov., 1621
Subdural hematoma, *1948:* May, 738, 799
Succinylsulfathiazole. See *Sulfasuxidine.*
Sucrosuria, *1947:* March, 315
Sugar in urine, differential diagnosis, *1947:* March, 301
Suggestion, role, in hypnosis, *1948:* May, 573

Sulfadiazine in atypical pneumonia, *1947:* Jan., 57
in bronchopneumonia, *1947:* Jan., 57
in bronchopulmonary suppuration, *1949:* March, 403
in brucellosis, penicillin with, *1948:* July, 1108
streptomycin with, *1949:* July, 1079–1088
in meningococcal meningitis, *1947:* Jan., 76; *1949:* May, 871
in pneumococcal meningitis, *1949:* May, 873
in pneumonia, *1947:* Jan., 53, Nov., 1438
in respiratory disease, acute, *1947:* Nov., 1373
in tonsillitis, *1947:* Nov., 1357
in ulcerative colitis, streptococcal, *1948:* July, 971
intravenous use, interstitial nephritis and acute focal myocarditis following, *1947:* Jan., 34
Sulfaguanidine in bacillary dysentery, *1947:* Jan., 115
Sulfamerazine in meningococcal meningitis, *1947:* Jan., 75
in pneumonia, *1947:* Nov., 1438
Sulfanilamide, hemolytic anemia due to, *1947:* Jan., 33
in rheumatic fever prophylaxis, *1946:* May, 492
Sulfasuxidine in bacillary dysentery, *1947:* Jan., 115
in indeterminate ulcerative colitis *1948:* March, 415
Sulfathalidine in ulcerative colitis; streptococcal, *1948:* July, 971
in urinary infections, *1949:* Sept., 1474
Sulfathiazole in meningococcal meningitis, *1947:* Jan., 75
leukopenia due to, *1947:* Jan., 34
Sulfonamides. See also the individual drugs.
combinations, use of, *1948:* July, 1107
hypoprothrombinemia induced by, *1949:* Nov., 1703
in bacillary dysentery, *1947:* Jan., 115
in dermatology, *1949:* Jan., 273
in indeterminate ulcerative colitis, *1948:* March, 415
in meningococcal meningitis, *1947:* Jan., 68, 75
prophylactic use, *1947:* Jan., 70
in pneumococcic meningitis, *1947:* Jan., 77
in pneumonia, *1947:* Jan., 53, Nov., 1437
in respiratory disease, acute, *1947:* Nov., 1373
in rickettsial diseases, *1948:* Sept., 1337
Sulfonamides in Rocky Mountain spotted fever, contraindicated, *1947:* May, 650
in sinusitis, *1947.* Nov., 1350
in tonsillitis, *1947:* Nov., 1357
in tuberculosis, *1947:* Nov., 1466
in ulcerative colitis, streptococcal, *1948:* July, 970
in upper respiratory infections, *1947:* Nov., 1336
in urinary tract infections, *1949:* July, 1076, 1078, Sept., 1474
toxic reactions, *1947:* Jan., 31–42
sensitivity to, *1947:* Jan., 36
Sulfur in dermatologic therapy, *1949:* Jan., 276, 277
Summer camps for diabetic children, *1947:* March, 435–444
headache, *1949:* July, 993
Sunstroke, headache in, *1949:* Nov., 1593
Suprarenal. See *Adrenal.*
Supratentorial tumor, *1947:* May 502
Surgery, elective, in massive hemorrhage from peptic ulcer, *1947:* Sept., 1131
emergency, in massive hemorrhage from peptic ulcer, *1947:* Sept., 1129
Swimming, therapeutic, in psychoses, *1949:* July, 1126
Sympathectomy for congenital megacolon, *1948:* July, 984
for hypertension, *1947:* Sept. 1111; *1948:* Jan., 187–196; *1949:* March, 326, May, 663, 751–761, Sept., 1275
analysis of results in 300 cases *1949:* May, 735–749
of 66 patients obtaining excellent results, *1949:* May, 727–733
effect on fundus changes, *1949:* May, 671
evaluation of effects, *1949:* May, 740, 753
in children, *1949:* Sept., 1283–1299
postoperative complications, *1949:* May, 738
response to tetraethylammonium after, *1949:* May, 823
selection of cases, *1949:* May, 727, 735
tetraethylammonium test to predict outcome, *1949:* May, 824
Sympathetic nervous system, tumors, in childhood, *1947:* May, 504
Sympatholytic agents in hypertension *1948:* Sept., 1251
Symptom formation in psychoneurosis *1948:* May, 701
Syncope, treatment, *1949:* Nov., 1519
Synkamin, *1949:* Nov., 1705
Synkayvite, *1949:* Nov., 1705

Syntropan in congenital megacolon, *1948:* July, 983
in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Syphilis, congenital, penicillin in, *1947:* May 638
effect on heart and aorta, clinicopathologic study, *1948:* Sept., 1439–1466
glandular, *1949:* Jan., 261
in children, treatment, newer concepts, *1947:* May, 636–646
in pregnancy, management, *1948:* Nov., 1647–1658
penicillin in, prophylactic use, *1947:* May, 636
of nervous system, *1948:* May, 707–719
penicillin in, in pregnancy, *1948:* Nov., 1647–1658
Syphilitic aortitis, *1948:* Sept., 1439
diagnosis and course, *1948:* Sept., 1458
cirrhosis, nodular, *1948:* March, 514
stomatitis, *1948:* March, 359
Syphilophobia, *1948:* May, 675

TACHYCARDIA, neostigmine in, *197:4* Sept., 1253
paroxysmal, treatment, *1949:* Nov., 1528
supraventricular, treatment, *1949:* Nov., 1528
Tapeworm disease, diagnosis, *1949:* May, 906
Tars in dermatologic therapy, *1949:* Jan., 274
Telangiectasias, congenital, *1949:* Jan., 219
Temperature, body, basal, in functional uterine bleeding, *1947:* Jan., 230; *1948:* Jan., 60
in study of sterility, *1948:* Jan., 51, Sept., 1190; *1948:* Nov., 1549
Temporal arteritis, headache and, *1949:* July, 996
Tension headache, *1949:* July, 980, 981, Sept., 1447
Teratoid tumor in children, *1947:* May, 499
Teratoma in children, *1947:* May, 500
Test(s), agglutination, for Rh sensitization, *1947:* July, 793
conglutination, for Rh sensitization, *1947:* July, 795
Diamond and Abelson, for Rh factor, *1947:* July, 792
skin, in allergy, *1947:* Nov., 1383, 1522, 1523
Testicular biopsy, *1948:* Jan., 81, 98, Sept., 1175, *1948:* Nov., 1538
failure in adolescence, *1948:* Jan., 147
primary, *1948:* Jan., 99
secondary, *1948:* Jan., 105
Testis, aspiration, to obtain sperm *1948:* Jan., 77
tumors, in childhood, *1947:* May, 517
undescended, *1948:* Jan., 149
Testosterone in carcinoma of breast, *1948:* Jan., 18–36
effect on cancerous tissue, *1948:* Jan., 26
on metastatic lesions, *1948:* Jan., 27
physiological action, *1948:* Jan., 24
in cystic enlargement of ovary, *1948:* Nov., 1621
in dwarfism, *1947:* May, 729
in functional menstrual disorders, *1948:* Nov., 1520
in functional uterine bleeding, *1947:* Jan., 232
in primary hypogonadism, *1948:* Jan., 148
Tetanus, immunization, *1947:* May, 590
Tetany, parathyroid, in adolescence, *1948:* Jan., 146
Tetraethylammonium, cardiovascular effects, with special reference to hypertension, *1949:* May, 805–831
in gastrointestinal disorders, *1948:* Sept., 1233, 1237
in hypertension, *1948:* Sept., 1252; *1949:* May, 805–831
test procedure, *1949:* May, 815
therapeutic uses, *1949:* May, 826
Tetralogy of Fallot, *1948:* July, 855–877
Theobromine in coronary disease, *1947:* Jan., 158
Theophylline in coronary thrombosis, *1947:* Jan., 158
Thiamine in atherosclerosis, *1949:* May, 776
in nutritional polyneuropathy, *1948:* May, 731
interrelationships, *1949:* Nov., 1711
Thibierge-Weissenbach syndrome, *1949:* Jan., 63
Thiocyanates in hypertension, *1947:* Jan., 151; *1948:* Sept., 1249; *1949:* May, 695, Sept., 1271
effect on capillary fragility, *1949:* May, 681
Thiouracil, *1948:* July 953
in thyrotoxicosis, *1949:* March, 499–512
preoperative preparation, *1948:* July, 955
Thoracotomy, diagnostic, *1949:* July 1058
Throat swabbing in upper respiratory infections, *1947:* Nov., 1338
Thromboangiitis obliterans, anticoagulants in, *1949:* March, 335
physical medicine in, *1949:* March 348

Thrombocytopenia, recurrent, clinicopathologic conference, *1948:* Jan., 167
Thrombocytopenic purpura, bone marrow in, *1947:* May, 533
essential, *1949:* July, 1027–1046
splenic, *1949:* March, 555
Thrombo-embolism as surgical risk, *1949:* March, 579
Thrombophlebitis, idiopathic, recurring, anticoagulants in, *1949:* March, 338
treatment, *1949:* March, 580
Thrombosis, arterial anticoagulants in, *1949:* March, 337
cerebral, *1948:* May, 738
anticoagulants in, *1949:* March, 339
coronary, *1947:* Jan., 153
abdominal pain in, *1948:* March, 389
treatment, *1947:* Jan., 156
of cerebral sinuses and veins, *1948:* May, 739, 801
of superior sagittal sinus, *1948:* May, 801
venous, anticoagulants in, *1949:* March, 338
prevention, *1949:* Nov., 1506
recognition and emergency treatment, *1949:* Nov., 1501–1517
sequelae, *1949:* Nov., 1515
Thrombo-ulcerative colitis, present-day therapy, *1948:* July, 967–979
Thrush, *1948:* March, 360
Thyloquinone, *1949:* Nov., 1705
Thymectomy for myasthenia gravis, *1947:* July, 921
Thymus, roentgen therapy in myasthenia gravis, *1947:* July, 921
Thyroglossal duct cyst, *1947:* May, 499
Thyroid clinic, *1949:* Sept., 1241–1248
disturbances in adolescence, *1948:* Jan., 144
gland, carcinoma, radioiodine in, *1948:* July, 962
diseases, treatment, recent advances, *1948:* July, 945–965
physiology, in relation to therapy, *1949:* March, 497
study of, recent advances, *1948:* July, 945–965
hormone, fetal requirements, *1948:* Jan., 129
nodules, benign and malignant, function of, *1949:* Sept., 1225–1230
therapy in atherosclerosis, *1949:* May, 777
in cretinism, *1948:* Jan., 130
in dwarfism, *1947:* May, 728
in functional menstrual disorders, *1948:* Nov., 1516
in functional uterine bleeding of adolescents, *1947:* Jan., 229
Thyroid therapy in habitual abortion *1949:* July, 1119
in obese thyropituitary deficiency in male, *1947:* May, 734
Thyroid-pituitary relationship, *1948:* Jan., 127
Thyropituitary deficiency with obesity in male, *1947:* May, 731–749
Thyrotoxicosis, diagnosis, clinic on, *1949:* Sept., 1241–1248
problems in, *1949:* Sept., 1231–1239
hypertension in, *1949:* Nov., 1750
in adolescence, *1948:* Jan., 144
iodine in, *1949:* March, 513
action of, *1949:* March, 500
myasthenia gravis and, *1947:* July, 920
plasma protein-bound iodine test, *1949:* Sept., 1233
propylthiouracil in, action of, *1949:* March, 499
effectiveness, *1949:* March, 502
medical and surgical treatment, *1948:* July, 956; *1949:* March, 507
radioiodine in, *1948:* Jan., 3–17, July, 956; *1949:* March, 512, Sept., 1211–1223
diagnostic test, *1949:* Sept., 1232
thiouracil in, *1948:* July, 955
treatment, current methods, *1949:* March, 497–514
x-rays in, *1949:* March, 513
Thyrotropic hormone, *1948:* July, 951
Thyroxine, formation, *1949:* March, 499
Tick fever. See *Rocky Mountain spotted fever.*
Ticks, removal, *1947:* May, 654
Tinea capitis, *1947:* Sept., 1146, 1147
x-ray depilation in, *1947:* Nov., 1542
Tobacco in coronary thrombosis, *1947:* Jan., 157
Tolserol in bursitis, *1949:* Nov., 1621
in discogenetic diseases of cervical spine, *1949:* Nov., 1623
in rheumatic disorders, *1949:* Nov., 1620
in parkinsonism, *1949:* July, 1138
Tongue lesions. See *Glossitis.*
Tonsillitis, acute, *1947:* Nov., 1356
chronic, *1947:* Nov., 1358
Toxemia of pregnancy, physiology, *1948:* Nov., 1674
treatment, *1947:* Sept., 1192–1204
veratrum viride in, *1948:* Nov., 1673–1682
Tourniquets in severe hemorrhage, *1949:* Nov., 1556
Trachea, aspiration, in pulmonary atelectasis, *1949:* Nov., 1614
Tracheobronchial tuberculosis, streptomycin in, *1948:* July, 1083
Traction headache, *1949:* Sept., 1449

Trance in hypnotic psychotherapy, *1948:* May, 572
Transfusions, blood, allergic reactions, *1947:* July, 804
cardiovascular failure in, *1947:* July, 805
cross-matching tests, *1947:* July, 795
hemolytic reaction, *1947:* July, 804
in gastrointestinal hemorrhage, *1949:* Nov., 1573
in malnutrition, preoperative, *1949:* March, 577
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1124; *1948:* March, 330
in meningococcic meningitis, *1947:* Jan., 75
in pernicious anemia, *1949:* Sept., 1386
in rheumatoid arthritis, *1949:* Sept., 1382
in severe hemorrhage, *1949:* Nov., 1559
in ulcerative colitis, streptococcal, *1948:* July, 972
indications and contraindications, *1947:* July, 806–809
operation of service, *1947:* July, 785–786
reactions, *1947:* July, 803–805
Rh factor in, *1947:* Jan., 239, May, 700, July, 799
treatment, *1947:* July, 803
symposium on, *1947:* July, 785
Transportation of patients by air, *1948:* July, 1084–1093
Transposition of great vessels of heart, *1948:* July, 890
Trasentine in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Trauma, behavior disorders following, *1948:* May, 661
Traumatic headache, *1949:* July, 988, Sept., 1450, 1451, Nov., 1593
Treatment, specific methods, symposium on, *1947:* Sept., 1059; *1948:* Sept., 1159
Trichinosis, dermatomyositis and, differentiation, *1949:* Jan., 26
diagnosis, *1949:* May, 906
Trichomonas vaginalis vaginitis, *1948:* Nov., 1609
Trichophytin in diagnosis and treatment of dermatophytosis, *1949:* Jan., 197
Trichophytosis of toes, recurrent lymphangitis in, *1949:* July, 1090
Trichotillomania, *1948:* May, 673
Tricuspid atresia, congenital, anatomic classification, *1949:* July, 1177–1196
Tricuspid atresia, with rudimentary right ventricle, patent foramen ovale and ventricular septal defect, *1948:* July, 886
Trophic ulcers in scleroderma, *1949:* Jan., 57, 59, 74
Tropical diseases, diagnosis, *1949:* May, 899
Tsutsugamushi disease, treatment, *1948:* Sept., 1333–1342
Tubal insufflation, *1948:* Sept., 1184; *1949:* July, 1113
ligation for sterilization, *1948:* Nov., 1632
patency, tests for, *1948:* Jan., 46, Sept., 1184, Nov., 1544
Tube feeding, *1948:* Sept., 1163
formula for, *1948:* Sept., 1165
Tuberculin reactions, development and variations, *1948:* July, 1098
positive, criteria of, *1948:* July, 1097
test, *1949:* July, 1050
changing concepts, *1948:* July, 1095–1103
clinical implications, *1948:* July, 1099
methods, *1948:* July, 1096
types, *1948:* July, 1095
Tuberculosis, chemotherapy, *1947:* Nov., 1457–1474
chronic, dietary needs, *1949:* March, 563
culture filtrates in, *1947:* Nov., 1462
cutaneous, in Negro, *1949:* Jan., 249–262
diasone in, *1947:* Nov., 1467
gold salts in, *1947:* Nov., 1465
of lacrimal gland and duct, *1949:* Jan., 261, 262
promin in, *1947:* Nov., 1466
promizole in, *1947:* Nov., 1467
pulmonary, air travel in, *1948:* July, 1090
chemotherapy, *1947:* Nov., 1457–1474
complicating diabetes mellitus, *1947:* March, 413
diagnosis, *1949:* July, 1049
streptomycin in, *1947:* Nov., 1468; *1948:* May, 828; *1949:* March, 375–389
dosage and administration, *1949:* March, 377
indications and contraindications, *1949:* March, 383, 385
tracheobronchial, streptomycin in, *1948:* July, 1083
verrucosa cutis, *1949:* Jan., 249, 250
Tuberculous meningitis, *1947:* Jan., 71, 80, Sept., 1101; *1949:* May, 877
para-aminosalicylic acid in, *1949:* May, 879
promizole in, *1949:* May, 878

Tuberculous meningitis, streptomycin in, *1949:* May, 877
Tularemia, cutaneous, *1949:* Jan., 244
streptomycin in, *1948:* May, 826
Tularemic meningism and serous meningitis, *1948:* May, 769–778
Tumors, diagnosis and management, in childhood, *1947:* May, 498–524
malignant, of internal organs, cutaneous lesions in, *1949:* Jan., 284
of brain, coma in, *1948:* May, 800
headache due to, *1948:* May, 563
psychotic symptoms masking, *1948:* May, 759–767
of large intestine, x-ray diagnosis, *1948:* March, 428–435
of lung, diagnosis, *1949:* July, 1052
of pancreas, islet-cell, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
of small intestine, x-ray diagnosis, *1948:* March, 436–442
Turner's syndrome, *1947:* May, 722
Typhoid fever, immunization, *1947:* May, 594
Typhus fever, treatment, *1948:* Sept., 1333–1342

Ulcer, duodenal. See *Duodenal ulcer* and *Peptic ulcer*.
gastric. See *Peptic ulcer*.
peptic. See *Peptic ulcer*.
Ulcerative colitis. See *Colitis, ulcerative*.
Ulcers, trophic, in scleroderma, *1949:* Jan., 57, 59, 74
Understature in children, *1948:* Jan., 151
Underwater exercises in hemiplegia, *1948:* May, 786
in poliomyelitis, *1948:* May, 785
Urea in Bright's disease, *1947:* Sept., 1082
Urecholine in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Uremia, clinical recognition and management, *1947:* July, 860–878
diagnosis, *1948:* May, 802
treatment, peritoneal lavage in, *1948:* July, 989–1076
Ureteral calculus, *1948:* Sept., 1415, 1416
obstruction, chronic urinary infection due to, *1949:* Sept., 1468
Ureteropelvic obstructions, chronic urinary infection due to, *1949:* Sept., 1468
Urethral lesions, chronic urinary infection due to, *1949:* Sept., 1469
mucosa, prolapse of, *1949:* Sept., 1466
Urethritis, acute, urinary infection in, *1949:* Sept., 1466
Uric acid stones, medical management, *1948:* Sept., 1317
Urinary bladder disorders, neostigmine in, *1947:* Sept., 1247
calculi, medical management, *1948:* Sept., 1315
stasis, adynamic, *1949:* Sept., 1471
tract disease, abdominal pain in, *1948:* March, 390
infections, arsenical in, *1949:* Sept., 1479
aureomycin in, *1949:* Sept., 1477
chloromycetin in, *1949:* Sept., 1478
complicating stasis, *1949:* Sept., 1470
in infants and children, complete urologic examination in, *1947:* May, 659–667
management, *1949:* Sept., 1465–1480
mandelic acid in, *1949:* Sept., 1478
nephritis-like, *1949:* Sept., 1472
penicillin in, *1949:* Sept., 1475, 1476
postpartum, intractable, streptomycin in, *1947:* Jan., 25, 27
pyridium in, *1949:* Sept., 1479
role of obstruction and stasis, *1949:* Sept., 1467
streptomycin in, *1948:* May, 831; *1949:* Sept., 1477
sulfonamides in, *1949:* Sept., 1474
symptoms, diagnosis and treatment, *1949:* July, 1071–1078
Urine, bacteriology, *1949:* Sept., 1472
chloride excretion, test, *1949:* Sept. 1273
specimen, proper collection, *1949:* Sept., 1473
sugar in, differential diagnosis, *1947:* March, 301
Urogenital disorders of aged, *1949:* March, 463–483
Urography, excretory, in infants and children, *1947:* May, 663
Urologic examination, complete, in infants and children with urinary infection, indications and importance, *1947:* May, 659–667
surgery, anesthesia for, *1949:* March, 476
Urticaria, *1949:* Jan., 191
allergy and, *1947:* Nov., 1532
benadryl in, *1947:* Jan., 45, 49, July, 952
pyribenzamine in, *1947:* Jan., 48, 49, July, 952
skin tests in, *1949:* Jan., 193

Uticaria, treatment, *1948:* Sep ., 1375; *1949:* Jan., 194
Uterine bleeding, functional, *1947:* Jan., 223–235
treatment, *1947:* Jan 228; *1948:* Nov., 1509
irregularities of, and their treatment. *1948:* Jan., 57–72
Uterosalpingography. *1948:* Nov., 1546
Uterotubal insufflation, *1948:* Nov., 1544, 1545
Uterus, abnormalities, congenital and developmental, *1948:* Sept., 1182
carcinoma, diagnosis, vaginal smear for, *1948:* Nov., 1563–1572
early detection, value of periodic examination of well women in, *1948:* Nov., 1557
cervix. See *Cervix uteri.*
cyclical changes, *1948:* Jan., 42; Nov., 1491
diagnostic tests, in infertility, *1948:* Sept., 1180
fibroids, harmlessness of many, *1949:* March, 432
malformations, infertility due to, *1948:* Nov., 1541
myomas, infertility due to, *1948:* Nov., 1540
Uveitis in sarcoidosis, *1949:* Jan., 41
Uveoparotid fever, *1949:* Jan., 31, 34, 41

VACCINES in common cold prophylaxis, *1947:* Nov., 1341
in influenza prophylaxis, *1947:* Nov., 1409
in perennial allergic rhinitis with infection, *1947:* Nov., 1389
in ulcerative colitis, streptococcal, *1948:* July, 970
in whooping cough prophylaxis, *1947:* Jan., 65
Vagina, absence of, *1948:* Jan., 150
biology changed, leukorrhea due to, *1948:* Nov., 1605
normal, *1948:* Nov., 1601
diagnostic tests, in infertility, *1948:* Sept., 1171
myosarcoma, *1947:* May, 518
Vaginal smear method for diagnosis of uterine cancer, evaluation of, *1948:* Nov., 1563–1572
Vaginitis, senile, leukorrhea in, *1948:* Nov., 1606
treatment, *1948:* Sept., 1172
Trichomonas vaginalis, *1948:* Nov., 1609
Vagotomy for peptic ulcer, *1947:* Jan., 112
clinical conference on, *1948:* March, 301–312
Vagotomy for peptic ulcer, complications, *1948:* March, 307
indications, *1948:* March, 304
medical management following, *1948:* Nov , 1711–1716
physiologic aspects, *1948:* March, 301
Varicelliform eruption of Kaposi, *1949:* Jan., 147
complicating atopic eczema, *1949:* Jan., 214
Variola. See *Smallpox.*
Vascular degeneration, metabolic aspects, *1949:* May, 783–794
disease, as hazard in pregnancy in diabetics, *1947:* March, 395
peripheral, physical diagnosis, *1949:* March, 347
physical medicine in, *1949:* March, 347–358
rehabilitation, *1949:* March, 356
headaches, *1949:* Sept., 1444
nevi, *1949:* Jan., 219
Vasodilator headache, *1949:* Sept., 1447
Vasodilators in acute renal failure, *1949:* July, 1014
in multiple sclerosis, *1948:* May, 753
in peripheral vascular disease, *1949:* March, 351
Vectors, insect, transmission by airplane, *1947:* July, 987
Vehicles in dermatologic therapy pharmacodynamics of, *1949:* Jan., 263–279
Vena cava ligation in treatment of thrombosis and embolism, *1949:* Nov., 1509
Venous disease, chronic, anticoagulants in, *1949:* March, 338
thrombosis, prevention, *1949:* Nov., 1506
recognition and emergency treatment, *1949:* Nov., 1501–1517
sequelae, *1949:* Nov., 1515
Ventricular hypertrophy, electrocardiogram in, *1949:* July, 1159, 1169
premature contractions, a therapeutic challenge, *1948:* Sept., 1427–1438
Ventriculin in pernicious anemia, *1948:* July, 1117
Ventriculography, air travel after, *1948:* July, 1092
Veratrum viride in hypertension, *1948:* Sept., 1253
in toxemias of pregnancy, *1948:* Nov., 1673–1682
Verruca necrogenica, *1949:* Jan., 244
Verrucae, emotional factors, *1948:* May, 680
Verrucous nevus, *1949:* Jan., 235, 236
Vesicles, recurrent, streptomycin in *1948:* May, 834
Vincent's angina, *1947:* Nov., 1360

Vinobel in parkinsonism, *1949:* July, 1137
Vioform in dermatology, *1949:* Jan., 273
Viral hepatitis, chronic, *1949:* March, 448–458
pneumonia, *1947:* Nov., 1442–1456
Virus in etiology of zoster, *1949:* Jan., 160
infection, stomatitis due to, *1948:* March, 359
Visceral leishmaniasis, diagnosis, *1949:* May, 905
Vitamin antagonists, *1949:* Nov., 1715, 1721
Vitamin A, interrelationships, *1949:* Nov., 1709
Vitamin B. See also *Thiamine, Nicotinic acid* and *Riboflavin.*
in atherosclerosis, *1949:* May, 776
in pernicious anemia, *1949:* Sept., 1394
interrelationships, *1949:* Nov., 1710
Vitamin B_6, *1948:* July, 1127
Vitamin B_{12}, *1949:* Nov., 1723
clinical results, *1949:* Nov., 1726
in pernicious anemia, *1949:* March, 551, Sept., 1394
Vitamin C. See also *Ascorbic acid.*
interrelationships, *1949:* Nov., 1712
Vitamin D deficiency. See *Rickets.*
Vitamin E in toxemias of pregnancy, *1947:* Sept., 1198
Vitamin imbalance, *1949:* Nov., 1715
Vitamin K, clinical administration, *1949:* Nov., 1685
deficiency, *1949:* Nov., 1688, 1690
in specific conditions, dosages, *1949:* Nov., 1706
metabolism, *1949:* Nov., 1687
preparations and dosages, *1949:* Nov., 1705
prothrombin and, relationship, *1949:* Nov., 1685
test, response to, *1949:* Nov., 1703
Vitamin M, *1948:* July, 1127
Vitamin therapy in congestive heart failure, *1949:* Nov., 1635
in functional menstrual disorders, *1948:* Nov., 1516
in gastrointestinal hemorrhage, *1949:* Nov., 1577
Vitimin therapy in malnutrition, preoperative, *1949:* March, 577
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1129
in nutritional polyneuropathy, *1948:* May, 731
in prevention of respiratory infections, *1947:* Nov., 1341
in senility, *1949:* Nov., 1682
in ulcerative colitis, *1948:* July, 969
Vitamins in nutrition, *1948:* Sept., 1162
personality and, *1949:* Nov., 1717
Vomiting, cyclic, abdominal pain in, *1948:* March, 392
Von Gierke's disease, electrocardiogram in, *1949:* July, 1167
Vulva, pruritus, *1949:* Jan., 17

WALKING in peripheral vascular disease, *1949:* March, 354
Warts, anatomic, *1949:* Jan., 244
emotional factors, *1948:* May, 680
Washstand syndrome in multiple sclerosis, *1948:* May, 744
Weber-Sturge syndrome, *1949:* Jan., 220
Weil's disease, *1948:* March, 476
serum protein fractions in, *1948:* March, 459
Whooping cough *1947:* Jan., 65
encephalopathy in, *1947:* May, 671
gamma globulin in, *1947:* May, 605
immunization, *1947:* May, 593
prevention, vaccines in, *1947:* Jan. 65
streptomycin in, *1948:* May, 834
treatment, *1947:* Jan., 66
Wills factor, *1948:* July, 1126
Wilms's tumor, *1947:* May, 516
Wilson-Brocq type of dermatitis exfoliativa, *1949:* Jan., 135
Winter headache, *1949:* July, 995
Wolff-Parkinson-White syndrome, electrocardiogram in, *1949:* July, 1169

XANTHOMA, *1949:* Jan., 286
X-ray. See *Roentgen.*

YELLOW fever, *1948:* March, 475
immunization, *1947:* May, 598

ZINC sulfate centrifugal flotation technic for amebae, *1949:* May, 901
Zoster, *1949:* Jan., 154–163